DIN EN ISO 846:2020-11 (E)

Plastics - Evaluation of the action of microorganisms (ISO 846:2019)

Contents

Page

European foreword 4

Foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Termsanddefinitions 8

4 Principle 9
4.1 General 9
4.2 Resistance to fungi 9
4.2.1 Method A: Fungal-growth test 9
4.2.2 Method B: Determination of fungistatic effects 9
4.3 Method C: Resistance to bacteria 10
4.4 Method D: Resistance to microbially active soil (soil-burial test) 10
4.5 Choice of properties for assessment of biodeterioration 10

5 Apparatus and materials 10
5.1 For all tests 10
5.2 For tests with fungi 11
5.3 For tests with bacteria 13
5.4 For soil-burial tests 13

6 Test specimens 14
6.1 Shape and dimensions 14
6.2 Specimen test series and numbers in each test series 14
6.2.1 Specimen test series 14
6.2.2 Numbers in each test series 15

7 Preparation of specimens 15
7.1 Cleaning 15
7.2 Labelling and storage 15
7.3 Conditioning and weighing 15

8 Procedures 16
8.1 Test temperature 16
8.2 Test methods 16
8.2.1 General 16
8.2.2 Fungal-growth test (method A) 16
8.2.3 Determination of fungistatic effect (method B) 18
8.2.4 Procedure with bacteria (method C) 19
8.2.5 Soil-burial test (method D) 20

9 Assessment 21
9.1 Assessment of fungal growth on the specimens by visual examination (methods A, B and D) 21
9.2 Evaluation of the test specimens for the determination of changes in mass and/or in other physical properties 22

9.2.1 Cleaning 22
9.2.2 Change in mass 22
9.2.3 Determination of changes in other physical properties 23

10 Expression of results 23
10.1 General 23
10.2 Visual assessment 23
10.3 Change in mass 23
10.4 Changes in other physical properties 23

11 Accuracy of the measurements 24

12 Test report 24

Annex A (normative) Determination of the water content and water holding capacity of a soil 26

Annex B (normative) Negative control for Test A 28

Annex C (normative) Grid for evaluation of fungal surface growth (Test A) 29

Annex D (informative) Information on test fungi 31

Bibliography 33