

# DIN EN ISO 20326:2021-01 (E)

## Resilient floor coverings - Specification for floor panels /assembly for loose laying (ISO 20326:2016 + Amd 1:2020) (includes Amendment :20 20)

---

Contents	Page
European foreword .....	3
<b>☐</b> European foreword to Amendment <b>☐</b> .....	4
Foreword .....	5
<b>☐</b> Foreword to Amendment <b>☐</b> .....	6
<b>1</b> <b>Scope</b> .....	<b>7</b>
<b>2</b> <b>Normative references</b> .....	<b>7</b>
<b>3</b> <b>Terms and definitions</b> .....	<b>8</b>
<b>4</b> <b>Requirements</b> .....	<b>9</b>
4.1   Requirements for the floor panels .....	9
4.2   General requirements for the surface layer .....	9
4.2.1   Residual indentation .....	9
4.2.2   Colour fastness to artificial light .....	10
4.2.3   Hardness of a rubber surface layer .....	10
<b>5</b> <b>Classification</b> .....	<b>10</b>
5.1   General classification requirements .....	10
5.2   Classification requirements for the surface layer .....	12
5.2.1   General .....	12
5.2.2   Linoleum surface layer .....	12
5.2.3   Rubber surface layer .....	12
5.2.4   Polyvinyl chloride surface layer .....	12
5.2.5   Polyvinyl chloride with enhanced slip properties surface layer .....	12
5.2.6   Synthetic thermoplastic polymer surface layer .....	12
5.2.7   Cork surface layer .....	12
5.2.8   Heterogeneous polyurethane surface layer .....	12
<b>6</b> <b>Marking, labelling and packaging</b> .....	<b>13</b>
6.1   Marking and labelling .....	13
6.2   Packaging .....	13
<b>Annex A</b> (normative) <b>Determination of flatness</b> .....	<b>14</b>
<b>Annex B</b> (normative) <b>Determination of openings and height differences between floor panels</b> .....	<b>17</b>
<b>Annex C</b> (normative) <b>Determination of dimensional variations caused by changes in humidity</b> .....	<b>19</b>
<b>Annex D</b> (normative) <b>Determination of locking strength with a tensile testing machine</b> .....	<b>21</b>
<b>Annex E</b> (normative) <b>Test report</b> .....	<b>23</b>
<b>Annex F</b> (informative) <b>Optional properties</b> .....	<b>24</b>
<b>Bibliography</b> .....	<b>25</b>