

# ISO 14852:2021 (E)

## Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium — Method by analysis of evolved carbon dioxide

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
5	Test environment
6	Reagents
7	Apparatus
8	Procedure
8.1	Test material
8.2	Reference material
8.3	Preparation of the inoculum
8.3.1	General
8.3.2	Inoculum from wastewater-treatment plants
8.4	Test
9	Calculation and expression of results
9.1	Calculation
9.1.1	Theoretical amount of carbon dioxide evolved by the test material
9.1.2	Percentage biodegradation from CO <sub>2</sub> evolution
9.2	Expression and interpretation of results
10	Validity of results
11	Test report
Annex A	(informative) Principle of a system for measuring evolved carbon dioxide (example)
Annex B	(informative) Examples of methods for the determination of evolved carbon dioxide
B.1	CO <sub>2</sub> determination by DIC measurement
B.2	Titrimetric method using a barium hydroxide solution
Annex C	(informative) Example of the determination of a carbon balance
C.1	Principle
C.2	Test procedure
C.3	Calculation of the carbon balance
C.4	Example: Carbon balance of poly( $\beta$ -hydroxybutyrate)
Annex D	(informative) Example of a determination of the amount of water insoluble polymer remaining at the end of a biodegradation test and the molecular mass of the polymer