

# ISO 5148:2022-06 (E)

## Plastics - Determination of specific aerobic biodegradation rate of solid plastic materials and disappearance time (DT50) under mesophilic laboratory test conditions

---

| <b>Contents</b>   |   | <b>Page</b> |
|---|---|-------------|
| Foreword .....  |   | iv          |
| Introduction .....  |   | v           |
| <b>1</b>  | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>  | <b>Normative references .....</b>   | <b>1</b>    |
| <b>3</b>  | <b>Terms and definitions .....</b>  | <b>1</b>    |
| <b>4</b>  | <b>Principle .....</b>  | <b>3</b>    |
| <b>5</b>  | <b>Apparatus .....</b>  | <b>3</b>    |
| 5.1   | Sieves .....  | 3           |
| 5.2   | Sieve shaker .....  | 4           |
| 5.3   | Laser particle size analyser (i.e. laser diffraction instrument) .....                        | 4           |
| 5.4   | Micropore and chemisorption analyser .....  | 4           |
| <b>6</b>  | <b>Determination of the specific surface area (SSA) of test sample .....</b>                  | <b>4</b>    |
| 6.1   | General .....   | 4           |
| 6.2   | Powder test sample .....  | 4           |
| 6.2.1   | Sample preparation .....  | 4           |
| 6.2.2   | Specific surface area determination .....   | 4           |
| 6.3   | Film/sheet test sample .....  | 6           |
| 6.3.1   | Sample preparation .....  | 6           |
| 6.3.2   | Specific surface area determination .....   | 6           |
| <b>7</b>  | <b>Determination of the net CO<sub>2</sub> evolution .....</b>                                | <b>7</b>    |
| <b>8</b>  | <b>Determination of the specific aerobic biodegradation rate and disappearance time .....</b> | <b>8</b>    |
| 8.1   | Determination of CR disappearance .....   | 8           |
| 8.2   | Determination of specific aerobic biodegradation rate .....                                   | 9           |
| 8.3   | Determination of DT50 .....   | 9           |
| <b>9</b>  | <b>Test report .....</b>  | <b>10</b>   |
| <b>Annex A (informative) Example for the determination of rSAB and DT50 .....</b> |   | <b>11</b>   |
| <b>Bibliography .....</b>   |   | <b>16</b>   |