

# DIN EN 1555-4:2026-02 (E)

## Plastics piping systems for the supply of gaseous fuels - Polyethylene (PE) - Part 4: Valves

---

| <b>Contents</b>         |  | <b>Page</b> |
|-------------------------|--|-------------|
| European foreword ..... |  | 4           |
| Introduction .....      |  | 5           |
| <b>1</b>                | <b>Scope .....</b>   | <b>6</b>    |
| <b>2</b>                | <b>Normative references .....</b>                            | <b>6</b>    |
| <b>3</b>                | <b>Terms and definitions .....</b>                           | <b>8</b>    |
| <b>3.1</b>              | <b>General .....</b>   | <b>8</b>    |
| <b>3.2</b>              | <b>Terms relating to design .....</b>                        | <b>8</b>    |
| <b>4</b>                | <b>Symbols and abbreviations .....</b>                       | <b>9</b>    |
| <b>5</b>                | <b>Material .....</b>  | <b>9</b>    |
| <b>5.1</b>              | <b>PE compound for valves .....</b>                          | <b>9</b>    |
| <b>5.2</b>              | <b>Material for non-polyethylene components .....</b>        | <b>9</b>    |
| <b>5.2.1</b>            | <b>General .....</b>   | <b>9</b>    |
| <b>5.2.2</b>            | <b>Metal parts .....</b>                                     | <b>10</b>   |
| <b>5.2.3</b>            | <b>Sealing materials .....</b>                               | <b>10</b>   |
| <b>5.2.4</b>            | <b>Greases and lubricants .....</b>                          | <b>10</b>   |
| <b>5.2.5</b>            | <b>Assembly .....</b>  | <b>10</b>   |
| <b>6</b>                | <b>General characteristics .....</b>                         | <b>10</b>   |
| <b>6.1</b>              | <b>Appearance of the valve .....</b>                         | <b>10</b>   |
| <b>6.2</b>              | <b>Colour .....</b>  | <b>10</b>   |
| <b>6.3</b>              | <b>Design .....</b>  | <b>10</b>   |
| <b>6.3.1</b>            | <b>General .....</b>   | <b>10</b>   |
| <b>6.3.2</b>            | <b>Valve body .....</b>                                      | <b>10</b>   |
| <b>6.3.3</b>            | <b>Valve ends .....</b>                                      | <b>10</b>   |
| <b>6.3.4</b>            | <b>Operating device .....</b>                                | <b>11</b>   |
| <b>6.3.5</b>            | <b>Seals .....</b>   | <b>11</b>   |
| <b>7</b>                | <b>Geometrical characteristics .....</b>                     | <b>11</b>   |
| <b>7.1</b>              | <b>General .....</b>   | <b>11</b>   |
| <b>7.2</b>              | <b>Measurement of dimensions .....</b>                       | <b>11</b>   |
| <b>7.3</b>              | <b>Dimensions of spigot ends for valves .....</b>            | <b>11</b>   |
| <b>7.4</b>              | <b>Dimensions of valves with electrofusion sockets .....</b> | <b>11</b>   |
| <b>7.5</b>              | <b>Dimensions of the operating device .....</b>              | <b>11</b>   |
| <b>8</b>                | <b>Mechanical characteristics of assembled valves .....</b>  | <b>11</b>   |
| <b>8.1</b>              | <b>General .....</b>   | <b>11</b>   |
| <b>8.2</b>              | <b>Requirements .....</b>                                    | <b>12</b>   |
| <b>8.2.1</b>            | <b>General .....</b>   | <b>12</b>   |
| <b>8.2.2</b>            | <b>Air flow rate .....</b>                                   | <b>18</b>   |
| <b>9</b>                | <b>Physical characteristics .....</b>                        | <b>19</b>   |
| <b>9.1</b>              | <b>Conditioning .....</b>                                    | <b>19</b>   |
| <b>9.2</b>              | <b>Requirements .....</b>                                    | <b>19</b>   |
| <b>10</b>               | <b>Performance requirements .....</b>                        | <b>19</b>   |

|   |  |    |
|---|--|----|
| 11  | Technical file .....                                   | 19 |
| 12  | Marking .....  | 20 |
| 12.1  | General .....  | 20 |
| 12.2  | Minimum required marking .....                         | 20 |
| 12.3  | Additional marking .....                               | 21 |
| 13  | Delivery conditions .....                              | 21 |
| Annex A (normative) Determination of the leaktightness of seat(s) and packing .....                 |  | 22 |
| A.1   | General .....  | 22 |
| A.2   | Test piece .....                                       | 22 |
| A.3   | Procedure .....  | 22 |
| A.3.1   | Conditioning .....                                     | 22 |
| A.3.2   | Internal leaktightness test (fully closed valve) ..... | 22 |
| A.3.3   | External leaktightness test (half open valve) .....    | 22 |
| A.4   | Test report .....                                      | 23 |
| Annex B (normative) Test method for leaktightness and ease of operation after tensile loading ..... |  | 24 |
| B.1   | Apparatus .....  | 24 |
| B.2   | Test piece .....                                       | 24 |
| B.3   | Conditions .....                                       | 24 |
| B.4   | Procedure .....  | 24 |
| B.5   | Test report .....                                      | 25 |
| Bibliography .....  |  | 26 |