

# ISO 22088-6:2006-08 (E)

## Plastics - Determination of resistance to environmental stress cracking (ESC) - Part 6: Slow strain rate method

---

<b>Contents</b>		<b>Page</b>
<b>Foreword</b> .....		<b>iv</b>
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Normative references</b> .....	<b>1</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>1</b>
<b>4</b>	<b>Principle</b> .....	<b>3</b>
<b>5</b>	<b>Apparatus</b> .....	<b>4</b>
<b>6</b>	<b>Conditioning and test conditions</b> .....	<b>5</b>
<b>6.1</b>	<b>Conditioning</b> .....	<b>5</b>
<b>6.2</b>	<b>Test temperature</b> .....	<b>5</b>
<b>6.3</b>	<b>Test medium</b> .....	<b>5</b>
<b>7</b>	<b>Test specimens</b> .....	<b>5</b>
<b>8</b>	<b>Procedure</b> .....	<b>5</b>
<b>9</b>	<b>Expression of results</b> .....	<b>6</b>
<b>10</b>	<b>Test report</b> .....	<b>7</b>
<b>Annex A (normative) Strain calculation from crosshead displacement</b> .....		<b>8</b>
<b>Bibliography</b> .....		<b>9</b>