

DIN EN 14511-3:2023-12 (E)

Air conditioners, liquid chilling packages and heat pumps for space heating and cooling and process chillers, with electrically driven compressors - Part 3: Test methods

| Contents | Page |
|--------------------------------------------------------------------------------------------------|------|
| European foreword..... | 6 |
| 1 Scope..... | 8 |
| 2 Normative references..... | 8 |
| 3 Terms and definitions | 8 |
| 4 Tests for determination of capacities | 8 |
| 4.1 Basic principles and methods..... | 8 |
| 4.1.1 Air-to-air and water(brine)-to-air units | 8 |
| 4.1.2 Air-to-water(brine) and water(brine)-to-water(brine) units..... | 9 |
| 4.1.3 Capacity correction..... | 9 |
| 4.1.4 Effective power input..... | 12 |
| 4.1.5 Units on a distribution network of pressured water | 13 |
| 4.1.6 Units for use with remote condenser..... | 13 |
| 4.2 Test apparatus..... | 14 |
| 4.2.1 Arrangement of the test apparatus..... | 14 |
| 4.2.2 Installation and connection of the test object..... | 14 |
| 4.3 Uncertainties of measurement..... | 17 |
| 4.4 Test procedure | 19 |
| 4.4.1 Settings..... | 19 |
| 4.4.2 Output measurement for water (brine)-to-water (brine) and water (brine)-to-air units | 23 |
| 4.4.3 Output measurement for cooling capacity of air-to-water (brine) and air-to-air units.... | 23 |
| 4.4.4 Output measurement for heating capacity of air-to-air and air-to-water units..... | 24 |
| 4.4.5 Permissible deviations..... | 29 |
| 4.5 Test results..... | 32 |
| 4.5.1 Data to be recorded..... | 32 |
| 4.5.2 Cooling capacity and heat recovery capacity calculation | 35 |
| 4.5.3 Heating capacity calculation | 35 |
| 4.5.4 Effective power input calculation..... | 35 |
| 4.5.5 EER and COP calculation..... | 35 |
| 5 Electrical consumptions for single duct and double duct units | 36 |
| 5.1 Determination of power consumption due to standby mode..... | 36 |
| 5.2 Determination of power consumption in off-mode..... | 36 |
| 5.3 Electricity consumption..... | 36 |
| 6 Air flow rate measurement of ducted units..... | 36 |
| 7 Heat recovery test for air-cooled multisplit system..... | 37 |
| 7.1 Test installation..... | 37 |
| 7.1.1 General..... | 37 |
| 7.1.2 Three-room calorimeter method | 37 |
| 7.1.3 Three-room air-enthalpy method..... | 37 |
| 7.1.4 Two-room air-enthalpy method | 37 |
| 7.2 Test procedure | 37 |
| 7.3 Test results | 37 |
| 8 Test report..... | 38 |

| | | |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------|
| 8.1 | General information | 38 |
| 8.2 | Additional information..... | 38 |
| 8.3 | Rating test results..... | 38 |
| Annex A (normative) Calorimeter test method | | 40 |
| A.1 | General | 40 |
| A.2 | Calibrated room-type calorimeter | 42 |
| A.3 | Balanced ambient room-type calorimeter | 43 |
| A.4 | Calculations-cooling capacities | 43 |
| A.4.1 | General | 43 |
| A.4.2 | Total cooling capacity on the indoor-side | 44 |
| A.4.3 | Total cooling capacity of liquid (water)-cooled equipment deducted from the condenser side..... | 45 |
| A.4.4 | Latent cooling capacity (room dehumidifying capacity)..... | 45 |
| A.4.5 | Sensible cooling capacity | 45 |
| A.4.6 | Sensible heat ratio..... | 45 |
| A.5 | Calculation-heating capacities | 46 |
| A.5.1 | General | 46 |
| A.5.2 | Determination of the heating capacity by measurements in the indoor-side room | 46 |
| A.5.3 | Determination of the heating capacity by measurements in the outdoor-side room | 46 |
| A.5.4 | Total heating capacity of liquid (water)-to-air unit deducted from the water side | 47 |
| Annex B (normative) Indoor air enthalpy method | | 48 |
| B.1 | General | 48 |
| B.2 | Test installation | 48 |
| B.2.1 | General | 48 |
| B.2.2 | Air outlet section..... | 49 |
| B.2.3 | Air inlet section | 49 |
| B.2.4 | Discharge chamber design for non-ducted units | 49 |
| B.2.5 | Duct requirements for ducted units | 54 |
| B.2.5.1 | Air outlet duct | 54 |
| B.2.5.2 | Air inlet duct..... | 55 |
| B.3 | Calculations-cooling capacities | 55 |
| B.4 | Calculations-heating capacities | 56 |
| Annex C (informative) Recommendations for reducing the indoor air enthalpy method uncertainty..... | | 57 |
| C.1 | General | 57 |
| C.2 | Uncertainty of measurement..... | 57 |
| C.2.1 | General | 57 |
| C.2.2 | Guidance on temperature measurement..... | 57 |

| | | |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------|
| C.3 | Air leakage tests | 62 |
| C.4 | Zero latent capacity confirmation..... | 64 |
| C.5 | Thermal loses from ducts, chambers and plenums..... | 64 |
| Annex D (normative) Liquid enthalpy test method | | 65 |
| D.1 | General..... | 65 |
| D.2 | Calculations-heating capacities | 65 |
| D.3 | Calculations-cooling capacities..... | 65 |
| Annex E (informative) Test installation and measurements for the liquid enthalpy method..... | | 66 |
| E.1 | General..... | 66 |
| E.2 | Connecting the unit | 66 |
| E.3 | Liquid temperature measuring points | 66 |
| E.4 | Pressure measuring points..... | 68 |
| E.5 | Liquid flow rate measurement..... | 69 |
| Annex F (normative) Determination of the liquid pump efficiency..... | | 70 |
| F.1 | General..... | 70 |
| F.2 | Hydraulic power of the liquid pump | 70 |
| F.2.1 | The liquid pump is an integral part of the unit | 70 |
| F.2.2 | The liquid pump is not an integral part of the unit..... | 70 |
| F.3 | Efficiency of integrated pumps..... | 70 |
| F.3.1 | Glandless circulators | 70 |
| F.3.2 | Dry motor pumps | 71 |
| F.4 | Efficiency of non-integrated pumps | 73 |
| Annex G (informative) Rating of indoor and outdoor units of multisplit and modular heat recovery multisplit systems | | 74 |
| G.1 | General..... | 74 |
| G.2 | Terms and definitions | 74 |
| G.3 | Rating of indoor units | 75 |
| G.3.1 | General..... | 75 |
| G.3.2 | Air flow rate measurement..... | 75 |
| G.3.3 | Measurement of the power input of indoor units | 75 |
| G.4 | Rating of outdoor units | 75 |
| G.4.1 | General..... | 75 |
| G.4.2 | Test procedure | 75 |
| Annex H (informative) Symbols used in annexes | | 77 |
| Annex I (normative) Air flow rate measurement | | 79 |
| I.1 | General..... | 79 |
| I.2 | Test installation | 79 |
| I.3 | Test conditions..... | 79 |
| I.4 | Air flow measurement..... | 79 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Annex J (informative) Conformance criteria | 80 |
| J.1 Water(brine)-to-water(brine) units..... | 80 |
| J.2 Calorimeter room method..... | 80 |
| J.3 Heat recovery of multisplit systems | 80 |
| Annex K (informative) Individual unit tests | 81 |
| K.1 General | 81 |
| K.1.1 Methods..... | 81 |
| K.1.2 Calorimeter method..... | 81 |
| K.1.3 Air-enthalpy method | 81 |
| K.2 Test results..... | 81 |
| K.3 Published results | 81 |
| Annex ZA (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 206/2012 [OJEU L 72/7-27, 10.3.2012] aimed to be covered..... | 82 |
| Annex ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 626/2011 [OJEU L 178/1-72, 6.7.2011] aimed to be covered | 85 |
| Annex ZC (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 2016/2281 [OJEU L346/1-50, 20.12.2016] aimed to be covered | 87 |
| Bibliography | 88 |