

# ISO/CIE 19476:2014-06 (E)

## Characterization of the performance of illuminance meters and luminance meters

---

### Contents

Page

Foreword.....	vii
1 Scope .....	1
2 Normative References .....	1
3 Definitions .....	2
3.1 General Definitions .....	2
3.2 Quality Indices.....	4
4 Calibration.....	7
4.1 Conditions .....	7
4.2 Illuminance Meters .....	7
4.2.1 General .....	7
4.2.2 (Planar) Illuminance $E$ .....	7
4.2.3 Spherical Illuminance $E_0$ .....	8
4.2.4 Cylindrical Illuminance $E_c$ .....	8
4.2.5 Semi-Cylindrical Illuminance $E_{sc}$ .....	8
4.2.6 Semi-Spherical Illuminance $E_{2\pi}$ .....	9
4.3 Luminance Meters .....	9
4.4 Calibration Uncertainties.....	9
4.5 Initial Adjustment.....	10
4.6 Checking of Photometers .....	10
5 Properties of Illuminance Meters and Luminance Meters .....	11
5.1 General Considerations .....	11
5.2 Spectral Properties .....	11
5.2.1 General .....	11
5.2.2 Measurement.....	11
5.2.3 Luminous Responsivity .....	12
5.2.4 Relative Luminous Responsivity and Spectral Mismatch Correction Factor.....	12
5.2.5 Colour Correction Factor and Mismatch Exponent.....	13
5.2.6 Specific Mismatch Index .....	13
5.2.7 General $V(\lambda)$ Mismatch Index $f_1'$ .....	13
5.3 UV Response .....	14
5.3.1 General .....	14
5.3.2 Measurement.....	14
5.3.3 Characterization.....	15
5.4 IR Response.....	16
5.4.1 General .....	16
5.4.2 Measurement.....	16
5.4.3 Characterization.....	16

5.5	Directional Response for Illuminance Meters .....	17
5.5.1	General .....	17
5.5.2	Measurement.....	17
5.5.3	Characterization for (Planar) Illuminance Meters.....	17
5.5.4	Characterization for Spherical Illuminance Meter .....	18
5.5.5	Characterization for Cylindrical Illuminance Meter.....	19
5.5.6	Characterization for Semi-Cylindrical Illuminance Meter.....	20
5.5.7	Characterization for Semi-Spherical Illuminance Meter .....	21
5.6	Directional Response for Luminance Meter .....	22
5.6.1	General .....	22
5.6.2	Measurement.....	22
5.6.3	Characterization.....	22
5.6.4	Measurement of the Effect of the Surrounding Field .....	24
5.7	Linearity .....	25
5.7.1	General .....	25
5.7.2	Measurement.....	25
5.7.3	Characterization.....	25
5.8	Display-Unit.....	26
5.8.1	General .....	26
5.8.2	Characterization.....	26
5.9	Fatigue.....	27
5.9.1	General .....	27
5.9.2	Measurement.....	27
5.9.3	Characterization.....	27
5.10	Temperature.....	27
5.10.1	General .....	27
5.10.2	Measurement.....	28
5.10.3	Characterization.....	28
5.11	Humidity Resistance .....	28
5.11.1	General .....	28
5.11.2	Measurement.....	28
5.11.3	Characterization.....	29
5.12	Modulated Light.....	29
5.12.1	General .....	29
5.12.2	Measurement.....	29
5.12.3	Characterization.....	30
5.13	Polarization Dependence .....	30
5.13.1	General .....	30
5.13.2	Measurement.....	30
5.13.3	Characterization.....	31
5.14	Spatial Non-Uniformity Response.....	31
5.14.1	General .....	31
5.14.2	Measurement.....	31
5.14.3	Characterization.....	31
5.15	Range Change .....	32
5.15.1	General .....	32
5.15.2	Measurement.....	32
5.15.3	Characterization.....	32

5.16	Focusing Distance (luminance meter only)	32
5.16.1	General	32
5.16.2	Measurement	33
5.16.3	Characterization	33
6	Acronyms	33

Annex A (normative)	Sources and Filters Used for the Determination of the UV and IR Response	34
Annex B (informative)	General Comments	36
B.1	General	36
B.2	Quality Indices	36
B.2.1	$V(\lambda)$ Mismatch $f'_1$	36
B.2.2	UV Response $f_{UV}$	36
B.2.3	IR Response $f_{IR}$	36
B.2.4	Cosine Response $f_2$ (illuminance meter only)	36
B.2.5	Directional Response $f_{2,g}$ and Surround Field $f_{2,u}$ (luminance meter only)	37
B.2.6	Linearity $f_3$	37
B.2.7	Display-Unit $f_4$	37
B.2.8	Fatigue $f_5$	37
B.2.9	Temperature Dependence $f_{6,T}$	37
B.2.10	Humidity Resistance $f_{6,H}$	37
B.2.11	Modulated Light $f_7$	37
B.2.12	Polarization $f_8$	37
B.2.13	Spatial Non-Uniformity Response $f_9$	38
B.2.14	Range Change $f_{11}$	38
B.2.15	Focusing Distance $f_{12}$ (luminance meter only)	38