ISO/CIE 19476:2014-06 (E)

Characterization of the performance of illuminance meters and luminance meters

Contents

Page

Foreword vii
1 Scope 1
2 Normative References 1
3 Definitions 2
3.1 General Definitions 2
3.2 Quality Indices 4
4 Calibration 7
4.1 Conditions 7
4.2 Illuminance Meters 7
4.2.1 General 7
4.2.2 (Planar) Illuminance E 7
4.2.3 Spherical Illuminance E_0 8
4.2.4 Cylindrical Illuminance E_c 8
4.2.5 Semi-Cylindrical Illuminance E_{sc} 8
4.2.6 Semi-Spherical Illuminance $E_{2\pi}$ 9
4.3 Luminance Meters 9
4.4 Calibration Uncertainties 9
4.5 Initial Adjustment 10
4.6 Checking of Photometers 10
5 Properties of Illuminance Meters and Luminance Meters 11
5.1 General Considerations 11
5.2 Spectral Properties 11
5.2.1 General 11
5.2.2 Measurement 11
5.2.3 Luminous Responsivity 12
5.2.4 Relative Luminous Responsivity and Spectral Mismatch Correction Factor 12
5.2.5 Colour Correction Factor and Mismatch Exponent 13
5.2.6 Specific Mismatch Index 13
5.2.7 General $V(\lambda)$ Mismatch Index f_1' 13
5.3 UV Response 14
5.3.1 General 14
5.3.2 Measurement 14
5.3.3 Characterization 15
5.4 IR Response 16
5.4.1 General 16
5.4.2 Measurement 16
5.4.3 Characterization 16

5.5 Directional Response for Illuminance Meters 17
5.5.1 General 17
5.5.2 Measurement 17
5.5.3 Characterization for (Planar) Illuminance Meters 17
5.5.4 Characterization for Spherical Illuminance Meter 18
5.5.5 Characterization for Cylindrical Illuminance Meter 19
5.5.6 Characterization for Semi-Cylindrical Illuminance Meter 20
5.5.7 Characterization for Semi-Spherical Illuminance Meter 21
5.6 Directional Response for Luminance Meter 22
5.6.1 General 22
5.6.2 Measurement 22
5.6.3 Characterization 22
5.6.4 Measurement of the Effect of the Surrounding Field 24
5.7 Linearity 25
5.7.1 General 25
5.7.2 Measurement 25
5.7.3 Characterization 25
5.8 Display-Unit 26
5.8.1 General 26
5.8.2 Characterization 26
5.9 Fatigue 27
5.9.1 General 27
5.9.2 Measurement 27
5.9.3 Characterization 27
5.10 Temperature 27
5.10.1 General 27
5.10.2 Measurement 28
5.10.3 Characterization 28
5.11 Humidity Resistance 28
5.11.1 General 28
5.11.2 Measurement 28
5.11.3 Characterization 29
5.12 Modulated Light 29
5.12.1 General 29
5.12.2 Measurement 29
5.12.3 Characterization 30
5.13 Polarization Dependence 30
5.13.1 General 30
5.13.2 Measurement 30
5.13.3 Characterization 31
5.14 Spatial Non-Uniformity Response 31
5.14.1 General 31
5.14.2 Measurement 31
5.14.3 Characterization 31
5.15 Range Change 32
5.15.1 General 32
5.15.2 Measurement 32
5.15.3 Characterization 32

5.16 Focusing Distance (luminance meter only) 32
5.16.1 General 32
5.16.2 Measurement 33
5.16.3 Characterization 33
6 Acronyms 33

Annex A (normative) Sources and Filters Used for the Determination of the UV and IR Response 34
Annex B (informative) General Comments 36
B.1 General 36
B.2 Quality Indices 36
B.2.1 $V(\lambda)$ Mismatch f_1' 36
B.2.2 UV Response f_{UV} 36
B.2.3 IR Response f_{IR} 36
B.2.4 Cosine Response f_2 (illuminance meter only) 36
B.2.5 Directional Response $f_{2,g}$ and Surround Field $f_{2,u}$ (luminance meter only) 37
B.2.6 Linearity f_3 37
B.2.7 Display-Unit f_4 37
B.2.8 Fatigue f_5 37
B.2.9 Temperature Dependence $f_{6,T}$ 37
B.2.10 Humidity Resistance $f_{6,H}$ 37
B.2.11 Modulated Light f_7 37
B.2.12 Polarization f_8 37
B.2.13 Spatial Non-Uniformity Response f_9 38
B.2.14 Range Change f_{11} 38
B.2.15 Focusing Distance f_{12} (luminance meter only) 38