

ISO/CIE 19476:2014-06 (E)

Characterization of the performance of illuminance meters and luminance meters

Contents

Page

Foreword.....	vii
1 Scope	1
2 Normative References	1
3 Definitions	2
3.1 General Definitions	2
3.2 Quality Indices.....	4
4 Calibration.....	7
4.1 Conditions	7
4.2 Illuminance Meters	7
4.2.1 General	7
4.2.2 (Planar) Illuminance E	7
4.2.3 Spherical Illuminance E_0	8
4.2.4 Cylindrical Illuminance E_c	8
4.2.5 Semi-Cylindrical Illuminance E_{sc}	8
4.2.6 Semi-Spherical Illuminance $E_{2\pi}$	9
4.3 Luminance Meters	9
4.4 Calibration Uncertainties.....	9
4.5 Initial Adjustment.....	10
4.6 Checking of Photometers	10
5 Properties of Illuminance Meters and Luminance Meters	11
5.1 General Considerations	11
5.2 Spectral Properties	11
5.2.1 General	11
5.2.2 Measurement.....	11
5.2.3 Luminous Responsivity	12
5.2.4 Relative Luminous Responsivity and Spectral Mismatch Correction Factor.....	12
5.2.5 Colour Correction Factor and Mismatch Exponent.....	13
5.2.6 Specific Mismatch Index	13
5.2.7 General $V(\lambda)$ Mismatch Index f_1'	13
5.3 UV Response	14
5.3.1 General	14
5.3.2 Measurement.....	14
5.3.3 Characterization.....	15
5.4 IR Response.....	16
5.4.1 General	16
5.4.2 Measurement.....	16
5.4.3 Characterization.....	16

5.5	Directional Response for Illuminance Meters	17
5.5.1	General	17
5.5.2	Measurement.....	17
5.5.3	Characterization for (Planar) Illuminance Meters.....	17
5.5.4	Characterization for Spherical Illuminance Meter	18
5.5.5	Characterization for Cylindrical Illuminance Meter.....	19
5.5.6	Characterization for Semi-Cylindrical Illuminance Meter.....	20
5.5.7	Characterization for Semi-Spherical Illuminance Meter	21
5.6	Directional Response for Luminance Meter	22
5.6.1	General	22
5.6.2	Measurement.....	22
5.6.3	Characterization.....	22
5.6.4	Measurement of the Effect of the Surrounding Field	24
5.7	Linearity	25
5.7.1	General	25
5.7.2	Measurement.....	25
5.7.3	Characterization.....	25
5.8	Display-Unit.....	26
5.8.1	General	26
5.8.2	Characterization.....	26
5.9	Fatigue.....	27
5.9.1	General	27
5.9.2	Measurement.....	27
5.9.3	Characterization.....	27
5.10	Temperature.....	27
5.10.1	General	27
5.10.2	Measurement.....	28
5.10.3	Characterization.....	28
5.11	Humidity Resistance	28
5.11.1	General	28
5.11.2	Measurement.....	28
5.11.3	Characterization.....	29
5.12	Modulated Light.....	29
5.12.1	General	29
5.12.2	Measurement.....	29
5.12.3	Characterization.....	30
5.13	Polarization Dependence	30
5.13.1	General	30
5.13.2	Measurement.....	30
5.13.3	Characterization.....	31
5.14	Spatial Non-Uniformity Response.....	31
5.14.1	General	31
5.14.2	Measurement.....	31
5.14.3	Characterization.....	31
5.15	Range Change	32
5.15.1	General	32
5.15.2	Measurement.....	32
5.15.3	Characterization.....	32

5.16	Focusing Distance (luminance meter only)	32
5.16.1	General	32
5.16.2	Measurement	33
5.16.3	Characterization	33
6	Acronyms	33

Annex A (normative)	Sources and Filters Used for the Determination of the UV and IR Response	34
Annex B (informative)	General Comments	36
B.1	General	36
B.2	Quality Indices	36
B.2.1	$V(\lambda)$ Mismatch f'_1	36
B.2.2	UV Response f_{UV}	36
B.2.3	IR Response f_{IR}	36
B.2.4	Cosine Response f_2 (illuminance meter only)	36
B.2.5	Directional Response $f_{2,g}$ and Surround Field $f_{2,u}$ (luminance meter only)	37
B.2.6	Linearity f_3	37
B.2.7	Display-Unit f_4	37
B.2.8	Fatigue f_5	37
B.2.9	Temperature Dependence $f_{6,T}$	37
B.2.10	Humidity Resistance $f_{6,H}$	37
B.2.11	Modulated Light f_7	37
B.2.12	Polarization f_8	37
B.2.13	Spatial Non-Uniformity Response f_9	38
B.2.14	Range Change f_{11}	38
B.2.15	Focusing Distance f_{12} (luminance meter only)	38