

# DIN EN 17037:2019-03 (E)

## Daylight in buildings

---

| <b>Contents</b>                             |   | <b>Page</b> |
|---|---|-------------|
| European foreword .....                     |   | 5           |
| Introduction .....                          |   | 6           |
| 1   | Scope .....   | 7           |
| 2   | Normative references .....                                  | 7           |
| 3   | Terms and definitions .....                                 | 7           |
| 4   | Symbols and abbreviations .....                             | 10          |
| 5   | Assessment of daylight in interior spaces .....             | 12          |
| 5.1   | Daylight Provision .....                                    | 12          |
| 5.1.1                                       | General .....   | 12          |
| 5.1.2                                       | Criteria for daylight provision .....                       | 12          |
| 5.1.3                                       | Daylight Provision Calculation Methods .....                | 12          |
| 5.1.4                                       | Verification of daylight provision .....                    | 13          |
| 5.2   | Assessment for view out .....                               | 13          |
| 5.2.1                                       | General .....   | 13          |
| 5.2.2                                       | Criteria for view out .....                                 | 14          |
| 5.2.3                                       | Verification of view out .....                              | 14          |
| 5.3   | Exposure to sunlight .....                                  | 14          |
| 5.3.1                                       | General .....   | 14          |
| 5.3.2                                       | Criteria for exposure to sunlight .....                     | 14          |
| 5.3.3                                       | Verification of sunlight duration .....                     | 14          |
| 5.4   | Protection from glare .....                                 | 14          |
| 5.4.1                                       | General .....   | 14          |
| 5.4.2                                       | Criteria for protection from glare .....                    | 15          |
| 5.4.3                                       | Verification for protection from glare .....                | 15          |
| Annex A (informative) Recommendations ..... |   | 16          |
| A.1   | General .....   | 16          |
| A.2   | Recommendations for daylight provision in a space .....     | 16          |
| A.3   | Recommendations for view .....                              | 20          |
| A.4   | Recommendation for exposure to sunlight .....               | 21          |
| A.5   | Recommendation for glare protection .....                   | 21          |
| Annex B (informative) Daylight .....        |   | 23          |
| B.1   | General .....   | 23          |
| B.2   | Calculation grids .....                                     | 23          |
| B.3   | Calculation methods .....                                   | 24          |
| B.3.1                                       | General .....   | 24          |
| B.3.2                                       | Calculation method using daylight factor (method 1) .....   | 24          |
| B.3.3                                       | Calculation method using illuminance level (method 2) ..... | 25          |
| B.4   | Daylight availability .....                                 | 25          |
| B.5   | Validation of actual daylighting performance .....          | 26          |

|   |           |
|---|-----------|
| <b>Annex C (informative) View out</b> .....   | <b>27</b> |
| <b>C.1 General</b> .....  | <b>27</b> |
| <b>C.2 Quality of view out</b> .....  | <b>27</b> |
| <b>C.3 Width of view out</b> .....  | <b>27</b> |
| <b>C.4 Verification of view</b> .....   | <b>32</b> |
| <b>C.4.1 Simplified verification method</b> .....   | <b>32</b> |
| <b>C.4.2 Advanced verification method</b> .....   | <b>33</b> |
| <b>Annex D (informative) Exposure to sunlight</b> .....   | <b>36</b> |
| <b>D.1 General</b> .....  | <b>36</b> |
| <b>D.2 Principle of assessment of hours of sunlight</b> .....   | <b>36</b> |
| <b>D.3 Method using software</b> .....  | <b>38</b> |
| <b>D.4 Method using manual geometric constructions</b> .....  | <b>40</b> |
| <b>D.5 Determination of the position of the sun in the sky</b> .....  | <b>40</b> |
| <b>D.6 Evaluation rules for sunlight duration</b> .....   | <b>45</b> |
| <b>D.7 Sunlight duration in the reference point P</b> .....   | <b>46</b> |
| <b>D.7.1 Example</b> .....  | <b>46</b> |
| <b>D.7.2 Calculation</b> .....  | <b>46</b> |
| <b>D.7.3 Result</b> .....   | <b>47</b> |
| <b>D.8 On-site verification of duration of exposure to sunlight</b> .....   | <b>48</b> |
| <b>Annex E (informative) Glare</b> .....  | <b>50</b> |
| <b>E.1 General</b> .....  | <b>50</b> |
| <b>E.2 Daylight Glare Probability</b> .....   | <b>50</b> |
| <b>E.3 Annual evaluation</b> .....  | <b>51</b> |
| <b>E.3.1 General</b> .....  | <b>51</b> |
| <b>E.3.2 Simplified annual glare evaluation</b> .....   | <b>52</b> |
| <b>E.3.2.1 General</b> .....  | <b>52</b> |
| <b>E.3.2.2 Solar protection device being opaque in the extended and close position</b> .....                            | <b>53</b> |
| <b>E.3.2.3 Solar protection device where the curtain is made of textile, film or perforated opaque material</b> .....   | <b>53</b> |
| <b>E.3.2.4 Non-diffusing glazing device with a low variable light transmittance (e.g. electrochromic glazing)</b> ..... | <b>56</b> |
| <b>E.3.2.5 Sunshine zones</b> .....   | <b>58</b> |
| <b>E.4 Reflections or veiling glare</b> .....   | <b>59</b> |
| <b>E.5 Verification of the glare protection capability</b> .....  | <b>59</b> |
| <b>Annex F (informative) A-deviations</b> .....   | <b>62</b> |
| <b>Bibliography</b> .....   | <b>63</b> |