DIN EN 12464-1:2021-11 (E)

Light and lighting - Lighting of work places - Part 1: Indoor work places

Contents

Page

European foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 9

4 Symbols and abbreviations 9

5 Lighting design criteria 10
5.1 Luminous environment 10
5.2 Luminance distribution 11
5.2.1 General 11
5.2.2 Reflectance of surfaces 12
5.2.3 Illuminance on surfaces 12
5.3 Illuminance 12
5.3.1 General 12
5.3.2 Scale of illuminance 12
5.3.3 Illuminances on the task area or activity area 13
5.3.4 Illuminance on the immediate surrounding area 14
5.3.5 Illuminance on the background area 15
5.3.6 Illuminance uniformity 15
5.4 Illuminance grid 16
5.5 Glare 18
5.5.1 General 18
5.5.2 Limiting luminaire luminance 19
5.5.3 Discomfort glare 20
5.5.4 Veiling reflections and reflected glare 22
5.6 Lighting in the interior space 22
5.6.1 General 22
5.6.2 Cylindrical illuminance requirement in the activity space 22
5.6.3 Modelling 22
5.6.4 Directional lighting of visual tasks 23
5.7 Colour aspects 23
5.7.1 General 23
5.7.2 Colour appearance of the light 23
5.7.3 Colour rendering 24
5.8 Flicker and stroboscopic effects 24
5.8.1 General 24
5.8.2 Flicker 24
5.8.3 Stroboscopic effect 25
5.9 Lighting of work stations with Display Screen Equipment (DSE) 25
5.9.1 General 25
5.9.2 Luminaire luminance limits with downward flux 25

6 Lighting design considerations 26
6.1 General 26
6.2 Illuminance requirements and recommendations 27
6.2.1 General 27

6.2.2 Lighting of the task area or activity area and its immediate surrounding area (see 5.3) 27
6.2.3 Lighting of the space 27
6.2.4 Adjustability of the lighting system 28
6.3 Maintenance factor 28
6.4 Energy efficiency requirements 29
6.5 Additional benefits of daylight 29
6.6 Variability of light 30
6.7 Room brightness 30

7 Schedule of specific lighting requirements 30
7.1 Composition of the tables 30
7.2 Schedule of task and activity areas 31
7.3 Lighting requirements for task areas, activity areas, room and space brightness 33

8 Verification procedures 91
8.1 General 91
8.2 Illuminances 91
8.3 Unified Glare Rating 91
8.4 Colour rendering and colour appearance 91
8.5 Luminaire luminance 91
8.6 Maintenance schedule 91

Annex A (informative) Recommended practice regarding implementation of UGR tabular method for `non-standard' situations 92

A.1 General 92
A.2 Recommended Practices 92
A.2.1 Deviating luminaire sizes 92
A.2.2 Irregular area shapes 92
A.2.3 Irregular luminaire placement patterns 92
A.2.4 Deviating room reflectances 92
A.2.5 Multiple luminaire types 93
A.2.6 Luminaires with (only) up-lighting or luminous ceilings 93
A.2.7 Room dimensions smaller or larger than the tabular values 93

Annex B (informative) Additional information on visual and non-visual (non-image forming) effects of light 94

B.1 General 94
B.2 Perceived room brightness 94
B.3 Alternative parameters 94
B.3.1 General 94
B.3.2 Mean ambient illuminance, amb (Govén et al.)[1] 94
B.3.3 Mean room surface luminous exitance, Mrs (Cuttle)[2] 95
B.3.4 Visual lightness and interest - 40 degree band luminance (Loe et al.)[3] 95
B.4 Adaptation luminance within the normal visual field 96
B.5 The influence of spectral power distribution on non-image forming effects 96
B.6 Varying lighting conditions 96
B.7 Daylight provision 97

Annex C (informative) Lighting design considerations - Examples 98

C.1 Example for offices 98
C.2 Example for industry machine workshop 99
C.3 Example for industrial machine workshop with inspection area 101
C.4 Example for electronics industry 102

Annex D (informative) Transportation areas - Railway installations 104

D.1 Platform edge 104
D.2 Limitation of glare for train drivers 104
D.3 Maintenance sheds 104

D.4 Circulation areas 104

Annex E (informative) A-deviations 105

Bibliography 106

Index 109