

# DIN EN 1715-2:2008-07 (E)

## Aluminium and aluminium alloys - Drawing stock - Part 2: Specific requirements for electrical applications

---

<b>Contents</b>		<b>Page</b>
Foreword .....		3
<b>1</b>	<b>Scope .....</b>	<b>4</b>
<b>2</b>	<b>Normative references .....</b>	<b>4</b>
<b>3</b>	<b>Requirements .....</b>	<b>4</b>
<b>3.1</b>	<b>Chemical composition .....</b>	<b>4</b>
<b>3.2</b>	<b>Temper for delivery .....</b>	<b>5</b>
<b>4</b>	<b>Product inspection and testing methods .....</b>	<b>6</b>
<b>4.1</b>	<b>Chemical composition .....</b>	<b>6</b>
<b>4.2</b>	<b>Mechanical properties .....</b>	<b>6</b>
<b>4.3</b>	<b>Specific electrical resistivity (or conductivity) .....</b>	<b>6</b>
<b>5</b>	<b>Delivery documents and inspection documents .....</b>	<b>6</b>
<b>6</b>	<b>Marking and packaging .....</b>	<b>7</b>
<b>Annex A (normative)</b>	<b>Chemical composition of aluminium alloys EN AW-1110, EN AW-8030 and EN AW-8176 .....</b>	<b>8</b>