

# DIN EN 12164:2011-08 (E)

## Copper and copper alloys - Rod for free machining purposes

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	7
4	Designations .....	8
4.1	Material .....	8
4.1.1	General .....	8
4.1.2	Symbol .....	8
4.1.3	Number .....	8
4.2	Material condition .....	8
4.3	Product .....	8
5	Ordering information .....	9
6	Requirements .....	10
6.1	Composition .....	10
6.2	Mechanical properties .....	10
6.3	Resistance to dezincification .....	10
6.4	Residual stress level .....	11
6.5	Dimensions and tolerances .....	11
6.5.1	Diameter or width across-flats .....	11
6.5.2	Shape tolerances .....	11
6.5.3	Straightness .....	11
6.5.4	Length .....	11
6.5.5	Corner radii .....	12
6.5.6	Twist of polygonal rod .....	12
6.5.7	Shaped ends .....	12
7	Sampling .....	14
7.1	General .....	14
7.2	Analysis .....	14
7.3	Mechanical tests .....	14
7.4	Dezincification resistance and stress corrosion resistance tests .....	14
8	Test methods .....	14
8.1	Analysis .....	14
8.2	Tensile test .....	15
8.2.1	General .....	15
8.2.2	Location of test pieces .....	15
8.2.3	Shape and size of test pieces .....	15
8.2.4	Procedure for testing .....	15
8.2.5	Determination of results .....	15
8.3	Hardness test .....	15
8.4	Dezincification resistance test .....	16
8.5	Stress corrosion resistance test .....	16
8.6	Determination of the electrical conductivity .....	16

8.7	Retests .....	16
8.7.1	Analysis, tensile test, hardness test and dezincification resistance test, determination of the electrical conductivity .....	16
8.7.2	Stress corrosion resistance test .....	16
8.8	Rounding of results .....	17
9	Declaration of conformity and inspection documentation .....	17
9.1	Declaration of conformity .....	17
9.2	Inspection documentation .....	17
10	Marking, packaging, labelling .....	17
Annex A (normative) Determination of mean depth of dezincification .....		33
A.1	Introduction .....	33
A.2	Procedure .....	33
A.3	Expression of results .....	33
Bibliography .....		35
Figures Figure 1 -- Measurement of twist of polygonal rod .....		12
Figure 2 -- Shaped ends of rod, Types .....		13
Figure A.1 -- Example of contiguous fields .....		34
Tables Table 1 -- Indicative shaped ends dimensions .....		13
Table 2 -- Composition of low alloyed copper alloys .....		18
Table 3 -- Composition of copper-nickel-zinc alloys .....		19
Table 4 -- Composition of copper-tin alloys .....		19
Table 5 -- Composition of copper-zinc alloys .....		20
Table 6 -- Composition of copper-zinc-lead alloys .....		21
Table 7 -- Composition of complex copper-zinc alloys .....		23
Table 8 -- Mechanical properties of rod of low alloyed copper alloys .....		24
Table 9 -- Mechanical properties of rod of copper-nickel-zinc alloys .....		25
Table 10 -- Mechanical properties of rod of copper-tin alloys .....		26
Table 11 -- Mechanical properties of rod of copper-zinc alloys .....		27
Table 12 -- Mechanical properties of rod of copper-zinc-lead alloys .....		28
Table 13 -- Mechanical properties of rod of complex copper-zinc alloys .....		29
Table 14 -- Tolerances on diameter of round rod (including deviation from circular form) .....		30
Table 15 -- Tolerances on width across-flats of regular polygonal rod .....		30
Table 16 -- Tolerances on straightness of rod .....		31
Table 17 -- Tolerances on length of nominal length rod .....		31
Table 18 -- Corner radii for square, hexagonal and octagonal rod .....		31

**Table 19 -- Maximum twist of square, hexagonal and octagonal rod .....32**  
**Table 20 -- Sampling rate ..... 32**