DIN EN 15313:2010-10 (E)

Railway applications - In-service wheelset operation requirements - In-service and off-vehicle wheelset maintenance

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 7

3 Terms and definitions 7

4 Maintenance 8
4.1 General 8
4.2 Maintenance organization 8
4.2.1 Maintenance plan 8
4.2.2 Service experience 8
4.2.3 Traceability - storage - transportation 9
4.3 Qualification of equipment and systems 10
4.3.1 General principle 10
4.3.2 Qualification file for equipment and systems 10
4.4 Staff certification and competence 10
4.5 Maintenance organization plan 11
4.6 Qualification of an undertaking for the maintenance of in-service or off-vehicle wheelsets 11

5 Definition and illustrations of a wheelset, its associated components and defects 13
5.1 Definition and illustrations of a wheelset 13
5.1.1 Wheelset 13
5.1.2 Axle 14
5.1.3 Wheel 15
5.1.4 Axle box 16
5.2 Functional references of the rail-wheel interface 17
5.2.1 General 17
5.2.2 Wheelset functional references 17
5.2.3 Wheel functional references 17
5.3 Definition and illustrations of defects 18
5.3.1 General 18
5.3.2 Defects for all types of wheel 18
5.3.3 Defects specific to monobloc wheels 27
5.3.4 Axle defects 28
5.3.5 Axle box defects 30
5.3.6 Wheelset defects 31

6 Mandatory requirements and operations 33
6.1 General 33
6.2 Mandatory requirements 34
6.2.1 In-service limit dimensions and positions 34
6.2.2 Maintenance decision criteria for in-service wheels 38
6.2.3 Marking of wheelsets with wheels according to EN 13979-1 41
6.2.4 Electrical resistance of wheelsets after overhaul 41
6.2.5 Tyred wheels 41
6.2.6 Operational limit values for axle bodies 41
6.3 Reprofiling operation 42
6.4 Dimensions after reprofiling 42

6.4.1 Front-to-front dimension "a2" ... 42
6.4.2 Diameter difference between wheels on the same axle ... 42
6.4.3 Limit values of radial run-out as a function of the maximum operating speed authorized for the vehicle ... 42
6.4.4 Wheel axial run-out as a function of the maximum operating speed authorized for the vehicle ... 42
6.5 Mandatory operations ... 43
6.5.1 Detection of thermal damage on the wheel rim or tyre ... 43
6.5.2 Verification of brake disc integrity ... 43
6.5.3 Detection of circularity defects (e.g. flats, metal build-up, cavity, etc.) ... 43
6.5.4 Verification of rim integrity Detection of deep sub-surface tread defects ... 43
6.5.5 Verification of web integrity ... 43
6.5.6 Verification of axle integrity ... 44
6.5.7 Non-destructive testing ... 44
6.5.8 Verification of residual magnetism ... 44
6.5.9 Lubrication operation ... 44
6.5.10 Checking for axle box defects ... 44
6.5.11 Verification of wheelset electrical resistance after overhauls ... 45
6.6 Requirements to be met by wheelset maintenance equipment ... 45

7 In-service wheelset maintenance ... 45
7.1 General ... 45
7.2 Maintenance plan ... 45
7.3 Wheelset protection during body and bogie cleaning ... 46

8 Off-vehicle wheelset maintenance ... 46
8.1 General ... 46
8.2 Maintenance plan ... 46
8.3 Key operations for off-vehicle wheelset maintenance ... 46
8.4 Off-vehicle wheelset cleaning ... 47

9 Action to be taken on any wheelset after an incident in service or when not covered by the maintenance plan ... 48
9.1 Wheelset bearings subject to water ingress ... 48
9.2 Wheelsets having been subjected to a short circuit current (e.g. from falling overhead line equipment, etc.) ... 48
9.3 Detection by a trackside facility of a wheel circularity defect ... 48
9.4 Wheelsets loaded over the allowed limit ... 48
9.5 Hot axle box detection ... 48
9.5.1 General ... 48
9.5.2 Technical procedure ... 48
9.5.3 Treatment of the wheelsets with hot axle box in commercial or other service ... 49
9.6 Derailment ... 49
9.7 Head-on collision ... 49
9.8 Grease leakage or loss ... 49
9.9 Brake incident (detection of seized brake or discoloration) ... 49
9.10 Reporting after detection of a wheelset irregularity outside the maintenance plan ... 49

10 Domestic or bilateral traffic ... 49

11 Summary table of requirements ... 49

Annex A (normative) Freight stock ... 51

Annex B (informative) Rim width without roll-over for vehicle for domestic use ... 52

Annex C (informative) Position of wear groove and reverse slope ... 53

Annex D (informative) Tyred wheels ... 54

D.1 Marking of tyred wheels ... 54
D.2 Tyre thicknesses ... 55

D.3 Defects specific to tyred wheels 56
D.4 Specific requirements for tyred wheels 56
D.5 Incidents arising outside the maintenance plan: loose tyre 57
D.6 Verification of the electrical resistance during overhauls 57
D.7 Verification of the electrical resistance during removal 57

Annex E (informative) Characteristics of metric gauge wheelsets 58

Annex F (informative) Characteristics of Spanish and Portuguese gauge wheelsets 59

Annex G (informative) Characteristics of Finnish and Baltic country gauge wheelsets 60

Annex H (informative) Plain bearing regeneration 61

Annex I (informative) Permissible circularity defects 62

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC 63

Bibliography 66