DIN EN 13261:2011-01 (E)

Railway applications - Wheelsets and bogies - Axles - Product requirements (includes Amendment A1:2010)

Contents

Page

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Product definition 8
3.1 Chemical composition 8
3.1.1 Values to be achieved 8
3.1.2 Location of sample 8
3.1.3 Chemical analysis 8
3.2 Mechanical characteristics 9
3.2.1 Characteristics from tensile test 9
3.2.2 Impact test characteristics 10
3.2.3 Fatigue characteristics 13
3.3 Microstructure characteristics 15
3.3.1 Values to be achieved 15
3.3.2 Location of the test piece 15
3.3.3 Test method 15
3.4 Material cleanliness 15
3.4.1 Micrographic cleanliness 15
3.4.2 Internal integrity 16
3.5 Permeability to ultrasound 17
3.5.1 General 17
3.5.2 Level to be achieved 17
3.5.3 Test piece 17
3.5.4 Test method 17
3.6 Residual stresses 17
3.6.1 General 17
3.6.2 Values to be achieved 18
3.6.3 Test piece and position of measurement points 18
3.6.4 Measurement method 18
3.7 Surface characteristics 18
3.7.1 Surface finish 18
3.7.2 Surface integrity 21
3.8 Geometrical and dimensional tolerances 22
3.9 Protection against corrosion and against mechanical aggression 27
3.9.1 Final protection 27
3.9.2 Temporary protection 31
3.10 Marking 31

Annex A (normative) Particular characteristics for axles of steel grade EA1T and EA4T 33

A.1 Chemical composition 33
A.2 Mechanical characteristics 33
A.2.1 Characteristics from tensile test 33
A.2.2 Impact test characteristics 33
A.2.3 Fatigue characteristics 34
A.3 Metallographic characteristics 34

Annex B (normative) Standard wedge for measurement of permeability to ultrasound 35

B.1 Test piece 35
B.2 Tolerances of the wedge 35
B.3 Steel grade 35

Annex C (normative) Method to assess resistance to impact of the coating 36

C.1 Principle 36
C.2 Test piece 36
C.3 Apparatus 36
C.4 Procedure 36
C.5 Expression of results 36

Annex D (normative) Method to assess resistance to gritting of the coating 37

D.1 Principle 37
D.2 Test piece 37
D.3 Apparatus 37
D.4 Procedure 37
D.5 Expression of results 37

Annex E (normative) Method to assess the resistance of the coating to specific corrosive products 38

E.1 Principle 38
E.2 Test piece 38
E.3 Apparatus 38
E.4 Corrosive products 38
E.5 Procedure 38
E.6 Expression of results 39

Annex F (normative) Method to assess the resistance of the coating to cyclic mechanical stresses 40

F.1 Purpose 40
F.2 Principle 40
F.3 Test piece 40
F.4 Apparatus 40
F.5 Procedure 40
F.6 Expression of results 41

Annex G (normative) Measurement of the hydrogen content in the steel for axles at the melting stage 42

G.1 Sampling 42
G.2 Analysis methods 42
G.3 Precautions 42

Annex H (informative) Drawings of test pieces 43

Annex I (informative) Product qualification 45

I.1 Introduction 45
I.2 General 45
I.3 Requirements 45
I.3.1 Requirements to be met by the supplier 45
I.3.2 Requirements to be met by the product 46
I.4 Qualification procedure 46
I.4.1 General 46
I.4.2 Documentation required 46
I.4.3 Evaluation of the manufacturing plant and of the production processes 47

I.4.4 Laboratory tests 47
I.5 Qualification certificate 47
I.5.1 Condition of validity 47
I.5.2 Modification and extension 48
I.5.3 Transference 48
I.5.4 Lapsed certification 48
I.5.5 Cancellation 48
I.6 Qualification file 48

Annex J (informative) Product delivery 49

J.1 Introduction 49
J.2 General 49
J.3 Delivery condition 50
J.4 Controls on each axle 50
J.5 Batch control 50
J.5.1 Controls 50
J.5.2 Permeability to ultrasound 51
J.5.3 Surface finish 52
J.5.4 Visual examination 52
J.6 Quality plan 52
J.6.1 General 52
J.6.2 Purpose 52
J.6.3 Application of the quality plan 52
J.7 Allowable rectification 53

Annex ZA (informative) !Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC""""" 54

Bibliography 57