DIN EN 16452:2015-11 (E)

Railway applications - Braking - Brake blocks

Contents

Page

Foreword 7

Introduction 8

1 Scope 9

2 Normative references 9

3 Terms and definitions 10

4 Abbreviations 11

5 Overall requirements 12
5.1 Deviations from requirements 12
5.2 Functions 12
5.3 Operational criteria 13
5.3.1 Friction material performance 13
5.3.2 Service performance 13
5.3.3 Brake block characteristics 14

6 Acceptance procedure 14
6.1 Brake block performance requirements 14
6.1.1 General 14
6.1.2 Category A 14
6.1.3 Category B 15
6.1.4 Category C 15
6.2 Approval test requirements 15
6.3 Dynamometer specification 18

7 Category A requirements 18
7.1 Brake block characteristics 18
7.1.1 Standard design 18
7.1.2 Brake block characterization test 18
7.1.3 Brake block mechanical characteristics for service operation 18
7.2 Dynamic friction performance 19
7.2.1 Generic requirements for assessment process 19
7.2.2 Bedded and non bedded performance 19
7.2.3 Variation in mean coefficient of friction in dry condition for a brake to rest 19
7.2.4 Mean friction coefficient variation under wet conditions 19
7.2.5 Mean friction coefficient variation at high initial temperature 20
7.2.6 Mean friction coefficient variation after simulation of a downhill brake application 20
7.2.7 Instantaneous friction coefficient variation during simulation of a downhill brake application 20
7.2.8 Variation in instantaneous friction for a brake to rest 22
7.3 Static friction coefficient 22
7.4 Extreme winter conditions (freight wagons) 22
7.4.1 General 22
7.4.2 Dynamometer test 23
7.4.3 Train brake test 23
7.5 Locked brake (fusibility) 23
7.5.1 Generic prescriptions 23
7.5.2 Specific prescriptions for freight wagons 24

8 Category B requirements 24
8.1 Vehicle brake test 24
8.2 Dynamometer wear test (friction couple) 25
8.3 Dynamic friction performance 25
8.4 In service assessment 25

9 Category C requirements 25
9.1 Metal pick up 25
9.2 Influence on track circuit operation (shuntage) 26

10 Environmental issues 26
10.1 General 26
10.2 Noise 26
10.3 Odour 26
10.4 Smoke, fumes and sparkling 26
10.5 Recycling and disposal 26

11 Marking 27

Annex A (normative) Summary of Dynamometer test programs and acceptance criteria 28

Annex B (normative) General requirements for conducting dynamometer test programmes 30

B.1 General 30
B.2 Rotation and ventilation conditions 30
B.3 Brake application timing ts 30
B.4 Bedding 30
B.5 Wear 30
B.6 Roughness index of the wheel tread 31
B.7 Interruption of the tests 31
B.8 Temperatures 31
B.9 Wet conditions 31
B.10 Test of simulation of downhill 32
B.11 Test wheels 32

Annex C (normative) Composite brake blocks (K) (2Bg - 2Bgu)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 33

C.1 Program for performance tests 33
C.2 Program for simulation brake assessment 38
C.3 Dispersion range of mean friction coefficients 39
C.4 Dispersion range of instantaneous friction coefficients 42

Annex D (normative) Composite brake blocks (LL) - Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 44

D.1 Program for performance tests 44
D.2 Program for simulation brake assessment 48
D.3 Dispersion range of mean friction coefficients 50
D.4 Dispersion range of instantaneous friction coefficients 52

Annex E (normative) Composite brake blocks (K) (1Bg)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 53

E.1 Program for performance tests 53
E.2 Dispersion range of mean friction coefficients 56
E.3 Dispersion range of instantaneous friction coefficients 58

Annex F (normative) Composite brake blocks (L) - Demonstration of friction properties for extra tread brake of coach 59

F.1 Program for performance tests 59
F.2 Program for simulation brake assessment 62
F.3 Dispersion range of mean friction coefficients in dry condition 63
F.4 Dispersion range of mean friction coefficients in wet condition 64
F.5 Dispersion range of instantaneous friction coefficients 65

Annex G (normative) Composite brake blocks (K) - Demonstration of friction properties for locomotives 67

G.1 Program for performance tests 67
G.2 Program for simulation brake assessment 70
G.3 Dispersion range of mean friction coefficients in dry condition 71
G.4 Dispersion range of mean friction coefficients in wet condition 72
G.5 Dispersion range of instantaneous friction coefficients 73

Annex H (normative) Composite brake blocks (K) - Demonstration of friction properties for EMU - DMU 75

H.1 Program for performance tests 75
H.2 Program for simulation brake assessment 80
H.3 Dispersion range of mean friction coefficients in dry condition 81
H.4 Dispersion range of mean friction coefficients in wet condition 82
H.5 Dispersion range of instantaneous friction coefficients 83

Annex I (normative) Composite brake blocks (K) - Demonstration of friction properties for High speed train (motor bogie) 85

I.1 Program for performance tests 85
I.2 Program for simulation brake assessment 88
I.3 Dispersion range of mean friction coefficients in dry condition 89
I.4 Dispersion range of mean friction coefficients in wet condition 91
I.5 Dispersion range of instantaneous friction coefficients 92

Annex J (informative) Dynamometer test program - Generic test program 94

J.1 General 94
J.2 Generic test program 94
J.3 Definitions 97
J.4 Principle of assessment and pass/fail criteria 98

Annex K (normative) Dynamometer Test program to detect the formation of metal pick-up at the brake block 99

K.1 Test program for freight wagons with brake blocks type K and LL 99
K.2 Test program for locomotives with brake blocks type K 101
K.3 Test program for EMU - DMU with brake blocks type K 103
K.4 Test program for High speed train with brake blocks type K 106

Annex L (normative) Dynamometer test program to demonstrate the extreme winter braking properties 109

L.1 Test program for freight wagons with brake blocks type K 109
L.2 Test program for freight wagons with brake blocks type LL 111
L.3 Specific requirements for conducting Test Programs L.1 and L.2 112
L.4 Process of assessment and past fail criteria for test programs L.1 and L.2 113
L.5 Generic flow chart to perform test program 114
L.6 Detailed flow chart to perform test program (example brake block K) 115

Annex M (normative) Test run to demonstrate the extreme winter braking properties brake blocks K - LL for freight wagons 118

M.1 General 118

M.2 Test conditions 118
M.3 Bases for assessment 119
M.4 Assessment of measurement data and pass/fail criteria 121

Annex N (normative) Dynamometer Test program to simulate "Locked brake" 123

N.1 Test program for freight wagons with brake blocks type K and LL 123
N.2 Test program for locomotives with brake blocks type K 124
N.3 Test program for EMU - DMU with brake blocks type K 125
N.4 Test program for High speed train with brake blocks type K 126

Annex O (normative) Dynamometer test program to demonstrate the compatibility with track circuits 127

O.1 General 127
O.2 Short description of the measuring method used 127
O.3 Schematic diagram of test set up 127
O.4 Flow chart to perform test program 129
O.5 Preparation of the disc and the rollers 129
O.6 Preparation of the samples of brake block 129
O.7 Contamination of disc 130
O.8 Measurements 131
O.9 Assessment of the results 132

Annex P (informative) Vehicle test to demonstrate the compatibility with track circuits 134

P.1 General 134
P.2 Test conditions 134
P.3 Assessment of results 135
P.4 Pass/fail criteria 136

Annex Q (informative) Dynamometer test program - Determination of static friction coefficient 138

Q.1 Test program for freight wagons with brake blocks type K and LL 138
Q.2 Test program for EMU - DMU and Locomotive with brake blocks type K 139
Q.3 Test program for High speed train with brake blocks type K 140
Q.4 Specific Requirements for conducting dynamometer test programmes Q.1 to Q.3 140

Annex R (informative) Dynamometer test program - Simulation of service conditions for freight wagons 143

R.1 Simulation freight wagon with brake block type K 2Bgu 143
R.2 Simulation freight wagon with brake block type LL 2Bgu 145

Annex S (normative) Interchangeability, rejection lugs and critical dimensions 148

Annex T (normative) Brake block shear and flexural strength tests 151

T.1 General 151
T.2 Shear strength test 151
T.3 Flexural strength test 152

Annex U (normative) Limitation of permissible mechanical damage of brake block 154

U.1 General 154
U.2 Cracked through to back-plate 154
U.3 Crumbling of the friction material 155
U.4 Metal pick-up 155
U.5 Detachment from back-plate 156
U.6 Cracks in the direction of wheel circumference 156
U.7 Detachment of the friction material 156
U.8 Interface with the brake block holder 156

Annex V (normative) In service assessment of brake block 158

V.1 General 158
V.2 Freight wagon 158
V.3 Coach 159
V.4 Locomotive 159
V.5 EMU-DMU 160
V.6 High speed train 160
V.7 Description of areas to be monitored and additional measures 161
V.8 Pass/fail criteria 162

Annex W (informative) Complementary definitions and abbreviations 163

Annex X (informative) Brake block characterization test 165

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC 166

Bibliography 169