

DIN EN 16584-2:2017-03 (E)

Railway applications - Design for PRM use - General requirements - Part 2: Information

Contents		Page
European foreword		5
Introduction		6
1	Scope	7
2	Normative references	8
3	Terms and definitions	8
4	Symbols and abbreviations	13
5	Requirements and assessment	13
5.1	General	13
5.2	Infrastructure	13
5.2.1	Parking facilities for persons with disabilities and persons with reduced mobility	13
5.2.2	Obstacle free routes	14
5.2.3	Doors and entrances	16
5.2.4	Ticketing, information desks and customer assistance points	16
5.2.5	Visual information: signposting, pictograms, printed or dynamic information	18
5.2.6	Spoken information	20
5.2.7	Platform danger area and edges of platforms	20
5.2.8	End of platforms	21
5.2.9	Platform - wheelchair boarding aid operational zone	21
5.2.10	Level track crossings	21
5.2.11	Displays	22
5.3	Rolling stock	22
5.3.1	Seats	22
5.3.2	Wheelchair spaces	23
5.3.3	Doors	23
5.3.4	Toilets	27
5.3.5	Customer information	28
5.3.6	Internal and external displays	34
5.3.7	Call for aid device	35
5.3.8	Wheelchair accessible sleeping accommodation	36
6	Methodologies	37
6.1	Internal display scrolling speed and character display duration	37
6.1.1	General	37
6.1.2	Methodology	37
Annex A (normative) PRM signage		39
A.1	Infrastructure signs	39
A.2	Rolling stock signs	39
A.3	International wheelchair sign	39
A.4	Inductive loop (coupling) sign	40
A.5	Call for aid	40
A.6	Priority seating signs	40
Annex B (normative) Tactile characteristics		42

B.1	Tactile pictograms and characters	42
B.2	Tactile controls	43
B.3	Tactile feedback or tactile indication	44
Annex C (normative) Eye point dimensions		45
Annex D (normative) Visual acuity for displays		46
Annex E (normative) Specific braille Requirements		54
Annex F (normative) Characteristics of 'easily readable'		55
Annex G (normative) Passenger external doors audible signals		59
G.1	General	59
G.2	Door opening - Characteristics	59
G.3	Door close - Characteristics	60
Annex H (normative) EC verification		61
H.1	Interoperability constituents	61
H.1.1	Conformity assessment	61
H.1.2	Application of modules	61
H.2	Subsystems	62
H.2.1	EC verification (general)	62
H.2.2	Procedures for EC verification of a subsystem (modules)	62
Annex I (normative) Summary of testing requirements		64
Annex J (informative) Other specific braille requirements		66
J.1	General requirements for braille	66
J.2	Checking readability of braille	66
J.3	Recommendations for braille carrier material	67
J.4	The braille cell	67
J.5	Marburg medium spacing convention for braille	68
J.6	Braille character sets	68
Annex K (informative) Pictograms examples and 'Good practice'		70
Annex L (informative) Examples of toilet control device good practice		75
L.1	Orientation of equipment and associated labels	75
L.2	Function identification	75
L.2.1	General	75
L.2.2	Visual identification of the function should be pictograms or simple words	75
L.2.3	Tactile identification of the function	75
L.3	"Vacant / occupied / out of service" indicator	78
L.3.1	General	78
L.3.2	Visual recognition:	78
L.3.3	Acoustic recognition	79
Annex M (informative) Electronic display assessment guidance		80
M.1	General	80
M.2	Worked through assessment example	81
Annex N (informative) Examples of sans serif fonts		82
Annex O (informative) Examples of tactile toilet door locking devices		84

Annex P (informative) Door buttons	87
P.1 Examples of door buttons	87
P.2 Visual and tactile symbols on or near door buttons	87
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered	89
Bibliography	92