DIN EN 16834:2019-07 (E)

Railway applications - Braking - Brake performance

Contents

Page

European foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Symbols and abbreviations 8

5 Principles of determining the brake performance 9
5.1 General 9
5.2 Brake assessment with braked weights 10
5.3 Brake assessment with deceleration's method 11

6 Execution of tests 11
6.1 Test methods 11
6.1.1 General 11
6.1.2 Freight wagons and coaches 11
6.1.3 Locomotives 12
6.1.4 EMU/DMU and high speed trainsets 12
6.1.5 Testing of vehicles/trains with additional brake equipment 12
6.2 Load conditions for tests 12
6.2.1 Freight wagons 12
6.2.2 Locomotives 13
6.2.3 Passenger vehicles 13
6.3 Speeds to be used for testing 14
6.4 Method of execution of the test 15
6.4.1 General 15
6.4.2 Atmospheric conditions 16
6.4.3 Condition of brake equipment 16
6.4.4 Number and validity of individual tests 16
6.5 Test in degraded mode and degraded conditions 17
6.6 Determination of brake performance for the ETCS system 17
6.7 Evaluating the test results for stopping distance 18
6.7.1 Correcting the stopping distances for each test 18
6.7.2 Determining the mean stopping distance 19
6.7.3 Correction of the mean stopping distance 22
6.8 Parking and holding brake testing 25

7 Assessment for deceleration method 25
7.1 General 25
7.2 Physical principles 25
7.3 Determining the parameters required for brake performance 26
7.3.1 General 26
7.3.2 Method for determining decelerations 27
7.4 Assessment of performance under degraded conditions 30
7.4.1 Coefficient of friction reduced due to moisture 30
7.4.2 Effect of reduced adhesion 30
7.4.3 Determining degraded deceleration 31

8 Assessment of the braked weight 31

8.1 General ... 31
8.1.1 Determining braked weight percentage ... 31
8.1.2 Determining braked weight ... 32
8.2 Coaches and EMU/DMU's ... 33
8.3 Additional assessment for Coaches operating with a speed above 160 km/h from vehicles test ... 33
8.4 Freight wagons in P ... 34
8.5 Freight wagons in G ... 34
8.6 Locomotives ... 34
8.7 Magnetic track brake and eddy current brake ... 35
8.7.1 General ... 35
8.7.2 Assessment using train test ... 35
8.7.3 Assessment using single vehicle test ... 35
8.8 ep brake (ep-direct and ep-assist) ... 35
8.9 Brake pipe accelerators valves ... 35

9 Recommendations for the use of braked weight percentage in operation ... 36
9.1 General ... 36
9.2 Principles of use for trains operating in P mode ... 36
9.3 Adjustment for trains comprising a locomotive and coaches ... 37
9.3.1 Variation in braked weight taking into account the length of the train ... 37
9.3.2 Braked weight of trains fitted with brake accelerators ... 37
9.3.3 Rules of use for train operation: Braked weight of trains fitted with ep assist ... 38
9.3.4 Variation in braked weight taking into account supplementary dynamic brake ... 38
9.4 Adjustments for Freight trains braked in the P mode ... 38
9.4.1 Variation in braked weight taking into account the length of the train ... 38
9.4.2 Reduction in the braked weight of a G-braked vehicle in a P-braked train ... 39
9.4.3 Variation in braked weight taking into account Brake accelerators and ep assist ... 39
9.5 Principles of use for trains operating in G mode ... 39
9.5.1 General ... 39
9.5.2 Freight trains ... 39

10 Operation with the ETCS system ... 40

11 Assessment of maximum utilization of adhesion ... 40

12 Assessment of gradient capability of parking/holding brake ... 41

Annex A (normative) Brake assessment for trains ... 42

A.1 Assessment sheet for trains using brake positions P, R, R+Mg ... 42
A.2 Overview of the mathematical formulae for the assessment curves for trains using brake positions P, R, R+Mg ... 44

Annex B (normative) Brake assessment for single vehicles ... 45

B.1 Assessment sheet for single vehicles ... 45
B.2 Overview of the mathematical formulae for the assessment curves for single vehicles ... 47

Annex C (normative) Checking of the friction pairing of disc-braked single vehicles ... 48

C.1 Diagram for checking the friction pairing of disc-braked single vehicles ... 48
C.2 Overview of the mathematical formulae for the assessment curves for checking the friction pairing of disc-braked single vehicles ... 50

Annex D (normative) Determining the brake performance of freight wagons fitted with cast iron brake blocks (P10) or fully certified and exchangeable LL-blocks ... 51

Annex E (normative) Determining the equivalent brake response time ... 54

E.1 General ... 54

E.2 Determining the equivalent brake response time based on train deceleration 54
E.3 Determining the equivalent brake response time based on brake cylinder filling times 55

E.3.1 General 55
E.3.2 Assessment 55

Annex F (normative) Conversion model for ERTMS/ETCS 57

F.1 Introduction 57
F.2 Symbols for this Annex 57
F.3 Scope of validity of model 59
F.4 Brake model 60
F.4.1 General principles 60
F.4.2 Calculating the equivalent emergency brake development time 62
F.4.3 Calculating the equivalent full brake development time 63
F.4.4 Calculating the basic decelerations 64
F.4.5 Calculating the decelerations during emergency braking 66
F.5 Example of calculation of the stopping or slowing distance 67

Annex G (normative) Assessment sheet for individual vehicles running at speeds of less than 100 km/h using brake positions P and R 68

G.1 Assessment sheet for individual vehicles fitted with cast iron blocks (P10) at speeds below 100 km/h 68
G.2 Overview of the mathematical formulae used in assessment curves for individual vehicles fitted with cast iron blocks (P10) at speeds below 100 km/h 70
G.3 Assessment sheet for individual vehicles fitted with EN-UIC brake system and disc brakes or K blocks at speeds below 100 km/h 71
G.4 Overview of the mathematical formulae used in assessment curves for individual vehicles fitted with EN-UIC disc brakes or composite brake blocks at speeds below 100 km/h 73

Annex H (normative) Procedure for verifying the maximum utilization of adhesion between wheel and rail 74

H.1 Symbols and abbreviations for this Annex 74
H.2 General 74
H.3 Prerequisites 74
H.4 Determination of the maximum equivalent mean deceleration based on distance relevant for adhesion max, ... 75
H.5 Calculation of the mean friction coefficient for the friction brake μm of the test 75
H.6 Calculation of the maximum utilization of adhesion between wheel and rail max 75

Annex I (informative) Example for verifying the maximum utilization of adhesion between wheel and rail for non-homogenous friction brake equipment 77

I.1 Non-homogenous friction brake equipment 77
I.2 Variation of brake cylinder pressure during brake application 77

Annex J (informative) Example for correction and validation of test results exceeding mandatory test conditions -- Treatment of curve radii lower than 1 000 m 80

Annex ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 2008/57/EC aimed to be covered 82

Bibliography 84