

DIN EN 14752:2020-03 (E)

Railway applications - Bodyside entrance systems for rolling stock

| Contents | | Page |
|-------------------------|---|-------------|
| European foreword | | 5 |
| Introduction | | 7 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 9 |
| 4 | Constructional requirements | 13 |
| 4.1 | Door design | 13 |
| 4.1.1 | Door throughway design | 13 |
| 4.1.2 | Steps | 15 |
| 4.1.3 | Track level access | 17 |
| 4.1.4 | Relative position of the step edge | 17 |
| 4.1.5 | Train surfing | 18 |
| 4.1.6 | Door windows | 18 |
| 4.1.7 | Design of body side entrance doors used for accessing driver's cabs | 19 |
| 4.1.8 | Water drainage | 19 |
| 4.2 | Mechanical strength | 19 |
| 4.2.1 | Door mechanical strength | 19 |
| 4.2.2 | Step(s) mechanical strength | 21 |
| 4.3 | Local door control devices | 22 |
| 4.3.1 | Door buttons | 22 |
| 4.3.2 | Emergency egress device | 23 |
| 4.3.3 | Access device | 24 |
| 4.4 | Labels/warning signs | 25 |
| 4.5 | Interfaces with the vehicle | 25 |
| 4.5.1 | Electric and pneumatic power supplies | 25 |
| 4.5.2 | Mechanical interface with the vehicle | 25 |
| 4.6 | Other requirements | 25 |
| 4.6.1 | Fire protection | 25 |
| 4.6.2 | Insulation | 25 |
| 4.7 | Electronic equipment | 26 |
| 4.7.1 | Hardware | 26 |
| 4.7.2 | Software for electronic door control systems | 26 |
| 4.8 | Reliability, availability, maintainability, safety (RAMS) | 26 |
| 4.9 | Protection against electrical hazards | 27 |
| 4.10 | Environmental conditions | 27 |
| 4.10.1 | Weather | 27 |
| 4.10.2 | Water tightness | 27 |
| 4.10.3 | Pressure tightness | 27 |
| 4.11 | Manual and semi-automatic ramps, bridging plates | 28 |
| 5 | Operational requirements | 28 |
| 5.1 | Door control | 28 |
| 5.1.1 | General | 28 |
| 5.1.2 | Release doors and steps | 28 |
| 5.1.3 | Interlocking of released doors | 28 |
| 5.1.4 | Single point failure | 28 |
| 5.1.5 | Mechanical locking | 28 |

| | | |
|---|--|----|
| 5.1.6 | Out-of-service devices | 29 |
| 5.1.7 | Isolation for maintenance purposes | 30 |
| 5.2 | Closing and opening conditions | 31 |
| 5.2.1 | Safety during closing | 31 |
| 5.2.2 | Entrance system closed proving | 42 |
| 5.3 | Opening conditions | 42 |
| 5.3.1 | Safety during opening | 42 |
| 5.3.2 | Limitation of opening | 42 |
| 5.4 | Moveable step obstacle detection | 43 |
| 5.4.1 | General | 43 |
| 5.4.2 | Steps outside the vehicle | 43 |
| 5.4.3 | Steps inside the vehicles | 43 |
| 5.5 | Emergency operation | 43 |
| 5.5.1 | Emergency egress | 43 |
| 5.5.2 | Emergency windows in access doors | 46 |
| 5.5.3 | Access device | 46 |
| 5.5.4 | Powering up | 47 |
| 5.6 | Other requirements | 47 |
| 5.6.1 | Passenger access door area illumination | 47 |
| 5.6.2 | Status indication | 47 |
| 6 | Categories of tests | 47 |
| 6.1 | General | 47 |
| 6.2 | Type tests | 47 |
| 6.3 | Routine tests during manufacture | 48 |
| 6.4 | Routine test on the fully assembled vehicle/train consist | 48 |
| 7 | Documentation related to installation and maintenance of the entrance system | 48 |
| Annex A (normative) Passenger interface devices | | 49 |
| A.1 | Purpose | 49 |
| A.2 | Design of door buttons | 49 |
| A.3 | Labels on or near door buttons | 50 |
| A.4 | Recommended emergency egress device | 52 |
| A.5 | Sample of labels | 52 |
| Annex B (normative) Water test procedure | | 53 |
| B.1 | Purpose | 53 |
| B.2 | Test arrangement | 53 |
| B.3 | Test procedure | 54 |
| B.4 | Test decision | 55 |
| Annex C (normative) Specification and testing of the pressure tightness of door | | 57 |
| C.1 | Purpose | 57 |
| C.2 | Calculation - Flowchart | 57 |
| C.3 | Example of pressure tightness requirement specification | 57 |
| C.4 | Pressure tightness testing | 58 |
| C.4.1 | General | 58 |
| C.4.2 | Variable pressure measurement method | 58 |
| C.4.3 | Variant: Constant pressure method of measurement | 60 |
| Annex D (normative) Requirements for measuring the closing forces of power-operated doors | | 62 |
| D.1 | General | 62 |
| D.2 | Terms and definitions | 62 |
| D.3 | Measurements | 63 |
| D.3.1 | Conditions of measurement | 63 |
| D.3.2 | Measurement points | 63 |
| D.3.3 | Measuring method | 63 |

| | |
|---|-----------|
| Annex E (normative) Test plan | 65 |
| Annex F (normative) Load requirements for doors due to aerodynamic loads on passenger trains .. | 67 |
| Annex G (informative) Clauses in this European Standard requiring clarification in the technical specification | 68 |
| Annex H (normative) RIC-KEY | 70 |
| Annex I (informative) Calculation of kinetic energy | 71 |
| Annex J (informative) Non-contact obstacle detection | 77 |
| J.1 General | 77 |
| J.2 Light barrier | 77 |
| J.3 Step sensors for external steps | 77 |
| J.4 Area monitoring systems | 77 |
| J.4.1 Arrangement of area monitoring system | 77 |
| J.4.2 Testing of area monitoring system | 80 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2016/797 aimed to be covered | 82 |
| Bibliography | 84 |