

DIN EN 14363:2022-10 (E)

Railway applications - Testing and Simulation for the acceptance of running characteristics of railway vehicles - Running Behaviour and stationary tests (includes Amendment :2022)

Contents		Page
European foreword		8
Introduction		10
1	Scope	12
2	Normative references	14
3	Terms and definitions	15
4	Deviations from requirements	17
5	Test requirements	18
5.1	Measuring uncertainty	18
5.2	Test extent	18
5.2.1	General	18
5.2.2	Fault modes	18
5.3	Test vehicle	19
5.3.1	Selection and status of the vehicle	19
5.3.2	Loading conditions	19
5.3.3	Distribution of static wheel forces	20
5.4	Assessment of test result	20
5.5	Documentation of test	21
6	First stages assessment	22
6.1	Safety against derailment on twisted track	22
6.1.1	General	22
6.1.2	Signal processing	23
6.1.3	Rail test conditions	23
6.1.4	Vehicle test conditions	24
6.1.5	Test methods	26
6.2	Safety against derailment under longitudinal compressive forces in S-shaped curves	41
6.3	Evaluation of the torsional coefficient of a vehicle body	41
6.4	Determination of displacement characteristics	41
6.5	Loading of the diverging branch of a switch	41
6.6	Running safety in curved crossings for vehicles with small wheels	42
7	Second stage - dynamic performance assessment	42
7.1	General	42
7.2	Choice of measuring method	43
7.2.1	General	43
7.2.2	Base conditions for the use of the simplified measuring method and measurement of axle box forces	45
7.2.3	Simplifications for separate stability testing	45
7.3	Performing on-track tests	46
7.3.1	General	46
7.3.2	Test zones and track sections	52
7.3.3	Extent of tests	53
7.3.4	Test operation	54

7.4	Measured quantities and measuring points	54
7.5	Assessment quantities and limit values	56
7.5.1	General	56
7.5.2	Running safety	62
7.5.3	Track loading	63
7.5.4	Ride characteristics	63
7.6	Test evaluation	63
7.6.1	Overview	63
7.6.2	Recording the measuring signals	64
7.6.3	Statistical evaluation in test zones	65
7.6.4	Evaluation of test results in transition curves	73
7.6.5	Verification of stability	73
7.7	Documentation	73
7.7.1	General	73
7.7.2	Description of the vehicle design and status of the tested vehicle	73
7.7.3	Additional information for future extension of acceptance	74
7.7.4	Description of the test routes	74
7.7.5	Description of data capture	74
7.7.6	Description of evaluation	74
7.7.7	Test results (including additional information for model validation)	74
7.7.8	Deficiencies in reaching the target test conditions	76
7.7.9	Infrastructure conditions more severe than the target test conditions	76
Annex A (informative) Information on safety against derailment		77
A.1	Factors influencing the safety against derailment of vehicles running on twisted track	77
A.1.1	General	77
A.1.2	Wheel unloading influences	77
A.1.3	Guiding force influences	77
A.2	Evaluation and limit value for safety against derailment	78
A.3	Friction conditions during testing on special track	79
A.4	Special conditions for vehicles with air springs	81
A.4.1	General	81
A.4.2	4-point levelling systems	82
A.4.3	3-point levelling system with longitudinal connection	82
A.4.4	2-point levelling systems	82
A.5	Test twist conditions for articulated vehicles	83
A.6	Test twist conditions for vehicles with more than two suspension levels	90
A.7	Calculation of the shim sizes (test method 1)	91
A.8	Performing and evaluating a twist test for a two-axle vehicle (test method 2)	92
A.8.1	General	92
A.8.2	Required test rig	92
A.8.3	Performing the twist test	93
A.8.4	Evaluation of twist diagrams	93
A.9	Performing and evaluation of a twist test for a vehicle with two bogies with two axles (test method 2)	95
A.9.1	General	95
A.9.2	Required test rig	95
A.9.3	Performing and evaluating a combined body and bogie twist test (test method 2.1)	95
A.9.4	Performing separate twist tests on bogie centre distance and bogie wheel base (test method 2.2)	99
Annex B (informative) Computer simulations designed to examine whether the vehicle has an acceptable resistance to flange climbing derailment at low speed		104
B.1	General requirement	104
B.2	Computer output	104
B.3	Track input	104
B.4	Body-bogie yaw torque	105
B.5	Performance requirement	105
Annex C (informative) Tests for determination of the torsional coefficient of a vehicle body		107

C.1	Force-deflection measurement directly at the vehicle body	107
Figure C.1	-- Nomenclature of the supporting points	107
C.2	Force-deflection measurement at the contact points between wheel and rail after blocking of the suspension(s) between wheelset (bogie frame) and vehicle body	108
Annex D (informative) Determination of displacement characteristics for application with EN 15273		109
D.1	Introduction	109
D.2	Determination of displacement characteristics	109
D.2.1	General	109
D.2.2	Assessment Requirements	109
D.2.3	Test conditions	109
D.2.4	Method 1: Stationary test	110
D.2.5	Method 2 On-track test	113
Annex E (informative) Assessment of the behaviour of vehicles with small wheels in curved crossings		115
E.1	Purpose	115
E.2	Area of application	115
E.3	Description of the crossing geometry	115
E.4	Test conditions	118
E.4.1	General	118
E.4.2	Method 1: Lateral forces and angle of attack	119
E.4.3	Method 2: Examination of the impact on the crossing nose	119
E.4.4	Limit values	119
E.4.5	Assessment	120
E.4.6	Dispensation	120
E.4.7	Simulation	120
Annex F (informative) Test specification for assessment of vehicle behaviour in switches and crossings		121
F.1	Introduction	121
F.2	Definitions	121
F.3	Test conditions	121
F.4	Assessment of the test results	122
F.5	Documentation	122
Annex G (normative) Coordinate system for measured quantities		126
Annex H (informative) Operational parameters		127
Annex I (informative) Position of the different wheelsets during test		129
Annex J (informative) Additional track loading assessment quantities		130
J.1	General	130
J.2	Maximum lateral force	130
J.3	Combination of lateral and vertical forces	130
Annex K (informative) Evaluation and background of the rail surface damage quantity		132
Annex L (informative) Typical maximum estimated values of ride characteristics		134
Annex M (normative) Track geometric quality - Selection of test tracks		135
M.1	Basis of evaluation	135
M.2	Assessment quantities for track geometric quality	135

M.3	Different measuring systems	136
M.4	Target test conditions	137
M.5	Reporting	139
Annex N (informative) Background of track quality description		140
Annex O (normative) Rail profile measurement		141
O.1	General	141
O.2	Manual measurements	141
O.2.1	Measurements for equivalent conicity	141
O.2.2	Measurements for radial steering index	141
O.3	Automatic measurements	141
Annex P (normative) Requirements for evaluation of equivalent conicity		142
Annex Q (informative) Radial steering index		143
Q.1	Introduction	143
Q.2	Calculation of radial steering index	144
Annex R (normative) Statistical evaluation		147
R.1	Objectives and principles of statistical analysis	147
R.1.1	General	147
R.1.2	One-dimensional method	147
R.1.3	Two-dimensional method or simple regression	147
R.1.4	Multiple regression	147
R.2	Determination of the percentiles for each track section	148
R.3	Preparation of the random samples	149
R.4	One-dimensional analysis for estimated maximum values	149
R.5	Two-dimensional analysis for estimated values	149
R.6	Multiple regression analysis for estimated values	150
R.7	Statistical evaluation for the overturning criterion	152
R.8	Regression assumptions	153
R.8.1	Regression assumptions and associated problems	153
R.8.2	Identification and correction techniques	154
Annex S (informative) Running behaviour of special vehicles		156
S.1	General	156
S.2	Vehicle design and classification	156
S.3	Use of the simplified measuring method	157
S.4	Test conditions	157
S.5	Specific limit value	157
Annex T (informative) Simulation of on-track tests		158
T.1	Introduction	158
T.2	Fields of application	158
T.2.1	General	158
T.2.2	Extension of the range of test conditions	158
T.2.3	Assessment of vehicles following modification	159
T.2.4	Assessment of new vehicles by comparison with an already approved reference vehicle	159
T.2.5	Investigation of dynamic behaviour in case of fault modes	160
T.3	Validation	160
T.3.1	General principles	160
T.3.2	Vehicle model	161
T.3.3	Validation of the vehicle model	161
T.4	Input	175
T.4.1	Introduction	175
T.4.2	Vehicle model	175

T.4.3	Vehicle configuration	175
T.4.4	Track data	176
T.4.5	Track model parameters	177
T.4.6	Wheel/rail contact geometry	177
T.4.7	Rail surface condition	177
T.4.8	Direction of travel	178
T.4.9	Speed	178
T.4.10	Position of the vehicle in the trainset	178
T.4.11	Frequency content of simulations	178
T.5	Output	179
T.6	Documentation	179
T.7	Examples for model validation according to Method 1	180
Annex U (informative) Extension of acceptance		187
U.1	General	187
U.2	Determination of the safety factor	195
U.3	Dispensation	195
U.3.1	General	195
U.3.2	Special cases	195
U.4	Use of the simplified method"	196
U.5	Requirements depending on the initial approval	196
Annex V (normative) Symbols.....		198
Annex W (informative) List with the main technical changes compared to EN 14363:2005, EN 15686:2010 and EN 15687:2010.....		202
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive (EU) 2016/797 aimed to be covered.....		205
Bibliography		207