

DIN EN 17149-3:2025-05 (E)

Railway applications - Strength assessment of rail vehicle structures - Part 3: Fatigue strength assessment based on cumulative damage

| Contents | | Page |
|-------------------------|--|-------------|
| European foreword | | 6 |
| Introduction | | 7 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 8 |
| 4 | Stress determination | 8 |
| 4.1 | General | 8 |
| 4.2 | Parent material | 9 |
| 4.3 | Welded joints | 9 |
| 4.3.1 | Modified nominal stresses | 9 |
| 4.3.2 | Structural stresses and notch stresses | 9 |
| 5 | Fatigue strength | 9 |
| 5.1 | Parent material | 9 |
| 5.1.1 | General | 9 |
| 5.1.2 | Component fatigue strength R and R | 10 |
| 5.1.3 | Material properties | 10 |
| 5.1.4 | Design Parameters | 11 |
| 5.1.5 | Fatigue strength factors for direct stresses f_R , and for shear stresses f_R , | 13 |
| 5.1.6 | Correction factor for casting $f_{R,C}$ | 14 |
| 5.1.7 | S-N curves and methods of cumulative damage rule | 15 |
| 5.2 | Welded joints | 17 |
| 5.2.1 | General | 17 |
| 5.2.2 | Fatigue classes C and C | 17 |
| 5.2.3 | Component fatigue strength R and R | 18 |
| 5.2.4 | Influence of thickness f_{thick} and bending | 18 |
| 5.2.5 | Residual stress factors f_{res} , and f_{res} , | 19 |
| 5.2.6 | Enhancement factor for post-weld improvement f_{post} | 19 |
| 5.2.7 | Quality level factor f_{QL} | 20 |
| 5.2.8 | Enhancement factor for the weld inspection class f_{CT} | 21 |
| 5.2.9 | S-N curves and methods of cumulative damage rule | 21 |
| 5.3 | Determination of the fatigue strength of parent material and welded joints by laboratory tests | 23 |
| 6 | Partial factors covering uncertainties | 24 |
| 6.1 | General | 24 |
| 6.2 | Partial factor for loads L | 24 |
| 6.3 | Partial factor for the component fatigue strength M | 25 |
| 6.3.1 | General | 25 |
| 6.3.2 | Partial factor for the consequence of failure M,S | 26 |
| 6.3.3 | Partial factor for the inspection during maintenance M,I | 26 |
| 6.3.4 | Partial factor for the degree of the validation process M,V | 27 |
| 7 | Procedure of the fatigue strength assessment based on cumulative damage calculation | 28 |
| 7.1 | General | 28 |
| 7.2 | Stress determination | 29 |

| | | |
|---|--|-----------|
| 7.3 | Determination of the design stress spectrum | 29 |
| 7.3.1 | Conditioning | 29 |
| 7.3.2 | Stress history adjustment | 29 |
| 7.3.3 | Counting | 29 |
| 7.3.4 | Mean stress adjustment | 30 |
| 7.3.5 | Omission | 30 |
| 7.4 | Damage calculation for each single stress component | 31 |
| 7.4.1 | General | 31 |
| 7.4.2 | Determination of stress spectrum shape factor A_{eq} | 32 |
| 7.4.3 | Determination of admissible damage sum D_m | 32 |
| 7.4.4 | Determination of the utilization for a single stress component U_c | 32 |
| 7.5 | Assessment of fatigue strength | 34 |
| 7.6 | Critical plane approach | 35 |
| Annex A (informative) Procedure for determination of mean stress factors for parent material and welded joints | | 36 |
| A.1 | General | 36 |
| A.2 | Mean stress sensitivity | 36 |
| A.2.1 | Parent material | 36 |
| A.2.2 | Welded joints | 37 |
| A.3 | Determination of mean stress factors | 37 |
| Annex B (informative) Specification example for permissible volumetric defects in steel, iron and aluminium castings | | 41 |
| B.1 | General | 41 |
| Annex C (informative) Material factors for parent material | | 42 |
| Annex D (normative) Fatigue classes C and C for welded joints based on the nominal stress approach | | 44 |
| D.1 | Explanation of the tables for fatigue classes | 44 |
| D.1.1 | General | 44 |
| D.1.2 | Number and marking in accordance with EN 15085-3:2022+A1:2023, Table B.1 | 44 |
| D.1.3 | Sketch of the joint | 44 |
| D.1.4 | Joint specific requirements | 45 |
| D.1.5 | Potential crack initiation point | 45 |
| D.1.6 | Feasibility for inspection | 45 |
| D.1.7 | Relevant thickness for the assessment of a welded joint | 45 |
| D.1.8 | Material | 45 |
| D.1.9 | Fatigue classes C and C | 46 |
| D.1.10 | Exponent m and number of cycles at the knee point of the S-N curve N_D | 46 |
| D.1.11 | Thickness correction exponents n_s , n_t | 46 |
| D.1.12 | Lower limit of the plate thickness for the thickness correction t_{min} | 46 |
| D.1.13 | Parameter $bend$ used for the determination of f_{bend} | 46 |
| D.2 | Tables of fatigue classes for welded joints | 47 |
| D.3 | Determination of fatigue strength based on comparative notch case models | 82 |
| Annex E (informative) Thickness and bending influence on nominal and structural stress approaches for welded joints | | 83 |
| E.1 | General | 83 |
| E.2 | Influence quantities | 84 |
| E.2.1 | Thickness correction factor f_{thick} | 84 |
| E.2.2 | Enhancement factor for bending f_{bend} | 85 |
| E.3 | Methods for application of f_{bend} in the assessment process | 86 |
| E.3.1 | General | 86 |
| E.3.2 | General ratio method | 87 |
| E.3.3 | Constant ratio method | 87 |
| E.3.4 | Comparative notch case model method | 87 |

| | |
|--|------------|
| Annex F (informative) Stress adjustment due to joint geometry for welded joints for nominal stress approach | 88 |
| F.1 General | 88 |
| F.2 Methods for stress adjustment | 88 |
| F.2.1 General | 88 |
| F.2.2 Modelling techniques for welded joints | 89 |
| F.2.3 Adjustment in the stress evaluation | 90 |
| Annex G (informative) Application of structural stress approach for welded joints of steel and aluminium | 95 |
| G.1 General for fatigue stress determination on weld toe | 95 |
| G.2 Fatigue stress determination with Finite Element method | 96 |
| G.2.1 Fatigue stress determination at the weld toe | 96 |
| G.2.2 Fatigue stress determination at the root | 97 |
| G.3 Fatigue strength assessment with structural stresses | 97 |
| Annex H (informative) Application of notch stress approach for welded joints of steel and aluminium | 99 |
| H.1 General | 99 |
| H.2 Calculation of notch stresses | 99 |
| H.2.1 General | 99 |
| H.2.2 Reference notch radius r_{ref} for modelling of weld notches | 100 |
| H.2.3 Modelling of nominal weld cross-sections | 100 |
| H.2.4 Methods for notch stress calculation | 103 |
| H.3 S-N curves | 104 |
| H.3.1 Direct stress transverse to the weld | 104 |
| H.3.2 Direct stress longitudinal to the weld | 105 |
| H.3.3 Shear stress | 105 |
| H.3.4 Characteristic values dependent on thickness effect | 105 |
| Annex I (informative) Example for fatigue strength assessment | 106 |
| I.1 Description | 106 |
| I.2 Task | 107 |
| I.3 Assessment | 107 |
| Annex J (informative) Flow chart diagrams of the fatigue strength assessment procedure | 113 |
| Bibliography | 119 |