DIN EN 16586-1:2025-11 (E)

Railway applications - Design for PRM use - Accessibility of persons with reduced mobility to rolling stock - Part 1: Steps for access and egress

Contents

Page

European foreword 3

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Symbols and abbreviations 8

5 Requirements and assessment 9
5.1 General 9
5.2 Step position for vehicle access and egress 9
5.2.1 General requirements 9
5.2.2 Access/egress steps 9

Annex A (normative) Calculations for step location 14

A.1 General 14
A.2 Values to be used for calculating step position for vehicle access and egress 14
A.2.1 General 14
A.2.2 Rolling stock intended to stop, in normal operation, at platforms of 550 mm height 15
A.2.3 Rolling stock intended to stop, in normal operation, at platforms of 760 mm height 15
A.2.4 Rolling stock intended to stop, in normal operation, at both platforms of 760 mm height and platforms of 550 mm height, and having two or more access steps 15
A.2.5 The measuring point for stepping up into the vehicle or stepping down into the vehicle ... 15

Annex B (normative) Step nose 18

Annex ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive (EU) 2016/797 aimed to be covered 19

Bibliography 21