

ISO/TS 13399-150:2008-12 (E)

Cutting tool data representation and exchange - Part 150: Usage guidelines

| Contents | | Page |
|-----------------|---|-------------|
| Foreword | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Usage guidelines | 1 |
| 3.1 | Legend | 1 |
| 3.2 | Fundamental assumptions | 2 |
| 3.2.1 | Item representation | 2 |
| 3.2.2 | Reference data library | 2 |
| 3.3 | Representing basic item information | 3 |
| 3.3.1 | Required cutting_tool_schema entities | 3 |
| 3.3.2 | Representation | 3 |
| 3.3.3 | ISO 10303-21 example | 5 |
| 3.4 | Representing information in multiple languages | 5 |
| 3.4.1 | Required cutting_tool_schema entities | 5 |
| 3.4.2 | Representation | 5 |
| 3.4.3 | ISO 10303-21 example | 6 |
| 3.5 | Representing person and organization | 7 |
| 3.5.1 | Required cutting_tool_schema entities | 7 |
| 3.5.2 | Representation | 7 |
| 3.5.3 | ISO 10303-21 example | 8 |
| 3.6 | Representing a classification based on P-Lib | 8 |
| 3.6.1 | Required cutting_tool_schema entities | 8 |
| 3.6.2 | Representation | 8 |
| 3.6.3 | ISO 10303-21 example | 10 |
| 3.7 | Representing a classification based on a general external library | 10 |
| 3.7.1 | Required cutting_tool_schema entities | 10 |
| 3.7.2 | Representation | 10 |
| 3.7.3 | ISO 10303-21 example | 12 |
| 3.8 | Representing a classification without external references | 12 |
| 3.8.1 | Required cutting_tool_schema entities | 12 |
| 3.8.2 | Representation | 12 |
| 3.8.3 | ISO 10303-21 example | 13 |
| 3.9 | Representing classification relationships | 14 |
| 3.9.1 | Required cutting_tool_schema entities | 14 |
| 3.9.2 | Representation | 14 |
| 3.9.3 | ISO 10303-21 example | 15 |
| 3.10 | Representing ownership of classifications | 15 |
| 3.10.1 | Required cutting_tool_schema entities | 15 |
| 3.10.2 | Representation | 16 |
| 3.10.3 | ISO 10303-21 example | 17 |
| 3.11 | Representing a property based on P-Lib | 17 |
| 3.11.1 | Required cutting_tool_schema entities | 17 |
| 3.11.2 | Representation | 18 |
| 3.11.3 | ISO 10303-21 example | 20 |
| 3.12 | Representing a property based on a general external library | 20 |
| 3.12.1 | Required cutting_tool_schema entities | 20 |
| 3.12.2 | Representation | 20 |
| 3.12.3 | ISO 10303-21 example | 21 |
| 3.13 | Representing a property without external references | 22 |

| | | |
|--------|--|----|
| 3.13.1 | Required cutting_tool_schema entities | 22 |
| 3.13.2 | Representation | 22 |
| 3.13.3 | ISO 10303-21 example | 23 |
| 3.14 | Representing property values | 24 |
| 3.14.1 | Required cutting_tool_schema entities | 24 |
| 3.14.2 | Representation | 24 |
| 3.14.3 | ISO 10303-21 example | 26 |
| 3.15 | Representing property value lists | 27 |
| 3.15.1 | Required cutting_tool_schema entities | 27 |
| 3.15.2 | Representation | 27 |
| 3.15.3 | ISO 10303-21 example | 28 |
| 3.16 | Representing property value limitations | 29 |
| 3.16.1 | Required cutting_tool_schema entities | 29 |
| 3.16.2 | Representation | 29 |
| 3.16.3 | ISO 10303-21 example | 31 |
| 3.17 | Representing property value relationships based on P-Lib | 32 |
| 3.17.1 | Required cutting_tool_schema entities | 32 |
| 3.17.2 | Representation | 32 |
| 3.17.3 | ISO 10303-21 example | 33 |
| 3.18 | Representing property versions | 34 |
| 3.18.1 | Required cutting_tool_schema entities | 34 |
| 3.18.2 | Representation | 34 |
| 3.18.3 | ISO 10303-21 example | 35 |
| 3.19 | Representing alias identification | 35 |
| 3.19.1 | Required cutting_tool_schema entities | 35 |
| 3.19.2 | Representation | 35 |
| 3.19.3 | ISO 10303-21 example | 36 |
| 3.20 | Representing assembly structure (Bill of Material) | 37 |
| 3.20.1 | Required cutting_tool_schema entities | 37 |
| 3.20.2 | Representation | 37 |
| 3.20.3 | ISO 10303-21 example | 38 |
| 3.21 | Representing mating structure | 39 |
| 3.21.1 | Required cutting_tool_schema entities | 39 |
| 3.21.2 | Representation | 39 |
| 3.21.3 | ISO 10303-21 example | 41 |
| 3.22 | Representing relationships between different versions of an item | 42 |
| 3.22.1 | Required cutting_tool_schema entities | 42 |
| 3.22.2 | Representation | 42 |
| 3.22.3 | ISO 10303-21 example | 43 |
| 3.23 | Representing derived relationship between different item_versions | 43 |
| 3.23.1 | Required cutting_tool_schema entities | 43 |
| 3.23.2 | Representation | 43 |
| 3.23.3 | ISO 10303-21 example | 45 |
| 3.24 | Representing supplied relationship between different item_versions | 45 |
| 3.24.1 | Required cutting_tool_schema entities | 45 |
| 3.24.2 | Representation | 45 |
| 3.24.3 | ISO 10303-21 example | 46 |
| 3.25 | Representing multiple views or functions | 47 |
| 3.25.1 | Required cutting_tool_schema entities | 47 |
| 3.25.2 | Representation | 47 |
| 3.25.3 | ISO 10303-21 example | 49 |
| 3.26 | Representing effectivity | 50 |
| 3.26.1 | Required cutting_tool_schema entities | 50 |
| 3.26.2 | Representation | 50 |
| 3.26.3 | ISO 10303-21 example | 51 |
| 3.27 | Representing effectivity relationships | 51 |
| 3.27.1 | Required cutting_tool_schema entities | 51 |
| 3.27.2 | Representation | 51 |
| 3.27.3 | ISO 10303-21 example | 53 |
| 3.28 | Representing compatible relationship between items | 53 |
| 3.28.1 | Required cutting_tool_schema entities | 53 |
| 3.28.2 | Representation | 53 |

| | | |
|--|---|----|
| 3.28.3 | ISO 10303-21 example | 55 |
| 3.29 | Representing substitutable relationship between items | 55 |
| 3.29.1 | Required cutting_tool_schema entities | 55 |
| 3.29.2 | Representation | 55 |
| 3.29.3 | ISO 10303-21 example | 57 |
| 3.30 | Representing digital documents | 57 |
| 3.30.1 | Required cutting_tool_schema entities | 57 |
| 3.30.2 | Representation | 58 |
| 3.30.3 | ISO 10303-21 example | 59 |
| 3.31 | Representing DMU structures with 3D models | 59 |
| 3.31.1 | Required cutting_tool_schema entities | 59 |
| 3.31.2 | Representation | 60 |
| 3.31.3 | ISO 10303-21 example | 61 |
| 3.32 | Representing DMU structures with 2D models | 62 |
| 3.32.1 | Required cutting_tool_schema entities | 62 |
| 3.32.2 | Representation | 62 |
| 3.32.3 | ISO 10303-21 example | 64 |
| 3.33 | Representing external models as 3D | 65 |
| 3.33.1 | Required cutting_tool_schema entities | 65 |
| 3.33.2 | Representation | 65 |
| 3.33.3 | ISO 10303-21 example | 66 |
| 3.34 | Representing external model as 2D | 66 |
| 3.34.1 | Required cutting_tool_schema entities | 66 |
| 3.34.2 | Representation | 67 |
| 3.34.3 | ISO 10303-21 example | 68 |
| 3.35 | Representing physical items | 68 |
| 3.35.1 | Required cutting_tool_schema entities | 68 |
| 3.35.2 | Representation | 69 |
| 3.35.3 | ISO 10303-21 example | 70 |
| 3.36 | Representing physical items based on an item | 70 |
| 3.36.1 | Required cutting_tool_schema entities | 70 |
| 3.36.2 | Representation | 71 |
| 3.36.3 | ISO 10303-21 example | 72 |
| 3.37 | Representing realized item definition relationship | 72 |
| 3.37.1 | Required cutting_tool_schema entities | 72 |
| 3.37.2 | Representation | 73 |
| 3.37.3 | ISO 10303-21 example | 74 |
| 3.38 | Representing physical item structures | 74 |
| 3.38.1 | Required cutting_tool_schema entities | 74 |
| 3.38.2 | Representation | 74 |
| 3.38.3 | ISO 10303-21 example | 75 |
| 3.39 | Representing work piece feature | 76 |
| 3.39.1 | Required cutting_tool_schema entities | 76 |
| 3.39.2 | Representation | 76 |
| 3.39.3 | ISO 10303-21 example | 77 |
| 3.40 | Representing grade | 77 |
| 3.40.1 | Required cutting_tool_schema entities | 77 |
| 3.40.2 | Representation | 77 |
| 3.40.3 | ISO 10303-21 example | 79 |
| Annex A (informative) Complete ISO 10303-21 file of the examples | | 80 |