

# DIN EN 13236:2016-05 (E)

## Safety requirements for superabrasive products (includes Amendment A1:2015)

---

Contents	Page
European foreword .....	5
Introduction .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms, definitions and symbols .....	8
3.1 General .....	8
3.2 Grinding machines .....	8
3.3 Grinding method .....	9
3.4 Type of application .....	9
3.5 Symbols .....	11
3.6 Other symbols .....	11
4 List of significant hazards .....	12
5 Safety requirements .....	12
5.1 General requirements .....	12
5.2 Requirements for precision superabrasive grinding and cutting-off wheels .....	13
5.2.1 Bore tolerances .....	13
5.2.2 Sequence of maximum operating speeds .....	13
5.2.3 Safety factors .....	13
5.2.4 Maximum operating speeds .....	13
5.2.5 Blotters .....	14
5.3 Requirements for non-precision cutting-off wheels .....	14
5.3.1 Bore tolerances .....	14
5.3.2 Sequence of maximum operating speeds .....	14
5.3.3 Safety factors .....	15
5.3.4 Maximum operating speeds .....	15
5.3.5 Requirements for the metal blank .....	16
5.3.6 Requirements for the connection of the superabrasive section to the metal blank .....	19
5.3.7 Tensioning of non-precision cutting-off wheels .....	21
5.3.8 Limitation of sides abrasives and/or superabrasives coating .....	21
5.4 Requirements for diamond wires .....	21
5.4.1 General .....	21
5.4.2 Requirements .....	21
5.4.3 Maximum operating speeds .....	22
5.5 Requirements for mounted points .....	22
5.5.1 Spindle diameter tolerances .....	22
5.5.2 Sequence of maximum operating speeds .....	22
5.5.3 Safety factors .....	22
5.6 Requirements for other superabrasive products for non-precision grinding .....	22
5.6.1 Bore diameter tolerances .....	22
5.6.2 Sequence of maximum operating speeds .....	22
5.6.3 Safety factors .....	22
5.6.4 Maximum operating speeds .....	23
5.6.5 Requirements for the connection of the abrasive section to the core .....	23
5.7 Marking .....	24
EN 13236:2010+A1:2015 (E) 6 Verification of the safety requirements .....	24

<b>6.1</b>	<b>Verification of the general requirements .....</b>	<b>24</b>
6.1.1	Visual inspection .....	24
6.1.2	Ring test .....	24
<b>6.2</b>	<b>Verification of the strength requirements .....</b>	<b>24</b>
6.2.1	Verification of the safety factor .....	24
6.2.2	Verification of the bending moment of non-precision cutting-off wheels .....	24
6.2.3	Verification of the strength requirements for other superabrasive products for non-precision grinding .....	27
6.2.4	Verification methods for diamond wires .....	28
6.3	Verification of marking .....	30
6.4	Verification of the requirements for blotters .....	30
6.5	Verification of tensioning of non-precision cutting-off wheels .....	30
<b>7</b>	<b>Information for use .....</b>	<b>31</b>
<b>Annex A (normative) Marking .....</b>		<b>32</b>
A.1	Content of the marking .....	32
A.1.1	Marking requirements .....	32
A.1.2	Additional inscriptions .....	34
A.1.3	Multiple or gang mounted wheels .....	34
A.2	Execution of the marking .....	35
<b>Annex B (normative) Colour codes .....</b>		<b>36</b>
<b>Annex C (informative) Mounted points .....</b>		<b>37</b>
C.1	Example of calculation of the maximum permissible speed of rotation .....	37
C.2	Example for the application of the calculation method .....	40
C.2.1	Types of mounted points .....	40
C.2.2	Assumptions for the calculation .....	41
C.2.3	Maximum permissible speeds of rotation .....	42
<b>Annex D (normative) Reconditioning of cutting-off wheels according to 5.3.6.4 .....</b>		<b>44</b>
D.1	Preconditions for reconditioning .....	44
D.2	Additional marking requirements .....	44
<b>Annex E (informative) Speed conversion table .....</b>		<b>46</b>
<b>Bibliography .....</b>		<b>49</b>
<b>Figures</b> Figure 1 -- Position of cuts and openings in steel blanks .....		18
Figure 2 -- Example of cut-outs and openings .....		19
Figure 3 -- Segmented cutting-off wheels: Dimensions of segment height X1 .....		25
Figure 4 -- Example of a bending test device for segmented cutting-off wheels .....		25
Figure 5 -- Cutting-off wheels with continuous rim: Dimensions of segment height X1 .....		26
Figure 6 -- Example of a bending test device for cutting-off wheels with continuous rim .....		27
Figure 7 -- Example of a shearing force test device .....		28
<b>Tables</b> Table 1 -- Grinding method, type of machine, type of application .....		10
EN 13236:2010+A1:2015 (E) Table 2 -- Symbols .....		11
Table 3 -- Other symbols .....		12

<b>Table 4 -- List of significant hazards .....</b>	<b>12</b>
<b>Table 5 -- Safety factors for precision superabrasive grinding and cutting-off wheels .....</b>	<b>13</b>
<b>Table 6 -- Maximum operating speeds as a function of the bond type .....</b>	<b>14</b>
<b>Table 7 -- Safety factors for non-precision cutting-off wheels .....</b>	<b>15</b>
<b>Table 8 -- Maximum operating speeds as a function of the bond type .....</b>	<b>15</b>
<b>Table 9 -- Dimensions of blanks for dry cutting-off .....</b>	<b>16</b>
<b>Table 10 -- Dimensions of blanks for wet cutting-off .....</b>	<b>17</b>
<b>Table 11 -- Bending strength b for cutting-off wheels for the use on hand-held cutting-off machines depending on segment height X1 and segment length L2 .....</b>	<b>20</b>
<b>Table 12 -- Minimum bending moment Mb .....</b>	<b>20</b>
<b>Table 13 -- Safety factors for other superabrasive products for non-precision grinding .....</b>	<b>23</b>
<b>Table 14 -- Maximum operating speeds as a function of the bond type .....</b>	<b>23</b>
<b>Table A.1 -- Marking of superabrasive products .....</b>	<b>32</b>
<b>Table A.2 -- Restrictions of use (RE) .....</b>	<b>34</b>
<b>Table B.1 -- Colour codes and design of colour codes .....</b>	<b>36</b>
<b>Table C.1 -- Designation of the calculation quantities .....</b>	<b>39</b>
<b>Table C.2 -- Designation of mounted points .....</b>	<b>40</b>
<b>Table C.3 -- Characteristics for the calculation of maximum speeds of rotation .....</b>	<b>41</b>
<b>Table C.4 -- Mounted points, cylindrical shape, plain spindles (ZYN) vitrified bond (V) .....</b>	<b>42</b>
<b>Table C.5 -- Mounted points, cylindrical shape, reduced spindles (ZYA), vitrified bond (V) .....</b>	<b>42</b>
<b>Table C.6 -- Mounted points, cylindrical shape, plain spindle Schaft (ZYN), electroplated bond (G) ..</b>	<b>43</b>
<b>Table E.1 -- Speed conversion .....</b>	<b>46</b>