DIN ISO 6987:2022-08 (E)

Indexable hard material inserts with rounded corners, with partly cylindrical fixing hole - Dimensions (ISO 6987:2012)

Contents

Page

National foreword 3

National Annex NA (informativ) Bibliography 5

Foreword 6

1 Scope 7

2 Normative references 7

3 Types of inserts 7

4 Interchangeability 8
4.1 Tolerances 8
4.2 Thickness, s, of inserts with chip breakers 8
4.3 Fixing hole 8

5 Designation and marking 9
5.1 Designation 9
5.2 Marking 10

6 Measurement 10

7 Recommended dimensions 10
7.1 Triangular inserts -- TC 10
7.2 Triangular inserts -- TP 11
7.3 Square inserts -- SC 12
7.4 Square inserts -- SP 13
7.5 Rhombic inserts with 80° included angle -- CC 14
7.6 Rhombic inserts with 80° included angle -- CP 15
7.7 Rhombic inserts with 55° included angle -- DC 16
7.8 Rhombic inserts with 35° included angle -- VB and VC 17
7.9 Round inserts -- RC 18
7.10 Round inserts -- RP 18
7.11 Hexagonal (trigon) inserts with 80° included angle -- WC 19

Annex A (normative) Tolerances for d, m, m1, m2 and s -- Extract from ISO 1832 20

Annex B (normative) Methods of measurement of dimension m 22

B.1 Triangular inserts 22
B.2 Square inserts 22
B.3 Rhombic inserts 23
B.4 Round inserts 23
B.5 Hexagonal inserts 24

Annex C (normative) Size ranges 25

Annex D (informative) Relationship between designations in this International Standard and the ISO 13399 series 28

D.1 Relationship between designations 28

Bibliography 29