

ISO 16000-8:2007-06 (E)

Indoor air - Part 8: Determination of local mean ages of air in buildings for characterizing ventilation conditions

Contents		Page
Foreword		iv
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principles of tracer gas measurements for determining of ventilation conditions	2
4.1	General principles	2
4.2	Selected tracer gas methods	3
5	Measurement planning	3
5.1	General	3
5.2	Identification of the ventilated system	4
5.3	Identification of zones	4
5.4	Choice of measurement method	4
5.5	Determination of measurement points	5
6	Tracer gases and equipment for determining ventilation conditions	6
6.1	Choice of tracer gas	6
6.2	Tracer gas concentration standard	6
6.3	Equipment for feeding the tracer gas	6
6.4	Sampling the tracer gas	7
6.5	Determination of tracer gas concentration	8
7	Measurement methods	8
7.1	Decay method	8
7.2	Active homogeneous emission method	10
7.3	Passive homogeneous emission method	11
8	Application of results	12
9	Test report	12
Annex A (informative)	Explanation of some terms and definitions	13
Annex B (informative)	General requirements of tracer gases, background contents and methods of detection of the most important ones	14
Annex C (informative)	Estimation of uncertainty of measured local mean ages of air	17
Annex D (informative)	Examples of measurement procedure, calculation and estimation of uncertainty	20
Annex E (informative)	Air quality relevance of local mean age of air and expression of results	37
Bibliography		41