

# ISO 16000-13:2008-11 (E)

Indoor air - Part 13: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) - Collection on sorbent-backed filters

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Abbreviated terms .....</b>	<b>3</b>
<b>5</b>	<b>Principle .....</b>	<b>4</b>
<b>6</b>	<b>Apparatus and materials .....</b>	<b>4</b>
<b>7</b>	<b>Preparation of sampling media .....</b>	<b>9</b>
<b>8</b>	<b>Sampling .....</b>	<b>10</b>
<b>9</b>	<b>Minimum requirements for sampling .....</b>	<b>12</b>
	<b>Annex A (informative) Details of samplers .....</b>	<b>13</b>
	<b>Annex B (normative) Determination of sampling efficiency or dynamic retention efficiency .....</b>	<b>24</b>
	<b>Annex C (informative) Structure, toxicity and calculation of toxicity equivalents .....</b>	<b>25</b>
	<b>Bibliography .....</b>	<b>30</b>