

DIN ISO 16000-14:2012-03 (E)

Indoor air - Part 14: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) - Extraction, clean-up and analysis by high-resolution gas chromatography and mass spectrometry (ISO 16000-14:2009)

| Contents | | Page |
|---|---|-------------|
| National foreword | | 3 |
| National Annex N | | 5 |
| Introduction | | 7 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms, definitions and abbreviated terms | 9 |
| 4 | Principle | 12 |
| 5 | Apparatus and materials | 12 |
| 6 | Analysis | 14 |
| 7 | Minimum requirements for extraction and clean-up | 22 |
| 8 | Identification and quantification | 22 |
| 9 | Quality assurance criteria for the procedure blanks | 27 |
| 10 | Recovery | 28 |
| 11 | Calculation and presentation of results | 29 |
| 12 | Safety measures | 30 |
| 13 | Performance characteristics | 31 |
| 14 | Interferences | 33 |
| Annex A (informative) Structure, toxicity and calculation of toxic equivalents | | 34 |
| Annex B (informative) Example for the clean-up of PCBs/PCDDs/PCDFs and the separation of PCBs from PCDDs/PCDFs | | 39 |
| Annex C (informative) GC/MS analysis | | 43 |
| Annex D (informative) Masses of the ions for PCDDs/PCDFs and PCBs | | 49 |
| Annex E (informative) Interferences | | 50 |
| Annex F (normative) Calibration solutions for GC/MS calibration | | 53 |
| Annex G (informative) Standard deviations, detection limits and indoor air concentrations for PCBs | | 57 |
| Bibliography | | 59 |

