

# DIN ISO 16000-30:2015-05 (En glisch)

## Indoor air - Part 30: Sensory testing of indoor air (ISO 16000-30:2014)

---

<b>Contents</b>		<b>Page</b>
National foreword .....		4
National Annex NA (informative) Bibliography .....		6
Introduction .....		9
<b>1</b>	<b>Scope .....</b>	<b>10</b>
<b>2</b>	<b>Normative references .....</b>	<b>10</b>
<b>3</b>	<b>Terms, definitions, symbols, units, and abbreviations .....</b>	<b>10</b>
3.1	Terms and definitions .....	10
3.2	Symbols, units, and abbreviations .....	12
<b>4</b>	<b>Objectives of odour evaluations and boundary conditions .....</b>	<b>12</b>
4.1	General .....	12
4.2	Clarification of the reasons for complaints from room occupants .....	13
4.3	Determination of odour intensity occurring under special conditions .....	13
4.4	Identification of sources .....	13
4.5	Checking the success of remedial activities .....	13
<b>5</b>	<b>Principle .....</b>	<b>14</b>
<b>6</b>	<b>Basic principle of the evaluation of indoor air .....</b>	<b>14</b>
6.1	Evaluation method selection .....	14
6.2	Combination of evaluation methods .....	14
6.3	Ways of testing .....	15
6.4	Selection of the way of testing .....	15
<b>7</b>	<b>Sensory test methods .....</b>	<b>16</b>
7.1	Determination of acceptability .....	16
7.2	Determination of intensity .....	18
7.3	Determination of the hedonic tone .....	20
7.4	Odour quality .....	21
<b>8</b>	<b>Measurement planning and requirements .....</b>	<b>22</b>
8.1	Selection of panel members .....	22
8.2	Selection of measuring points .....	22
8.3	Testing situation .....	23
8.4	Testing date .....	24
8.5	Odour-neutral recovery room for the panel .....	24
8.6	Sampling .....	24
8.7	Preparation of the testing log .....	25
<b>9</b>	<b>Conducting the experiment .....</b>	<b>25</b>
9.1	Preparation .....	25
9.2	On-site odour testing .....	25
9.3	Sampling and evaluation in the laboratory .....	26
<b>10</b>	<b>Assessment .....</b>	<b>27</b>
10.1	Accuracy of the sensory assessments .....	27
10.2	Interpretation of the results .....	28

<b>11</b>	<b>Documentation .....</b>	<b>28</b>
	<b>Annex A (normative) Training procedure for intensity assessments using a comparative scale .....</b>	<b>29</b>
	<b>Annex B (informative) Training procedure -- Verification of olfactory function .....</b>	<b>33</b>
	<b>Annex C (informative) Description of one possibility of a sampling and presenting device for air samples out of emission chambers .....</b>	<b>35</b>
	<b>Annex D (informative) Example for the set-up of a comparative scale .....</b>	<b>38</b>
	<b>Bibliography .....</b>	<b>39</b>