

# ISO 22262-3:2016-10 (E)

## Air quality - Bulk materials - Part 3: Quantitative determination of asbestos by X-ray diffraction method

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | v           |
| Introduction ..... |  | vi          |
| 1                  | Scope .....  | 1           |
| 2                  | Normative references .....   | 1           |
| 3                  | Terms and definitions .....  | 1           |
| 4                  | Range .....  | 3           |
| 5                  | Limit of quantification .....  | 3           |
| 6                  | Symbols and abbreviated terms .....  | 4           |
| 7                  | Requirements for quantification .....  | 4           |
| 8                  | Apparatus and reagents .....   | 5           |
| 8.1                | Apparatus .....  | 5           |
| 8.2                | Reagents .....   | 6           |
| 9                  | Quantitative XRD method and principle .....  | 7           |
| 9.1                | Quantitative XRD methods using an external standard .....                            | 7           |
| 9.2                | Summary of the quantitative method .....   | 7           |
| 9.3                | Preparation of working curve and measurement .....                                   | 8           |
| 9.4                | Interference minerals .....  | 9           |
| 10                 | Preparation of comminuted sample .....   | 9           |
| 10.1               | Preparation of comminuted sample from original sample .....                          | 9           |
| 10.2               | Heat treatment of comminuted samples that contain organic constituents .....         | 9           |
| 10.3               | Pretreatment for preparation of residual samples .....                               | 10          |
| 10.4               | Preparation of sub-residual samples .....  | 11          |
| 11                 | Diffraction peaks for analysis of asbestos and of interference materials .....       | 11          |
| 11.1               | Diffraction peaks for quantitative analysis of asbestos .....                        | 11          |
| 11.2               | Interference minerals .....  | 15          |
| 11.2.1             | Possible interference minerals .....   | 15          |
| 11.2.2             | Mass reduction treatments for dissolving interference minerals .....                 | 16          |
| 12                 | Quantitative analysis by XRD employing substrate standard mass absorption correction |             |
| 12.1               | General .....  | 16          |
| 12.2               | Preparation of working curve .....   | 17          |
| 12.2.1             | Preparation of working curve I .....   | 17          |
| 12.2.2             | Preparation of working curve II .....  | 17          |
| 12.3               | Procedure for quantitative analysis .....  | 18          |
| 12.4               | Calculation of asbestos mass fraction .....  | 18          |
| 12.4.1             | Calculation of asbestos mass fraction from a residual sample .....                   | 18          |
| 12.4.2             | Calculation of the asbestos mass fraction from a sub-residual sample .....           | 19          |
| 12.5               | Lower limits of detection and quantitative determination for the working curve ..... | 19          |
| 12.6               | Evaluation of uncertainty of XRD measurement .....                                   | 20          |

|    |  |    |
|----|--|----|
| 13 | Test report .....  | 20 |
|    | Annex A (normative) X-ray diffractometer parameters for quantitative analysis of asbestos .....  | 22 |
|    | Annex B (normative) Substrate standard mass absorption correction for asbestos quantification ....   | 26 |
|    | Annex C (informative) Types of commercial asbestos-containing materials and optimum analytical procedures .....                            | 27 |
|    | Annex D (informative) Effects of matrix reduction methods .....  | 38 |
|    | Annex E (informative) Range of typical detection limits and evaluation of uncertainty of quantitative XRD measurements by XRD method ..... | 41 |
|    | Bibliography .....   | 45 |