

DIN ISO 16000-34:2019-01 (E)

Indoor air - Part 34: Strategies for the measurement of airborne particles (ISO 16000-34:2018)

Contents	Page
National foreword.....	4
Foreword.....	7
Introduction.....	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	9
4 Origin, properties and health implications of airborne particles.....	12
4.1 Origin and properties.....	12
4.2 Health implications	12
5 Sources of indoor particulate matter and particle dynamics indoors	14
5.1 General.....	14
5.2 Sources of indoor particulate matter.....	14
5.2.1 Typical indoor sources	14
5.2.2 Influence of the premises.....	15
5.2.3 Particle size range generated by typical sources	15
5.3 Particle dynamics indoors.....	16
5.3.1 Major particle sinks.....	16
5.3.2 Variations of the particle spectrum	16
5.3.3 Effect of air conditioning	17
5.3.4 Conditions of room use	17
6 Measurement methods for airborne particles indoors	17
6.1 General.....	17
6.2 Established method description.....	18
6.2.1 General.....	18
6.2.2 Cyclone	21
6.2.3 Impactors (impactor – cascade impactor – LPI – MOI)	21
6.2.4 Differential mobility analyser (DMA)	22
6.2.5 Aerosol mass spectrometer (AMS)	23
6.2.6 Aerosol mass monitor (AMM)	23
6.2.7 Oscillating microbalance (OMB)	24
6.2.8 Beta radiation attenuation (BRA) monitor	25
6.2.9 Microscopy (OM – SEM – TEM)	26
6.2.10 Light scattering aerosol spectrometer (LSAS)	26
6.2.11 Time-of-flight spectrometer (TOF-AS)	27
6.2.12 Condensation particle counter (CPC – UF CPC – CPC with SES – CPC photometric mode).....	28
6.2.13 Faraday cup aerosol electrometer (FCAE)	29
6.2.14 Fast response aerosol spectrometer (FRAS)	29
6.2.15 Low pressure impactor with electric detection (LPI+E)	30
7 General sampling recommendations	30
7.1 Instrumentation and sampling system	30
7.2 Measurement location.....	31

7.3	Measurement time and duration.....	31
7.4	Estimated concentration scale (minimum and maximum accuracy)	31
7.5	Background concentration	32
7.6	Impact of outdoor air quality	32
7.7	Impact of room conditions.....	33
7.8	Impact of the measurement itself.....	33
8	Measurement strategy for determining airborne particles indoors	34
8.1	General.....	34
8.2	Preliminary work — Definition of the measurement objective and list of basic information	34
8.2.1	General.....	34
8.2.2	Statement on the purpose of the measurement	34
8.2.3	List of main expected sources	34
8.2.4	Temporal effects	35
8.2.5	Description of the indoor compartment	35
8.3	Visual room inspection — Definition of the measurement planning and strategy	36
8.4	Preliminary measurements	36
8.5	Measurement procedures.....	37
8.5.1	General.....	37
8.5.2	Procedure for the determination of the background	37
8.5.3	Procedure for the estimation of the influence of outdoor (ambient air) concentration.....	38
8.5.4	Procedure for the identification of main sources present in a room	39
8.5.5	Procedure for the measurement of the average and the time-resolved emission of a specific source	40
8.5.6	Procedure for the estimation of the efficiency of an abatement techniques (i.e. filtration by air conditioning system)	41
9	Uncertainty evaluation	42
10	Evaluation and reporting of results	43
11	Documentation	43
12	Quality assurance	44
12.1	Performance specifications	44
12.2	Quality assurance when determining particle number concentrations	45
12.2.1	General.....	45
12.2.2	Sampling volume flow	45
12.2.3	Checking the equipment's parameters	45
12.3	Quality assurance when determining particle mass concentrations	45
12.3.1	Mass concentration calculation based on measured number concentration	45
12.3.2	Gravimetric mass concentration measurement	45
Annex A (normative)	Protocol for the measurement of indoor airborne particles	47
Bibliography		50