

DIN ISO 16000-24:2019-03 (E)

Indoor air - Part 24: Performance test for evaluating the reduction of volatile organic compound concentrations by sorptive building materials (ISO 16000-24:2018)

Contents	Page
National foreword	4
Foreword	6
Introduction.....	7
1 Scope	8
2 Normative references	8
3 Terms and definitions.....	8
4 Symbols	11
5 Principle.....	11
6 Apparatus and materials	12
7 Test conditions	13
7.1 General	13
7.2 Test conditions to determine concentration reduction performance	13
7.2.1 Temperature and relative humidity.....	13
7.2.2 Supply air quality and background concentration.....	13
7.2.3 Mass transfer coefficient.....	14
7.2.4 Air change rate	14
7.2.5 Supply air concentration	14
7.3 Factors affecting the concentration reduction performance	14
7.3.1 General	14
7.3.2 Temperature and humidity	14
7.3.3 Concentration of target compound(s) in spiked air	14
7.3.4 Interfering gases	15
8 Verification of test conditions	15
8.1 Monitoring of test conditions.....	15
8.2 Airtightness of test chamber	15
8.3 Air change rate in test chamber	15
8.4 Efficiency of the internal test chamber air mixing	15
8.5 Recovery	15
9 Preparation of test chamber.....	16
10 Preparation of test specimens	16
11 Test method	16
11.1 Background concentration and spiked supply air	16
11.2 Placing the test specimen in the test chamber.....	16
11.3 Time intervals for measurement of chamber concentration	16
11.3.1 Test for concentration reduction performance.....	16
11.3.2 Test for long-term reduction performance.....	17
11.3.3 Factors affecting the reduction performance.....	17
11.4 Air sampling	17
12 Determination of target compound(s).....	17

13	Expression of results	17
13.1	Calculation of area-specific reduction rate	17
13.2	Calculation of equivalent ventilation rate per area	18
13.3	Calculation of total mass per area of sorption and saturation mass per area	18
14	Test report	18
Annex A (normative) Sample tube test for long-term reduction performance		20
Annex B (normative) System for quality assurance and quality control.....		24
Bibliography.....		26