

# DIN EN ISO 21877:2020-01 (E)

## S tationary source emissions - Determination of the mass concentration of ammonia - Manual method (ISO 21877:2019)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		3
Foreword .....		4
Introduction .....		5
<b>1</b>	<b>Scope</b> .....	<b>6</b>
<b>2</b>	<b>Normative references</b> .....	<b>6</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>6</b>
<b>4</b>	<b>Symbols and abbreviated terms</b> .....	<b>8</b>
<b>5</b>	<b>Principle of the method of measurement</b> .....	<b>10</b>
<b>6</b>	<b>Sampling system</b> .....	<b>11</b>
6.1	General .....	11
6.2	Sampling equipment .....	11
6.2.1	Non-isokinetic sampling .....	11
6.2.2	Isokinetic sampling .....	12
6.3	Other equipment .....	14
<b>7</b>	<b>Performance characteristics</b> .....	<b>14</b>
7.1	General .....	14
7.2	Performance characteristics of the sampling system .....	14
7.3	Performance characteristics of the analysis .....	15
7.3.1	Sources of uncertainty .....	15
7.3.2	Performance criterion of analysis .....	15
7.4	Establishment of the uncertainty budget .....	16
<b>8</b>	<b>Field operation</b> .....	<b>16</b>
8.1	Measurement planning .....	16
8.2	Sampling strategy .....	16
8.3	Field blank .....	17
8.4	Leak test .....	17
8.5	Sampling .....	18
8.6	Sample transport and storage .....	18
<b>9</b>	<b>Analytical determination</b> .....	<b>18</b>
<b>10</b>	<b>Calculation of the results</b> .....	<b>19</b>
<b>11</b>	<b>Measurement report</b> .....	<b>20</b>
<b>Annex A (informative) Validation of the method of measurement in the field</b> .....		<b>21</b>
<b>Annex B (informative) Description of the analytical method — Spectrophotometry</b> .....		<b>26</b>
<b>Annex C (informative) Description of the analytical method — Continuous flow analysis (CFA)</b> .....		<b>30</b>
<b>Annex D (informative) Description of the analytical method — Ion chromatography</b> .....		<b>33</b>
<b>Annex E (informative) Example of the calculation of the uncertainty budget</b> .....		<b>37</b>
<b>Annex F (informative) Calculation of the uncertainty associated with a mass concentration expressed on dry gas and at an oxygen reference concentration</b> .....		<b>45</b>
<b>Bibliography</b> .....		<b>49</b>