DIN EN 17359:2020-10 (E)

Stationary source emissions - Bioaerosols and biological agents - Sampling of bioaerosols and collection in liquids - Impingement method

Contents

Page

European foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Symbols and abbreviations 11

5 Principle of method 13

6 Theoretical fundamentals 14
6.1 Isokinetic sampling 14
6.2 Determination of concentration and load of the microorganisms 14

7 Device and materials 16
7.1 General 16
7.2 Device and methods for measurement of the exhaust air parameters for the calculation of the main volume flow 16
7.2.1 General 16
7.2.2 Device for determination of the exhaust air velocity 16
7.2.3 Device for determination of pressure, temperature and humidity 17
7.3 Device for the sampling of bioaerosols 17
7.3.1 General 17
7.3.2 Material properties 18
7.3.3 Entry nozzle, bend and sampling probe 18
7.3.4 Emission impinger 18
7.3.5 Suction device and device for measurement of the gas volume or respectively the gas volume flow 20

8 Sampling 20
8.1 General 20
8.2 Preparation of the sampling equipment 20
8.2.1 General 20
8.2.2 Preparation of the emission impinger 20
8.2.3 Preparation of the entry nozzle and the sampling probe 21
8.2.4 Determination of appropriate sampling probe and sampling flow 21
8.3 Performing bioaerosol sampling 24
8.3.1 Leak test and sampling 24
8.3.2 Recovery of deposits upstream of the emission impinger 25
8.3.3 Determination of the mass of the sampling liquid 26
8.3.4 Field blank value 26
8.3.5 Analytical blank value 27
8.4 Transport and storage 27

9 Analysis 27

10 Evaluation 27
10.1 General 27
10.2 Transfer of the results by the analytical laboratory 28

10.3 Sample gas volume during sampling ... 28
10.4 Microorganism number calculation ... 30
10.5 Load calculation ... 31

11 Performance characteristerics ... 31
11.1 Measurement uncertainty ... 31
11.2 Parameters for the determination of measuring uncertainity in practice ... 32

12 Maintenance and quality assurance ... 37

13 Sampling efficiency and limits of the method ... 37

14 Interferences ... 38

Annex A(informative) Practical example for moulds and bacteria ... 39

A.1 General ... 39
A.2 Determination of the measurement points ... 39
A.3 Devices and materials ... 39
A.3.1 General ... 39
A.3.2 Devices and methods for measurement of the exhaust air parameters for the calculation of the main volume flow ... 39
A.3.2.1 General ... 39
A.3.2.2 Devices for determination of the exhaust air velocity ... 39
A.3.2.3 Devices for determination of pressure, temperature and humidity ... 40
A.3.3 Devices for sampling of bioaerosols ... 40
A.3.3.1 General ... 40
A.3.3.2 Material properties ... 40
A.3.3.3 Entry nozzle, bend and sampling probe ... 40
A.3.3.4 Emission impinger ... 40
A.3.3.5 Measurement system for isokinetic sample volume flow abstraction ... 40
A.4 Sampling process ... 40
A.4.1 General ... 40
A.4.2 Preparation of the sampling equipment ... 40
A.4.2.1 General ... 40
A.4.2.2 Preparation of the emission impinger ... 41
A.4.2.3 Preparation of the entry nozzle, band and sampling probe ... 41
A.4.3 Measurement of the exhaust air parameters for isokinetic sampling ... 41
A.4.4 Sampling ... 42
A.4.4.1 General ... 42
A.4.4.2 Recovery of deposits upstream of the emission impinger ... 42
A.4.4.3 Field blank value ... 42
A.4.5 Transport and storage ... 43

Annex B(informative) Measurement uncertainty ... 49

B.1 General ... 49
B.2 Determination of measurement uncertainty ... 49
B.2.1 Moulds ... 49
B.2.2 Mesophilic bacteria ... 50
B.2.3 Total cell count ... 50
B.2.4 Measurements in the bioaerosol test channel ... 50
B.3 Field blank value ... 51

Annex C(normative) Summary of the requirements to the emission measurement ... 52

Annex D(informative) Sample protocol for sampling and analysis ... 54

D.1 Sampling ... 54
D.2 Analysis ... 55

Bibliography ... 56