

DIN ISO 16000-28:2021-11 (E)

Indoor air - Part 28: Determination of odour emissions from building products using test chambers (ISO 16000-28:2020)

Contents		Page
National foreword		4
National Annex NA (informative) Bibliography		7
Foreword		8
Introduction		9
1	Scope	10
2	Normative references	10
3	Terms and definitions	10
4	Symbols and abbreviated terms	12
5	Principle	12
6	Test facilities	12
6.1	General	12
6.2	Test room and recovery room	13
6.3	Odour sampling and assessment devices	13
6.3.1	General	13
6.3.2	Funnel	13
6.3.3	Sample containers	14
6.3.4	Sample presentation system	14
6.4	Comparative scale	14
6.4.1	General	14
6.4.2	Set up of the comparative scale	15
6.4.3	Check-up of the comparative scale	16
6.4.4	Measurement of acetone concentration and calibration of the measurement device	16
7	Test requirements	17
7.1	General	17
7.2	Emission test chamber and test room background odour	17
7.2.1	Background odour	17
7.2.2	Test room conditions	17
7.2.3	Ventilation of the test room	17
7.2.4	Recovery room conditions	18
8	Odour testing from emission test chambers	18
8.1	General	18
8.2	Emission test chamber preparation	18
8.3	Time of odour measurements	18
8.4	Conditioning of sample containers	18
8.5	Handling of sample containers	18
9	Sensory odour panel and panel leader	19
9.1	Panel leader	19
9.1.1	General requirements for the panel leader	19
9.1.2	Additional requirements for the panel leader for perceived intensity assessments	19
9.2	Panel selection	20
9.2.1	General requirements for panel selection	20
9.2.2	Additional requirements for the panel selection for perceived intensity assessments	20

9.3	Code of conduct of the panel members	20
9.4	Correct procedure for determination of the panel size	21
9.5	Panel training	21
10	Sensory test methods and procedure	21
10.1	General	21
10.2	Procedure	21
10.3	Determination of acceptability	22
10.4	Determination of the perceived intensity using a comparative scale	23
	10.4.1 Comparative scale	23
	10.4.2 Panel	23
	10.4.3 Panel training	24
	10.4.4 Procedure	24
10.5	Determination of the hedonic tone	25
11	Data analysis	26
11.1	Calculation of mean value and standard deviation	26
11.2	Accurace of sensory testing	27
12	Test report	27
	Annex A (informative) Training procedure for the comparative scale	29
	Annex B (informative) General conditions for sensory testing	33
	Annex C (informative) Sampling containers (bags) and sampling and presentation device	38
	Annex D (informative) Example for statistical data analysis	41
	Bibliography	43