DIN EN 16976:2024-09 (E)

Ambient air - Determination of the particle number concentration of atmospheric aerosol

Contents

Page

European foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 8
3.1 Aerosol properties 8
3.2 Instrument performance 9
3.3 Flow rates 9

4 Atmospheric aerosol 10

5 Description of the method 10
5.1 Sampling and conditioning 10
5.1.1 Sampling 10
5.1.2 Drying 12
5.1.3 Dilution 12
5.2 Determination of the number concentration with a CPC 13
5.2.1 Condensation growth 13
5.2.2 Optical detection 15

6 CPC performance criteria and test procedures 15
6.1 General 15
6.2 General requirements for the CPC 15
6.3 Test conditions 16
6.4 Performance characteristics and criteria 17
6.5 Test procedures 18
6.5.1 Calibrated flow rate 18
6.5.2 Number concentration measurement range 18
6.5.3 Number concentration detection limit 18
6.5.4 Calibration factor 18
6.5.5 Instrument-specific assessment of linearity and slope of response 18
6.5.6 Detection efficiency curve at low particle size 19
6.5.7 Upper particle size detection limit 19
6.5.8 Zero count rate 19
6.5.9 Response time 19
6.5.10 Dependence of flow rate on supply voltage 20
6.5.11 Measurement uncertainty of temperature and pressure sensor calibration 20
6.5.12 Effect of failure of mains voltage 20

7 Performance criteria and test procedures for the sampling and conditioning system 20
7.1 General requirements 20
7.2 Performance characteristics and criteria 20
7.3 Diffusion losses 21
7.4 Relative humidity 21
7.5 Dilution 21
7.5.1 Dilution factor 21
7.5.2 General criteria for dilution systems 22

7.6 Primary sampling flow 22

8 Measurement procedure 22
8.1 Measurement planning 22
8.2 Environmental operating conditions 22
8.3 Initial installation 23
8.4 Initial checks on site 23
8.5 Data processing and reporting 23

9 Quality control, quality assurance and measurement uncertainty 24
9.1 General 24
9.2 Frequency of calibrations, checks and maintenance 24
9.2.1 General 24
9.2.2 Full maintenance of CPC 25
9.2.3 Calibration of linearity 25
9.2.4 Zero check 25
9.2.5 Number concentration check 25
9.2.6 Actual flow rate check 25
9.2.7 Temperature and pressure sensor calibration 26
9.2.8 CPC internal diagnostics 26
9.2.9 Sample system maintenance 26
9.2.10 Relative humidity sensor 26
9.2.11 Dilution factor (where applicable) 26
9.2.12 Leak check 26
9.3 Measurement uncertainty 26
9.3.1 General 26
9.3.2 CPC plateau detection efficiency 27
9.3.3 CPC detection efficiency drift 27
9.3.4 Flow determination 28
9.3.5 Correction to standard temperature and pressure 28
9.3.6 Diffusion losses in the sampling system 28
9.3.7 Dilution factor (where applicable) 28
9.3.8 Calculation of overall uncertainty 29

Annex A (normative) Determination of diffusion losses in sampling lines 30

Annex B (informative) Example of the calculation of diffusion losses in a sampling system 32 B.1
Description of the sampling system 32

B.2 Air properties and diffusion coefficient 33
B.3 Losses in the primary sampling tube 33
B.4 Losses in the secondary sampling tube and the dryer 34
B.5 Overall sampling losses 34

Annex C (informative) Uncertainty calculation (example) 35

C.1 General 35
C.2 CPC plateau detection efficiency 35
C.3 CPC detection efficiency drift 35
C.4 Flow determination 35
C.5 Correction to standard temperature and pressure 35
C.6 Sampling losses due to diffusion to walls 35
C.7 Dilution factor (where applicable) 36
C.8 Calculation of overall uncertainty 36

Annex D (informative) Atmospheric aerosols 37

D.1 General 37
D.2 Examples of measurements 37

Annex E (informative) Dilution systems 40

E.1 Background 40
E.2 Operation principles of dilution systems 40
E.3 Design example of a dilution system for drying the primary sampling flow 42
E.4 Operating parameters of a dilution system 43
E.5 Example for the calculation of the uncertainty of the dilution factor 46

Annex F (informative) Laminar flow 48

Annex G (informative) Coincidence correction 49

Annex H (informative) Results of an experimental comparison of different CPCs 51

Bibliography 56