

# DIN EN 15091:2014-03 (E)

## Sanitary tapware - Electronic opening and closing sanitary tapware

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
<b>1</b>	<b>Scope .....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>10</b>
<b>4</b>	<b>General requirements and testing .....</b>	<b>11</b>
4.1	Marking .....	11
4.2	Materials .....	11
4.2.1	Chemical and hygienic requirements .....	11
4.2.2	Exposed surface conditions .....	11
4.3	Functions .....	11
4.4	Protection against pollution .....	11
4.5	Electric characteristics and requirements .....	11
4.5.1	General .....	11
4.5.2	Electrical safety .....	11
4.5.3	Electrical operation of solenoid valves .....	12
4.5.4	Electric strength and insulation resistance of the solenoid valve .....	12
4.5.5	Operational safety .....	12
4.6	Leaktightness characteristics .....	13
4.6.1	General .....	13
4.6.2	Principle .....	13
4.6.3	Apparatus .....	14
4.6.4	Leaktightness of tapware upstream of the obturator .....	14
4.6.5	Leaktightness of tapware downstream of the obturator with the obturator open .....	14
4.6.6	Leaktightness tests - Summary table .....	14
4.7	Pressure resistance characteristics - mechanical performance under pressure .....	15
4.7.1	General .....	15
4.7.2	Principle .....	15
4.7.3	Apparatus .....	15
4.7.4	Procedure .....	15
4.7.5	Requirements .....	15
<b>5</b>	<b>Requirements and testing for tapware .....</b>	<b>15</b>
5.1	Scope .....	15
5.2	Dimensional characteristics .....	15
5.2.1	General .....	15
5.2.2	Tap with visible body for horizontal surfaces .....	15
5.2.3	Taps with visible body for mounting on vertical surfaces .....	17
5.2.4	In-line tapware with threaded inlet and outlet .....	17
5.2.5	Concealed tapware for vertical surfaces .....	18
5.2.6	Mixing valves for horizontal surface .....	18
5.2.7	Mixing valves with visible body for mounting on vertical surfaces with captive nuts and eccentric unions .....	20
5.2.8	Mixing valves with opposed inlets .....	20
5.2.9	Nozzle outlets for use with flow rate regulators .....	22
5.2.10	Special cases .....	22
5.3	Hydraulic characteristics .....	22

5.3.1	General .....	22
5.3.2	Test apparatus for tapware intended for Type 1 water supply systems .....	23
5.3.3	Principle of the flow test .....	26
5.3.4	Requirements .....	27
5.3.5	Cross flow between hot and cold water .....	27
5.4	Water hammer .....	27
5.4.1	Principle of water hammer test .....	27
5.4.2	Test apparatus .....	28
5.4.3	Procedure .....	28
5.4.4	Requirements .....	29
5.5	Endurance .....	29
5.5.1	General .....	29
5.5.2	Principle .....	29
5.5.3	Procedure for single taps .....	29
5.5.4	Procedure for mixers .....	30
5.5.5	Requirements .....	30
5.6	Acoustic characteristics .....	30
5.6.1	General .....	30
5.6.2	Procedure .....	31
5.6.3	Requirements .....	31
6	Requirements and testing for flushing valves for urinals .....	32
6.1	Scope .....	32
6.2	Definitions .....	32
6.2.1	Single flush urinal valves .....	32
6.2.2	Siphon action flushing urinal valves .....	32
6.2.3	Isolating valves for flushing urinal valves .....	32
6.3	Classification of flushing urinal valves .....	32
6.4	Designation .....	33
6.5	Dimensional characteristics .....	33
6.6	Hydraulic characteristics .....	34
6.6.1	General .....	34
6.6.2	Test method .....	34
6.7	Measurement of water hammer for urinal flushing valves .....	35
6.7.1	Principle of water hammer test .....	35
6.7.2	Test apparatus .....	35
6.7.3	Procedure .....	35
6.7.4	Requirements .....	36
6.8	Mechanical endurance .....	36
6.8.1	General .....	36
6.8.2	Apparatus .....	36
6.8.3	Procedure .....	36
6.8.4	Requirements .....	37
7	Requirements and testing for flushing valves for WCs .....	37
7.1	Scope .....	37
7.2	Definitions .....	37
7.3	Classification .....	38
7.3.1	General .....	38
7.3.2	6 l and 6 to 9 l valves .....	38
7.3.3	9 l valves .....	38
7.4	Dimensional characteristics .....	38
7.5	Hydraulic characteristics .....	39
7.5.1	General .....	39
7.5.2	Test method .....	39
7.5.3	Testing of the flow rate / Impact force at lower dynamic pressure .....	43
7.5.4	Testing of the flow rate / Volume at lower dynamic pressure .....	44
7.5.5	Testing of flush flow rate / impact force at upper dynamic pressure .....	45
7.5.6	Measurement of water hammer .....	46
7.6	Principle and verification of atmospheric pipe interrupters of WC flushing valves .....	46
7.7	Mechanical endurance .....	47
7.7.1	General .....	47

<b>7.7.2</b>	<b>Procedure .....</b>	<b>47</b>
<b>7.7.3</b>	<b>Minimum requirements .....</b>	<b>47</b>
<b>7.8</b>	<b>Acoustic characteristics .....</b>	<b>47</b>
<b>Annex A (normative) Design of pressure take-off tees .....</b>		<b>48</b>
<b>Annex B (informative) Potential consequences of use outside the recommended operating limits ...</b>		<b>50</b>
<b>Bibliography .....</b>		<b>51</b>