

# DIN EN 1111:2017-10 (E)

## Sanitary tapware - Thermostatic mixing valves (PN 10) - General technical specification

---

<b>Contents</b>		<b>Page</b>
European foreword .....		6
Introduction .....		7
1	Scope .....	8
2	Normative references .....	8
3	Terms and definitions .....	9
4	Symbols and units .....	10
5	Classification .....	11
6	Designation .....	11
7	Marking/identification .....	12
7.1	Marking .....	12
7.2	Identification .....	12
8	Materials .....	12
8.1	Chemical and hygiene requirements .....	12
8.2	Exposed surface condition and quality of coating .....	12
9	Dimensional characteristics .....	13
9.1	General remarks .....	13
9.2	Inlet dimensions .....	13
9.3	Outlet dimensions .....	15
9.4	Mounting dimensions .....	17
9.5	Special cases .....	20
9.6	Flexible hoses for outlet 2 .....	20
9.7	Outlet 2 .....	20
10	Backflow protection .....	20
11	Test sequence .....	21
12	Leaktightness .....	21
12.1	General .....	21
12.1.1	Principle .....	21
12.1.2	Apparatus .....	21
12.2	Leaktightness of the obturator and upstream thereof .....	21
12.2.1	General .....	21
12.2.2	Procedure .....	21
12.2.3	Requirements .....	21
12.3	Cross-flow between inlets .....	22
12.3.1	General .....	22
12.3.2	Procedure .....	22
12.3.3	Requirements .....	22
12.4	Leaktightness downstream of the obturator .....	22
12.4.1	Procedure .....	22

12.4.2	Requirements .....	22
12.5	Leaktightness of manually operated diverter .....	22
12.5.1	Procedure .....	22
12.5.2	Requirement .....	23
12.6	Leaktightness of diverters with automatic return .....	23
12.6.1	Procedure .....	23
12.6.2	Requirement .....	23
13	Performance .....	23
13.1	General .....	23
13.1.1	Initial settings .....	23
13.1.2	Apparatus .....	24
13.1.3	Procedure .....	24
13.2	Determination of flow rate .....	25
13.2.1	Principle .....	25
13.2.2	Procedure .....	25
13.2.3	Evaluation of the results .....	26
13.2.4	Requirements .....	26
13.3	Sensitivity .....	26
13.3.1	General .....	26
13.3.2	Principle .....	26
13.3.3	Procedure .....	26
13.3.4	Evaluation of results .....	27
13.3.5	Requirements .....	27
13.4	Fidelity .....	28
13.4.1	General .....	28
13.4.2	Principle .....	28
13.4.3	Procedure .....	28
13.4.4	Evaluation of results .....	28
13.4.5	Requirements .....	28
13.5	Temperature stability .....	29
13.5.1	Temperature control operation .....	29
13.5.2	Flow rate reduction .....	29
13.5.3	Cold supply failure and restoration .....	30
13.5.4	Supply pressure variation .....	31
13.5.5	Supply temperature variation .....	32
13.5.6	Temperature Override Stops .....	32
14	Pressure resistance .....	33
14.1	General .....	33
14.2	Apparatus .....	33
14.3	Testing of mechanical performance of the thermostatic mixing valve upstream of the obturator in the closed position .....	33
14.3.1	Procedure .....	33
14.3.2	Requirement .....	33
14.4	Mechanical behaviour downstream of the obturator - Obturator in the open position .....	33
14.4.1	Procedure .....	33
14.4.2	Requirement .....	34
15	Torsional resistance of the operating controls .....	34
15.1	General .....	34
15.2	Test method .....	34
15.2.1	Principle of the test .....	34
15.2.2	Apparatus .....	34
15.2.3	Procedure .....	34
16	Mechanical endurance characteristics .....	35
16.1	General .....	35
16.2	Endurance test for single sequential control device .....	35
16.2.1	Principle .....	35
16.2.2	Apparatus .....	35
16.2.3	Procedure .....	35

16.2.4	Requirement .....	36
16.3	Endurance test for on/off flow control device operated by rotating the control handle .....	36
16.3.1	Principle .....	36
16.3.2	General .....	36
16.4	Endurance test for on/off flow control device, combined with diverter mechanism .....	36
16.4.1	Principle .....	36
16.4.2	Apparatus .....	36
16.4.3	Procedure .....	36
16.4.4	Requirement .....	37
16.5	Endurance test for other on-off flow control device .....	37
16.5.1	Principle .....	37
16.5.2	Apparatus .....	37
16.5.3	Procedure .....	37
16.5.4	Requirement .....	37
16.6	Mechanical endurance of diverters of thermostatic mixing valves .....	38
16.6.1	General .....	38
16.6.2	Test method .....	38
16.6.3	Requirements .....	39
16.7	Mechanical endurance of swivel spouts .....	39
16.7.1	General .....	39
16.7.2	Test method .....	39
16.7.3	Requirements .....	40
16.8	Thermal Element .....	40
16.8.1	Principle .....	40
16.8.2	Temperature adjustable valves (Type 1, 2, 4) .....	40
16.8.3	Temperature set valves (Type 5) .....	41
16.8.4	Other valves with special control devices (Type 6) .....	41
17	Acoustic characteristics .....	42
17.1	General .....	42
17.2	Procedure .....	42
17.2.1	Fitting and operating conditions for thermostatic mixing valves .....	42
17.2.2	Test method .....	42
17.3	Requirements .....	42
17.3.1	Expression of results .....	42
17.3.2	Determination of acoustic groups .....	42
17.3.3	Flow rate classes (thermostatic mixing valves Type 1, 2, 3) .....	42
Annex A (normative) Test Set-up Descriptions .....		44
A.1	General .....	44
A.2	Inlet pipework .....	44
A.2.1	Thermostat endurance .....	44
A.2.2	Performance .....	45
A.3	Outlet pipework .....	45
A.3.1	General .....	45
A.3.2	Outlet for valves without integral atmospheric discharge spouts .....	46
A.3.3	Outlet for valves with atmospheric discharge nozzles .....	48
Annex B (normative) Measurements .....		49
B.1	Pressure .....	49
B.2	Flow .....	49
B.3	Temperature .....	49
B.3.1	Mounting .....	49
B.3.2	Accuracy .....	49
B.3.3	Response time .....	49
B.4	Angular position .....	49
B.5	Duration of transients .....	49
Annex C (informative) Temperature transient .....		52

C.1	Positive temperature transient .....	52
C.2	Negative temperature transient .....	53
Annex D (informative) Acoustic classification (example) .....		54
D.1	Thermostatic mixing valve with nozzle .....	54
D.2	Thermostatic mixing valves with shower or shower head outlet .....	54
D.3	Thermostatic mixing valves with nozzle and shower or shower head outlet .....	54
Bibliography .....		56