ISO 4126-2:2018 (E)

Safety devices for protection against excessive pressure — Part 2: Bursting disc safety devices

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Materials

4.1 Selection of materials
4.2 Material specifications
4.3 Protection from corrosion

5 Types of bursting discs

5.1 Conventional domed bursting discs (Forward acting)
5.2 Reverse domed bursting discs (Reverse acting)
5.3 Flat bursting discs
5.4 Other types and designs

6 Bursting disc holders

6.1 Design
6.1.1 Pressure-containing capability
6.1.2 Other design requirements
6.2 Types
6.3 Connections

7 Back pressure supports

7.1 General
7.2 Opening back pressure supports
7.3 Non-opening back pressure supports

8 Temperature shields

9 Stiffening rings

10 Gaskets/seals

11 Assembly of bursting disc safety devices

11.1 General
11.2 Bursting disc safety devices with replaceable bursting disc assemblies
11.3 Bursting disc safety devices with non-replaceable bursting disc assemblies

12 Specified bursting pressure requirements

13 Inspection by the manufacturer

14 Test procedures

14.1 General
14.2 Pressure testing
14.3 Burst testing
14.3.1 General

14.3.2 Coincident temperature in the range 15 °C to 30 °C
14.3.3 Coincident temperature above or below the range 15 °C to 30 °C
14.3.4 Procedure for burst testing
14.4 Leak testing
14.4.1 General
14.4.2 Selection of acceptable leakage rate
14.5 Non-destructive examination

15 Certification

16 Product designation

17 Marking

17.1 General
17.2 Bursting discs or bursting disc assemblies
17.3 Bursting disc holders
17.4 Bursting disc safety devices with non-replaceable bursting disc assemblies
17.5 Ancillary components
17.6 Omission of markings

18 Packaging and storage

Annex A (informative) Packaging: marking, assembly instructions and documentation

A.1 Marking of packages
A.2 Provision of assembly and installation instructions
A.3 Provision of documents, loose identification plates, etc.

Page count: 21