

DIN EN 817:2026-01 (E)

Sanitary tapware - Mechanical mixing valves (PN 10) - General technical specifications (includes Corrigendum :2025)

Contents	Page
European foreword	5
Introduction	6
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	9
4 Designation	11
5 Marking and identification.....	12
5.1 Marking	12
5.2 Identification	12
6 Materials	13
6.1 Chemical and hygiene requirements	13
6.2 Exposed surface condition and quality of coating	13
7 Backflow protection.....	13
8 Sequence of testing.....	13
9 Dimensional characteristics	13
9.1 General remarks	13
9.2 Inlet dimensions.....	14
9.3 Outlet dimensions.....	15
9.4 Mounting dimensions.....	18
9.5 Special cases	19
10 Leaktightness characteristics.....	19
10.1 Principle	19
10.2 Apparatus	20
10.3 Leaktightness of the obturator and of the tap upstream of the obturator(s) with the obturator in the closed position.....	20
10.4 Leaktightness downstream of the obturator.....	20
10.5 Leaktightness of manually operated diverters.....	21
10.6 Leaktightness and operation of diverters with automatic return (and semi-automatic type diverters)	22
10.7 Cross flow between inlets	23
11 Pressure resistance.....	24
11.1 Principle	24
11.2 Apparatus	24
11.3 Mechanical behaviour upstream of the obturator - obturator in the closed position	24
11.4 Mechanical behaviour downstream of the obturator - obturator in the open position.....	25
12 Hydraulic Performance	25
12.1 General.....	25
12.2 Initial setting	26
12.3 Determination of flow rate	26
12.4 Determination of sensitivity.....	27

13	Mechanical strength/torsional resistance	29
13.1	Principle.....	29
13.2	Apparatus	29
13.3	Procedure	29
13.4	Requirements.....	30
14	Mechanical endurance.....	30
14.1	General	30
14.2	Endurance test of conventional control devices	30
14.3	Endurance test of joystick control devices.....	32
14.4	Endurance test of Single sequential control devices	34
14.5	Endurance test of separate controls	36
14.6	Endurance test of diverter mechanisms	38
14.7	Endurance test for swivel spouts.....	40
15	Acoustic characteristics	41
15.1	General	41
15.2	Procedure	42
15.3	Expression of results	42
	Annex A (normative) Apparatus.....	44
A.1	General	44
A.2	Supply circuits	44
A.3	Test circuit	45
A.4	Pressure take off tees.....	47
A.5	Mounting of the mixing valve	47
	Annex B (informative) Pressure take-off tee.....	48
	Annex C (informative) Recommended flow rates	51
	Annex D (informative) Product components (detailed by other standards).....	52
	Bibliography	53

Figures

Figure 1	— Supply system of Type 1 with a pressure range of (0,05 to 1,0) MPa [(0,5 to 10) bar].....	8
Figure 2	— single hole taps.....	15
Figure 3	— Multi hole taps.....	15
Figure 4	— Remote outlet	16
Figure 5	— Single hole/remote outlet	17
Figure 6	— Bath/shower /remote outlet.....	17
Figure 7	— Single hole taps	19
Figure 8	— Clamping Arrangement for use with ceramic sanitaryware	19
Figure 9	— Sensitivity curve	28
Figure 10	— Radius (r) for the determination of sensitivity.....	29
Figure 11	— Rectangular movement (One cycle 0 to 11)	31
Figure 12	— Test bench adjustment torque for conventional mixing valve.....	32
Figure 13	— Triangular movement (One cycle 0 to 8).....	33
Figure 14	— Test bench adjustment torque for joystick mixing valve.....	34
Figure 15	— linear movement (One cycle 0 to 6)	35
Figure 16	— Test bench adjustment torque for single sequential mixing valve.....	36
Figure A.1	— Supply circuits.....	44

Figure A.2 — Test circuit.....	46
Figure A.3 — Mounting of the mixing valve.....	47
Figure B.1 — Pressure take-off tee (test rig Type 1 taps).....	48
Figure B.2 — Schematic examples of pressure take-off tees (test rig Type 1 taps).....	49

Tables

Table 1 — Conditions of use.....	7
Table 2 — Designation index.....	11
Table 3 — Sequence of testing.....	13
Table 4 — Inlet dimensions sanitary tapware.....	14
Table 5 — Outlet dimensions.....	16
Table 6 — Mounting dimensions<Tbl_-></Tbl_->.....	18
Table 7 — Informative summary of leaktightness tests.....	23
Table 8 — Informative summary of pressure resistance tests.....	25
Table 9 — Initial settings.....	26
Table 10 — Performance levels.....	28
Table 11 — Summary of test conditions for cartridges.....	38
Table 12 — Summary of test conditions for diverters.....	40
Table 13 — Summary of test conditions for swivel spout.....	41
Table 14 — Acoustic group.....	42
Table 15 — Flow rate classes (EN ISO 3822-4:1997, Annex A).....	43
Table A.1 — Connecting dimensions.....	46
Table B.1 — Dimensions of the pressure take-off tee.....	48
Table C.1 — Recommended flow rates.....	51