

DIN EN 1111:2026-07 (E)

Sanitary tapware - Thermostatic mixing valves (PN 10) - General technical specification

Contents		Page
European foreword		6
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Symbols and units	10
5	Classification	11
6	Designation	11
7	Marking/identification	12
7.1	Marking	12
7.2	Identification	12
8	Materials	12
8.1	Chemical and hygiene requirements	12
8.2	Exposed surface condition and quality of coating	12
9	Dimensional characteristics	12
9.1	General remarks	12
9.2	Inlet dimensions	13
9.3	Outlet dimensions	15
9.4	Mounting dimensions	17
9.5	Special cases	20
9.6	Flexible hoses for outlet 2	20
9.7	Outlet 2	20
10	Backflow protection	20
11	Test sequence	21
12	Leaktightness	21
12.1	General	21
12.1.1	Principle	21
12.1.2	Apparatus	21
12.2	Leaktightness of the obturator and upstream thereof	21
12.2.1	General	21
12.2.2	Procedure	21
12.2.3	Requirements	22
12.3	Cross-flow between inlets	22
12.3.1	General	22
12.3.2	Procedure	22
12.3.3	Requirements	22
12.4	Leaktightness downstream of the obturator	22
12.4.1	General	22

12.4.2	Procedure	22
12.4.3	Requirements	22
12.5	Leaktightness of manually operated diverter	22
12.5.1	Procedure	22
12.5.2	Requirement	23
12.6	Leaktightness of diverters with automatic return	23
12.6.1	Procedure	23
12.6.2	Requirement	23
13	Performance	23
13.1	General	23
13.1.1	Initial settings	23
13.1.2	Apparatus	24
13.1.3	Procedure	24
13.2	Determination of flow rate	25
13.2.1	Principle	25
13.2.2	Procedure	25
13.2.3	Evaluation of the results	26
13.2.4	Requirements	26
13.3	Sensitivity	26
13.3.1	General	26
13.3.2	Principle	26
13.3.3	Procedure	26
13.3.4	Evaluation of results	27
13.3.5	Requirements	27
13.4	Fidelity	28
13.4.1	General	28
13.4.2	Principle	28
13.4.3	Procedure	28
13.4.4	Evaluation of results	28
13.4.5	Requirements	28
13.5	Temperature stability	29
13.5.1	Temperature control operation	29
13.5.2	Flow rate reduction	30
13.5.3	Cold supply failure and restoration	31
13.5.4	Supply pressure variation	32
13.5.5	Supply temperature variation	33
13.5.6	Temperature override stops	35
14	Pressure resistance	36
14.1	General	36
14.2	Apparatus	36
14.3	Testing of mechanical performance of the thermostatic mixing valve upstream of the obturator in the closed position	36
14.3.1	Procedure	36
14.3.2	Requirement	36
14.4	Mechanical behaviour downstream of the obturator - Obturator in the open position	36
14.4.1	Procedure	36
14.4.2	Requirement	36
15	Torsional resistance of the operating controls	37
15.1	General	37
15.2	Test method	37
15.2.1	Principle	37
15.2.2	Apparatus	37
15.2.3	Procedure	37
16	Mechanical endurance characteristics	37
16.1	General	37
16.2	Endurance test for single sequential control device	38
16.2.1	Principle	38
16.2.2	Apparatus	38

16.2.3	Procedure	38
16.2.4	Requirement	38
16.3	Endurance test for on/off flow control device operated by rotating the control handle	39
16.3.1	Principle	39
16.3.2	General	39
16.4	Endurance test for on/off flow control device, combined with diverter mechanism	39
16.4.1	Principle	39
16.4.2	Apparatus	39
16.4.3	Procedure	39
16.4.4	Requirement	40
16.5	Endurance test for other on-off flow control device	40
16.5.1	Principle	40
16.5.2	Apparatus	40
16.5.3	Procedure	40
16.5.4	Requirement	40
16.6	Mechanical endurance of diverters of thermostatic mixing valves	40
16.6.1	General	40
16.6.2	Test method	41
16.6.3	Requirements	42
16.7	Mechanical endurance of swivel spouts	42
16.7.1	General	42
16.7.2	Test method	42
16.7.3	Requirements	42
16.8	Thermal Element	43
16.8.1	Principle	43
16.8.2	Temperature adjustable valves (Type 1, 2, 4)	43
16.8.3	Temperature set valves (Type 5)	43
16.8.4	Other valves with special control devices (Type 6)	44
17	Acoustic characteristics	44
17.1	General	44
17.2	Procedure	44
17.2.1	Fitting and operating conditions for thermostatic mixing valves	44
17.2.2	Test method	44
17.3	Requirements	45
17.3.1	Expression of results	45
17.3.2	Determination of acoustic groups	45
17.3.3	Flow rate classes (thermostatic mixing valves Type 1, 2, 3)	45
Annex A (normative) Test set-up descriptions		46
A.1	General	46
A.2	Inlet pipework	46
A.2.1	Thermostat endurance	46
A.2.2	Performance	47
A.3	Outlet pipework	47
A.3.1	General	47
A.3.2	Outlet for valves without integral atmospheric discharge spouts	48
A.3.3	Outlet for valves with atmospheric discharge nozzles	51
Annex B (informative) Measurements		52
B.1	Pressure	52
B.2	Flow	52
B.3	Temperature	52
B.3.1	Mounting	52
B.3.2	Accuracy	52
B.3.3	Response time	52
B.4	Angular position	52
B.5	Duration of transients	52
Annex C (informative) Temperature transient		55

C.1	Positive temperature transient	55
C.2	Negative temperature transient	56
Annex D (informative) Acoustic classification (example)		57
D.1	TMV with nozzle	57
D.2	TMV with shower or shower head outlet	57
D.3	TMV with nozzle and shower or shower head outlet	57
Bibliography		59