

# E DIN EN ISO 17575-3:2014-02 (E)

Electronic fee collection - Application interface definition for autonomous systems -  
Part 3: Context data (ISO/DIS 17575-3:2013); English version prEN ISO 17575-3:2013

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		viii
1	Scope .....	1
2	Normative references .....	2
3	Terms and definitions .....	2
4	Abbreviated terms .....	4
5	General concept and overview .....	5
6	Procedural requirements and encoding rules .....	6
6.1	Communication services .....	6
6.2	Version and validity handling .....	6
6.2.1	Protocol versioning .....	6
6.2.2	Context data versioning .....	7
6.3	Encoding rules .....	7
7	Application data units .....	8
7.1	Application data unit structure .....	8
7.2	Application data unit header .....	8
7.3	Application data unit body .....	9
8	EFC Attributes .....	10
8.1	Rules with respect to support of context data .....	10
8.2	Attributes and data sets .....	10
8.3	EFC attributes data catalogue .....	10
8.3.1	General .....	10
8.3.2	Data set "Context Overview" .....	11
8.3.3	Data group "Tariff Information" .....	13
8.3.4	Data set "Context Layout" .....	32
8.3.5	Data set "Reporting rules" .....	42
Annex A (normative)	EFC data type specifications .....	55
A.1	General .....	55
A.2	Data specifications .....	58
Annex B (normative)	Protocol Implementation conformance Statements (PICS) proforma .....	71
B.1	Introduction .....	71
B.2	General .....	71
B.3	Guidance and structure .....	71
B.4	Instruction for completing the PICS proforma .....	71
B.4.1	Definition of support .....	71
B.4.2	Status column .....	72
B.4.3	Support column .....	72
B.4.4	Item reference numbers .....	72

<b>B.5</b>	<b>PICS proforma for the Front End .....</b>	<b>73</b>
<b>B.5.1</b>	<b>Identification of the implementation .....</b>	<b>73</b>
<b>B.5.1.1</b>	<b>Identification of PICS .....</b>	<b>73</b>
<b>B.5.1.2</b>	<b>Identification of the implementation and/or system .....</b>	<b>73</b>
<b>B.5.1.3</b>	<b>Identification of the Front End supplier .....</b>	<b>73</b>
<b>B.5.1.4</b>	<b>Identification of the Front End .....</b>	<b>73</b>
<b>B.5.2</b>	<b>Identification of the standard .....</b>	<b>74</b>
<b>B.5.3</b>	<b>Global statement of conformance .....</b>	<b>74</b>
<b>B.5.4</b>	<b>PICS proforma tables .....</b>	<b>74</b>
<b>E</b>	<b>DIN EN ISO 17575-3:2014-02 <sup>2</sup> (QWZXUI <sup>2</sup> ISO/DIS 17575-3 B.5.4.1 ADU and ADU Header ..</b>	<b>74</b>
<b>B.5.4.2</b>	<b>Communication services support .....</b>	<b>74</b>
<b>B.5.4.3</b>	<b>EFC Attributes .....</b>	<b>75</b>
<b>B.5.4.4</b>	<b>Toll Context overview .....</b>	<b>75</b>
<b>B.5.4.5</b>	<b>Toll scheme types .....</b>	<b>75</b>
<b>B.5.4.6</b>	<b>Operational status .....</b>	<b>75</b>
<b>B.5.4.7</b>	<b>Tariff table and tariffs .....</b>	<b>76</b>
<b>B.5.4.8</b>	<b>Tariff class definitions and tariff classes .....</b>	<b>76</b>
<b>B.5.4.9</b>	<b>Currency conversion table .....</b>	<b>76</b>
<b>B.5.4.10</b>	<b>Local vehicle class definitions and local vehicle classes .....</b>	<b>76</b>
<b>B.5.4.11</b>	<b>Nominal vehicle parameters .....</b>	<b>77</b>
<b>B.5.4.12</b>	<b>Ordinal vehicle parameters .....</b>	<b>77</b>
<b>B.5.4.13</b>	<b>Diesel Emission Value Range .....</b>	<b>77</b>
<b>B.5.4.14</b>	<b>Exhaust Emission Value Range .....</b>	<b>78</b>
<b>B.5.4.15</b>	<b>Time class definitions and time classes .....</b>	<b>78</b>
<b>B.5.4.16</b>	<b>Nominal time class parameters .....</b>	<b>78</b>
<b>B.5.4.17</b>	<b>Ordinal time class parameters .....</b>	<b>78</b>
<b>B.5.4.18</b>	<b>User class definitions and user classes .....</b>	<b>79</b>
<b>B.5.4.19</b>	<b>Toll context layout .....</b>	<b>79</b>
<b>B.5.4.20</b>	<b>Supported context layout types .....</b>	<b>79</b>
<b>B.5.4.21</b>	<b>Section pricing layout description .....</b>	<b>79</b>
<b>B.5.4.22</b>	<b>Point .....</b>	<b>80</b>
<b>B.5.4.23</b>	<b>Link .....</b>	<b>80</b>
<b>B.5.4.24</b>	<b>Supporting Point .....</b>	<b>80</b>
<b>B.5.4.25</b>	<b>Area pricing layout description .....</b>	<b>80</b>
<b>B.5.4.26</b>	<b>Road network objects in area pricing layout descriptions .....</b>	<b>80</b>
<b>B.5.4.27</b>	<b>Cordon pricing layout description / Cordon border segment .....</b>	<b>80</b>
<b>B.5.4.28</b>	<b>Cordon entry location description .....</b>	<b>81</b>
<b>B.5.4.29</b>	<b>Cordon exit location description .....</b>	<b>81</b>
<b>B.5.4.30</b>	<b>Charge reporting events .....</b>	<b>81</b>
<b>B.5.4.31</b>	<b>Absolute time event .....</b>	<b>81</b>
<b>B.5.4.32</b>	<b>Relative time event .....</b>	<b>81</b>
<b>B.5.4.33</b>	<b>Location event .....</b>	<b>81</b>
<b>B.5.4.34</b>	<b>Charge report configuration .....</b>	<b>82</b>
<b>B.6</b>	<b>PICS proforma for the Back End .....</b>	<b>82</b>
<b>B.6.1</b>	<b>Identification of the implementation .....</b>	<b>82</b>
<b>B.6.1.1</b>	<b>Identification of PICS .....</b>	<b>82</b>
<b>B.6.1.2</b>	<b>Identification of the implementation and/or system .....</b>	<b>82</b>
<b>B.6.1.3</b>	<b>Identification of the Back End supplier .....</b>	<b>83</b>
<b>B.6.1.4</b>	<b>Identification of the Back End .....</b>	<b>83</b>
<b>B.6.2</b>	<b>Identification of the standard .....</b>	<b>83</b>
<b>B.6.3</b>	<b>Global statement of conformance .....</b>	<b>83</b>
<b>B.6.4</b>	<b>PICS proforma tables .....</b>	<b>83</b>
<b>B.6.4.1</b>	<b>ADU and ADU header .....</b>	<b>84</b>
<b>B.6.4.2</b>	<b>Communication services support .....</b>	<b>84</b>
<b>B.6.4.3</b>	<b>EFC Attributes .....</b>	<b>84</b>
<b>B.6.4.4</b>	<b>Toll context overview .....</b>	<b>84</b>
<b>B.6.4.5</b>	<b>Toll scheme types .....</b>	<b>85</b>
<b>B.6.4.6</b>	<b>Operational status .....</b>	<b>85</b>
<b>B.6.4.7</b>	<b>Tariff table and tariffs .....</b>	<b>85</b>
<b>B.6.4.8</b>	<b>Tariff class definitions and tariff classes .....</b>	<b>85</b>

B.6.4.9	Currency conversion table .....	86
B.6.4.10	Local vehicle class definitions and local vehicle classes .....	86
B.6.4.11	Nominal vehicle parameters .....	86
B.6.4.12	Ordinal vehicle parameters .....	87
B.6.4.13	Diesel Emission Value Range .....	87
B.6.4.14	Exhaust Emission Value Range .....	87
B.6.4.15	Time class definitions and time classes .....	88
B.6.4.16	Nominal time class parameters .....	88
B.6.4.17	Ordinal time class parameters .....	88
<b>E</b>	<b>DIN EN ISO 17575-3:2014-02 <sup>2</sup> (QWZXUI <sup>2</sup> ISO/DIS 17575-3 B.6.4.18 User class definitions and user classes .....</b>	<b>88</b>
B.6.4.19	Toll context layout .....	88
B.6.4.20	Supported context types .....	89
B.6.4.21	Section pricing layout description .....	89
B.6.4.22	Point .....	89
B.6.4.23	Link .....	89
B.6.4.24	Supporting Point .....	89
B.6.4.25	Area pricing layout description .....	90
B.6.4.26	Road network objects in area pricing layout descriptions .....	90
B.6.4.27	Cordon pricing layout description / Cordon border segment .....	90
B.6.4.28	Cordon entry location description .....	90
B.6.4.29	Cordon exit location description .....	90
B.6.4.30	Charge reporting events .....	91
B.6.4.31	Absolute time event .....	91
B.6.4.32	Relative time event .....	91
B.6.4.33	Location event .....	91
B.6.4.34	Charge report configuration .....	92
<b>Annex C (informative)</b>	<b>How to use context data defining the properties of an EFC regime .....</b>	<b>93</b>
C.1	General .....	93
C.2	The evaluation process determining the basic fee .....	93
C.3	The definition of time classes .....	95
C.4	The time class evaluation algorithm .....	95
C.5	Example of a charge object recognition algorithm for sectioned roads .....	96
<b>Annex D (informative)</b>	<b>Examples using EFC context data for scheme definitions .....</b>	<b>98</b>
D.1	General .....	98
D.2	Example for a section tolling scheme .....	98
D.2.1	Introduction .....	98
D.2.2	Description of the rules of the EFC scheme .....	98
D.2.3	Coding of data elements .....	99
<b>Annex E (informative)</b>	<b>Use of this standard for the EETS .....</b>	<b>103</b>
E.1	General .....	103
E.2	Overall relationship between European standardisation and the EETS .....	103
E.3	European standardisation work supporting the EETS .....	103
E.4	Correspondence between this standard and the EETS .....	104
<b>Bibliography</b>	<b>.....</b>	<b>106</b>