DIN EN ISO 14819-1:2019-10 (E)

Erscheinungsdatum: 2019-08-30

Intelligent transport systems - Traffic and travel information messages via traffic message coding - Part 1: Coding protocol for Radio Data System - Traffic Message Channel (RDS-TMC) using ALERT-C (ISO/DIS 14819-1:2019); English version prEN ISO 14819-1:2019

Contents

Page

Foreword ... **vi**

Introduction ... **vii**

1 Scope ... **1**
- 1.1 General scope ... 1
- 1.2 Content ... 1
- 1.3 Message management ... 2
- 1.4 Transmission ... 2
- 1.5 Event list ... 2

2 Normative references ... **2**

3 Terms and definitions and abbreviated terms ... **2**
- 3.1 Terms and definitions ... 2
- 3.2 Abbreviated terms ... 6

4 Application ... **8**
- 4.1 General ... 8
- 4.2 Definition of the TMC "travel service" ... 8
- 4.3 TMC virtual terminal ... 8
- 4.4 Event- orientated end-user information messages ... 9
- 4.5 Strategic and tactical information ... 9
- 4.6 Geographic relevance ... 9
- 4.7 Transmitted message priority ... 10
- 4.8 Event List ... 10
- 4.9 Future extensions ... 10

5 Presentation ... **11**
- 5.1 General ... 11
- 5.2 TMC virtual language ... 11
- 5.3 Message content ... 11
  - 5.3.1 General ... 11
  - 5.3.2 Event Description (11 bits) ... 12
  - 5.3.3 Primary Location (16 bits) ... 12
  - 5.3.4 Direction and Extent (4 bits) ... 13
  - 5.3.5 Duration (3 bits) ... 13
  - 5.3.6 Diversion Advice (1 bit) ... 15
- 5.4 Implicit information ... 15
  - 5.4.1 Road class and road number ... 15
  - 5.4.2 Road segment ... 15
  - 5.4.3 Area, region and country ... 15
  - 5.4.4 Pre-assigned diversion advice ... 15
  - 5.4.5 Urgency within the terminal ... 15
  - 5.4.6 Directionality ... 16
  - 5.4.7 Duration type ... 16
  - 5.4.8 Nature ... 16
  - 5.4.9 Update class ... 16
  - 5.4.10 Quantifier type ... 16
- 5.5 Optional message content ... 17
  - 5.5.1 General ... 17
  - 5.5.2 Combination of additional information ... 17
  - 5.5.3 Control codes (label 1) ... 18
  - 5.5.4 Length of route affected (label 2) ... 18

5.5.5 Speed limit (label 3) 19
5.5.6 Additional quantifiers (labels 4 and 5) 19
5.5.7 Supplementary information (label 6) 19
5.5.8 Start and stop times (labels 7 and 8) 19
5.5.9 Multi-event messages (label 9) 20
5.5.10 Detailed diversion instructions (label 10) 20
5.5.11 Destinations (label 11) 20
5.5.12 Precise location reference (label 12) 21
5.5.13 Cross linkage to source of problem (label 13) 21
5.5.14 Separator (label 14) 22
5.5.15 Other information as defined by sub-labels (label 15) 22
5.5.16 Reference to telephone services (label 15, sub-label 1-2) 22

6 Message management 25
6.1 General 25
6.2 System messages 26
6.2.1 General 26
6.2.2 Location table 26
6.2.3 Terminal requirements 27
6.2.4 Change of database numbers 27
6.3 Message repetition 28
6.4 Message updating 28
6.5 Message deletion 28
6.5.1 General 28
6.5.2 Message persistence 28
6.5.3 Detailed stop-time 29
6.5.4 Non-silent and Silent cancellation messages 29
6.5.5 Null message 30
6.6 Message presentation 30
6.7 Out of area referencing 30
6.7.1 Structure of the INTER-ROAD concept 30
6.7.2 INTER-ROAD messages 31
6.7.3 Updating and cancellation of INTER-ROAD messages 31

7 Transmission using RDS type 8A and type 3A groups 32
7.1 General 32
7.2 Format of type 8A groups 32
7.3 Group repetition 32
7.4 Single-group user messages 33
7.5 System messages 34
7.5.1 General 34
7.5.2 System information 34

8 Method of encrypting an RDS-TMC service 37
8.1 Summary of TMC data elements in type 3A groups 38
8.2 Summary of TMC data elements in type 8A groups 38
8.3 Principles of the Encryption and Conditional Access methodology 38
8.4 Encryption by the service provider 39
8.5 Use of type 8A groups for RDS-TMC encryption 39
8.6 Encryption Administration group 40
8.6.1 Service Identifier (SID) 40
8.6.2 Encryption Identifier (ENCID) 40
8.6.3 Location Table Number Before Encryption (LTNBE) 41
8.6.4 Test Bits 41
8.7 Encrypting location codes 41
8.7.1 Test mode 42
8.7.2 Repetition rate 42
8.8 Access to decrypted services by a terminal 42
8.9 'Activation' of a terminal 43
8.9.1 Serial Number of terminal 43
8.9.2 Access Profile (ACP) 44
8.9.3 'PIN' Code composition 44
8.9.4 Implementation rules for PIN codes 44
8.10 Identifying an encrypted RDS-TMC service 44

8.11 Decrypting location codes 45
8.12 Alternative Encryption strategy 45

9 Following an RDS-TMC service 46
9.1 System Information Repetition rates 46
9.2 Tuning information 47
9.2.1 General 47
9.2.2 Format of the Tuning Information 47
9.2.3 Conditions for using Tuning Information 49
9.2.4 Repetition rate 49
9.3 Multi-group messages 49
9.3.1 First group 50
9.3.2 Subsequent groups 51
9.4 Summary of X-bit usage in RDS-TMC type 8A groups 53