DIN EN ISO 15118-2:2022-11 (E)

Erscheinungsdatum: 2022-10-21

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements (ISO/DIS 15118-2:2022); English version prEN ISO 15118-2:2022, only on CD-ROM

Contents

Page

Foreword ... vii

Introduction ... viii

1 Scope ... 1

2 Normative references ... 1

3 Terms and definitions ... 3

4 Symbols and abbreviated terms ... 6

5 Conventions ... 7
5.1 Definition of OSI based services ... 7
5.2 Requirement structure ... 8
5.3 Usage of RFC references ... 8
5.4 Notation used for XML schema diagrams ... 8

6 Document overview ... 8

7 Basic requirements for V2G communication ... 9
7.1 General information ... 9
7.2 Service primitive concept of OSI layered architecture ... 10
7.2.1 Overview ... 10
7.2.2 Syntax of service primitives ... 10
7.3 Security concept ... 11
7.3.1 Call flows (flow charts) ... 11
7.3.2 Certificate and key management ... 15
7.3.3 Number of root certificates and root validity, certificate depth and size ... 17
7.3.4 Support and application of TLS ... 18
7.4 V2G communication states and data link handling ... 20
7.5 Data link layer ... 25
7.6 Network layer ... 25
7.6.1 General ... 25
7.6.2 Applicable RFCs and limitations and protocol parameter settings ... 25
7.6.3 IP addressing ... 26
7.7 Transport layer ... 27
7.7.1 Transmission control protocol (TCP) ... 27
7.7.2 User datagram protocol (UDP) ... 28
7.7.3 Transport layer security (TLS) ... 28
7.8 V2G transfer protocol ... 31
7.8.1 General ... 31
7.8.2 Supported ports ... 31
7.8.3 Protocol data unit ... 33
7.9 Presentation layer ... 36
7.9.1 XML and efficient XML interchange (EXI) ... 36
7.9.2 Message security ... 39
7.10 Application layer ... 46
7.10.1 SECC discovery protocol ... 46
7.10.2 Vehicle to grid application layer messages ... 51
7.10.3 Application layer service primitives ... 51

8 Application layer messages ... 55
8.1 General ... 55
8.2 Protocol handshake definition ... 56
8.2.1 Handshake sequence ... 56

8.2.2 Message definition supportedAppProtocolReq and supportedAppProtocolRes 57
8.2.3 Semantics description supportedAppProtocol messages 57
8.2.4 Message examples 58
8.3 V2G message definition 60
8.3.1 General 60
8.3.2 Message definition 60
8.3.3 Message header definition 61
8.3.4 Message body definition 62
8.4 V2G communication session and BodyElement definitions 63
8.4.1 General 63
8.4.2 Session handling 63
8.4.3 Common messages 66
8.4.4 AC messages 96
8.4.5 DC messages 98
8.5 Complex data types 107
8.5.1 Overview 107
8.5.2 Common 107
8.5.3 AC 132
8.5.4 DC 136
8.6 Identification modes and message set definitions 142
8.6.1 Overview 142
8.6.2 Supported message sets 145
8.6.3 Selection of message sets 172
8.7 V2G communication timing 177
8.7.1 Overview 177
8.7.2 Message sequence and communication session 178
8.7.3 Session setup and ready to charge 183
8.7.4 V2G message synchronization with IEC 61851-1 signalling 186
8.8 Message sequencing and error handling 191
8.8.1 Overview 191
8.8.2 Basic Definitions for Error Handling 192
8.8.3 ResponseCode handling 192
8.8.4 Request-response message sequence requirements 196
8.9 Request-response message sequence examples 215
8.9.1 AC 215
8.9.2 DC 218
Annex A (normative) Schema definition 223
A.1 Overview 223
A.2 V2G_CI_AppProtocol.xsd 224
A.3 V2G_CI_MsgDef.xsd 224
A.4 V2G_CI_MsgHeader.xsd 225
A.5 V2G_CI_MsgBody.xsd 225
A.6 V2G_CI_MsgDataTypes.xsd 232
A.7 xmldsig-core-schema.xsd 242
Annex B (normative) Certificate profiles 247
B.1 Overview 247
Annex C (normative) Specification of identifiers 253
C.1 e-Mobility account identifier (EMAID) 253

C.1.1 EMAID syntax 253
C.1.2 EMAID Semantics 253
C.1.3 Calculation of the check digit 254
C.2 Electric vehicle supply equipment ID (EVSEID) 254
C.2.1 EVSEID syntax 254
C.2.2 EVSEID semantics 254
Annex D (informative) Mapping of ISO 15118-1 use case elements 256
D.1 Relation of identification modes and use case elements 256
Annex E (informative) Mapping of ISO 15118 message element names to SAE J2847/2 terms 309
E.1 SAE J2847/2 status codes 309
E.2 SAE J2847/2 energy transfer types 310
E.3 SAE J2847/2 signals 311
Annex F (informative) Message examples 313
F.1 Value added service selection 313
F.2 EXI encoded message examples 315
F.2.1 SessionSetupRes message 315
F.2.2 ChargeParameterDiscoveryReq message (AC-based) 315
F.2.3 CurrentDemandReq message 316
F.3 Schedules and tariff information 317
F.3.1 Overview 317
F.3.2 Dynamic GridSchedule w/o SalesTariff over ISO 15118 V2G CI 317
F.3.3 “Time Of Use”-based SalesTariff with constant value for GridSchedule 319
F.3.4 “Time Of Use”-based SalesTariff with dynamic GridSchedule 320
F.3.5 “Consumption”-based SalesTariff with constant value for GridSchedule 322
F.3.6 Multiple SalesTariffs with different demand Limits in GridSchedule 323
F.3.7 Time of Use-based SalesTariffs including relativePricePercentage 325
Annex G (informative) Application of certificates 333
G.1 General information 333
G.1.1 Overview 333
G.1.2 Demands of the OEM 334
G.1.3 Demands of the secondary actors 334
G.1.4 Rationale for decisions in this document 335
G.1.5 Overview of the resulting certificate structure 337
G.2 Simplified certificate management in private environment 338
G.2.1 Overview (motivation) 338
G.2.2 Solution for private environments 338

G.2.2.1 General 338
G.2.2.2 Installation of a private root certificate into a vehicle 339
G.2.2.3 Charging in a private environment 339
G.2.2.4 Compromised certificate of a wall box 339
G.3 Use of OEM provisioning certificates 340
G.3.1 Introduction 340
G.3.2 Processes 341
G.3.2.1 Vehicle production 341
G.3.2.2 Vehicle Hand-Over 341
G.3.2.3 Contract Conclusion 342
G.3.2.4 Certificate installation 342
G.3.2.5 Certificate update 342
G.3.2.6 Component replacement 342
G.4 Security appliances and their associated certificates 343
Annex H (informative) Encryption for the distribution of secret keys 346
H.1 Overview 346
H.2 Ephemeral-static Diffie-Hellman key agreement 346
H.3 Key pairs 347
Annex I (informative) Message sequencing for renegotiation 348
I.1 Overview 348
I.2 Renegotiation after resuming a V2G communication session 351
Annex J (informative) Overview on XML signatures 352
J.1 Overview 352
J.2 Signature generation 352
J.3 Signature generation for secondary actors 355
J.4 Signature validation 355
Annex K (informative) Summary of requirements 356
Bibliography 362