

# ISO 4513:2010-05 (E)

## Road vehicles - Visibility - Method for establishment of eyellipses for driver's eye location

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Adjustable seat 95th and 99th percentile tangent cut-off eyellipses for a 50/50 male and female gender mix .....	4
4.1	Reference anthropometry .....	4
4.2	Axis lengths .....	5
4.3	Axis angles .....	5
4.3.1	Rear and plan view angles .....	5
4.3.2	Side view angle, .....	6
4.4	Centroid locations .....	6
4.4.1	Locating equations .....	6
4.4.2	Seats with vertical adjustment .....	6
4.4.3	Left, right, mid-eye centroids .....	7
5	Eyellipse locating procedure, Class A vehicles .....	7
6	Neck pivot (P) and eye (E) points: locating procedure, Class A vehicles .....	8
6.1	Background .....	8
6.2	Neck pivot (P) points .....	8
6.3	Eye (E) points .....	9
Annex A (informative)	Adjustable seat tangent cut-off eyellipses for any user population stature distribution and gender mix .....	10
Annex B (informative)	Fixed seat 95th and 99th percentile tangent cut-off eyellipses for an adult population at a 50/50 gender mix .....	17
Annex C (informative)	Fixed seat tangent cut-off eyellipses for any user population stature distribution and gender mix .....	21
Annex D (informative)	Tangent cut-off eyellipses and inclusive eyellipses .....	26
Annex E (informative)	Eyellipses for Class B vehicles .....	29
Annex F (informative)	Background to the revision of this International Standard .....	32
Bibliography .....		34