

DIN CEN/TS 16331:2012-05 (E)

Electronic fee collection - Interoperable application profiles for autonomous systems; English version CEN/TS 16331:2012

Contents	Page
Foreword	5
Introduction	6
1 Scope	8
2 Normative references	9
3 Terms and definitions	10
4 Abbreviations	11
5 General profile independent IAP requirements	11
5.1 The principle defining EFC cluster supported regime characteristics using profiles	11
5.2 Toll Charger requirements	12
5.2.1 General	12
5.2.2 Toll Charge Back End requirements	13
5.3 Toll Charger RSE requirements	13
5.4 Service Provider requirements	13
5.4.1 General	13
5.4.2 Service Provider Back End Requirements	14
5.4.3 Front End specific requirements	14
6 The use of conditional requirements	16
7 Standardised profiles	16
7.1 General	16
7.2 How to use standardised profiles	21
7.2.1 General	21
7.2.2 SR (Sectioned Roads tolling)	21
7.2.3 SD (Sectioned Roads tolling or Distance based Area pricing)	21
7.2.4 OSD (Overlapping Sectioned Roads tolling or Distance based Area pricing)	22
7.2.5 OSDT (Overlapping Sectioned Roads tolling or Distance or Time based Area pricing)	22
7.2.6 OSDTC (Overlapping Sectioned Roads tolling or Distance or Time based Area or Cordon pricing)	22
7.3 Front End classes selection	22
Annex A (normative) Conditional profile requirements	23
A.1 General	23
A.2 Conditional requirements to be observed by the Toll Charger	23
A.2.1 When using contextInterrelations	23
A.2.2 When using roadSectionPricing	23
A.2.3 When using arePricingDistance	23
A.2.4 When using roadNetworks	23
A.2.5 When using arePricingTime	23
A.2.6 When using cordonPricing	23
A.2.7 When using agnssGDFLayout or tollContextLayout	24
A.2.8 When using tariffTable	24
A.2.9 When using tariffClassDefinition	24
A.2.10 When using localVehicleClassDefinition	24

A.2.11	When using timeClassDefinition	24
A.2.12	When using relativeTimePeriods	24
A.2.13	When using classesSetExternally	25
A.2.14	When using userClassdefinition	25
A.2.15	When using actualNumberOfPassengers	25
A.2.16	When using SectionLayout	25
A.2.17	When using AreaLayout	25
A.2.18	When using roadNetwork	25
A.2.19	When using chargeReportingEvents	25
A.2.20	When using chargeReportConfiguration	25
A.3	Conditional requirements to be observed by the Service Provider	27
A.3.1	When using tollDeclarationADU	27
A.3.2	When using combinedChargeReportContexts	28
A.3.3	When using precedenceLevel	28
A.3.4	When using roadSectionPricing	28
A.3.5	When using areaPricingDistance	29
A.3.6	When using areaPricingDistance.roadNetworks	29
A.3.7	When using areaPricingTime	29
A.3.8	When using cordonPricing	29
A.3.9	When using tariffTable	29
A.3.10	When using tariffClassDefinition	29
A.3.11	When using localVehicleClasses	29
A.3.12	When using timeClasses	29
A.3.13	When using timeClasses.ordinalElements.relativeTimeClasses	30
A.3.14	When using timeClasses.nominalElements.classesSetExternally	30
A.3.15	When using userClasses	30
A.3.16	When using tollContextLayout	30
A.3.17	When using chargeReportingEvents	30
A.3.18	When using chargeReportConfiguration	30
A.4	Conditional requirements to be observed by the Front End	30
A.4.1	When using in the ChargeReport all other elements than usageStatement	30
A.4.2	When using in the ChargeReport the usageStatementList	31
A.4.3	When using aggregatedFee	31
A.4.4	When using aggregatedSingleTariffClassSession	31
A.4.5	When using listOfChargeObjects	31
A.4.6	When using listOfRawUsageData	31
Annex B (normative)	The use of identifiers	32
B.1	General	32
B.2	Identifiers specified in CEN ISO/TS 13141	36
B.3	Identifiers specified in CEN ISO/TS 17575-1	36
B.4	Identifiers specified in CEN ISO/TS 17575-3	38
B.5	Identifiers specified in CEN ISO/TS 17575-4	39
B.6	Identifiers specified in CEN ISO/TS 12813	39
B.7	Identifiers specified in EN ISO 12855	39
Annex C (normative)	Protocol Implementation Conformance Statement	40
C.1	Guidance for completing the PICS proforma	40
C.1.1	Purposes and structure	40
C.1.2	Abbreviations and conventions	40
C.1.3	Instructions for completing the PICS proforma	42
C.2	PICS proforma for the Toll Charger's Back-end	42
C.2.1	Identification of the implementation	42
C.2.2	Identification of the protocol	45
C.2.3	Global statement of conformance	45
C.2.4	Profiles	45
C.2.5	EN ISO 12855	45
C.3	PICS proforma for the Toll Charger RSE	49
C.3.1	Identification of the implementation	49
C.3.2	Identification of the protocol	51

C.3.3	Global statement of conformance	51
C.3.4	Support for CCC and LAC Applications	51
C.4	PICS proforma for the Service Provider Back-end	53
C.4.1	Identification of the implementation	53
C.4.2	Identification of the protocol	55
C.4.3	Global statement of conformance	55
C.4.4	Profiles	56
C.4.5	EN ISO 12855	56
C.5	PICS proforma for the Service Provider Front End	60
C.5.1	Identification of the implementation	60
C.5.2	Identification of the protocol	62
C.5.3	Global statement of conformance	62
C.5.4	Front End Class	63
C.5.5	CEN ISO/TS 17575-1 Charge Report - Usage Statement	63
C.5.6	CEN ISO/TS 17575-3 -Charge Report Configuration	63
C.5.7	Support for CCC and LAC Applications	64
Annex D (informative) IAP taxonomy and numbering		65
D.1	General	65
D.2	Taxonomy of Interoperable Application Profiles (IAP)	65
D.2.1	Specified profiles	65
D.2.2	Future new profiles	66
D.3	IAP numbering and referencing	66
D.3.1	IAP numbering	66
D.3.2	IAP referencing	66
Annex E (informative) How to define new profiles - the profile creation principle		67
Bibliography		68