ISO 14229-1:2013-03 (E)

Road vehicles - Unified diagnostic services (UDS) - Part 1: Specification and requirements

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Abbreviated terms 4

4 Conventions 5

5 Document overview 6

6 Application layer services 7
6.1 General 7
6.2 Format description of application layer services 9
6.3 Format description of service primitives 9
6.4 Service data unit specification 12

7 Application layer protocol 15
7.1 General definition 15
7.2 Protocol data unit specification 16
7.3 Application protocol control information 16
7.4 Negative response/confirmation service primitive 18
7.5 Server response implementation rules 18

8 Service description conventions 29
8.1 Service description 29
8.2 Request message 30
8.3 Positive response message 33
8.4 Supported negative response codes (NRC_) 34
8.5 Message flow examples 34

9 Diagnostic and Communication Management functional unit 35
9.1 Overview 35
9.2 DiagnosticSessionControl (0x10) service 36
9.3 ECUReset (0x11) service 43
9.4 SecurityAccess (0x27) service 47
9.5 CommunicationControl (0x28) service 53
9.6 TesterPresent (0x3E) service 58
9.7 AccessTimingParameter (0x83) service 61
9.8 SecuredDataTransmission (0x84) service 66
9.9 ControlDTCSetting (0x85) service 71
9.10 ResponseOnEvent (0x86) service 75
9.11 LinkControl (0x87) service 99

10 Data Transmission functional unit 106
10.1 Overview 106

10.2 ReadDataByIdentifier (0x22) service 106
10.3 ReadMemoryByAddress (0x23) service 113
10.4 ReadScalingDataByIdentifier (0x24) service 119
10.5 ReadDataByPeriodicIdentifier (0x2A) service 126
10.6 DynamicallyDefineDataIdentifier (0x2C) service 140
10.7 WriteDataByIdentifier (0x2E) service 162
10.8 WriteMemoryByAddress (0x3D) service 167

11 Stored Data Transmission functional unit 174
11.1 Overview 174
11.2 ClearDiagnosticInformation (0x14) Service 175
11.3 ReadDTCInformation (0x19) Service 178

12 InputOutput Control functional unit 245
12.1 Overview 245
12.2 InputOutputControlByIdentifier (0x2F) service 245

13 Routine functional unit 259
13.1 Overview 259
13.2 RoutineControl (0x31) service 260

14 Upload Download functional unit 270
14.1 Overview 270
14.2 RequestDownload (0x34) service 270
14.3 RequestUpload (0x35) service 275
14.4 TransferData (0x36) service 280
14.5 RequestTransferExit (0x37) service 285
14.6 RequestFileTransfer (0x38) service 295

15 Non-volatile server memory programming process 303
15.1 General information 303
15.2 Detailed programming sequence 307
15.3 Server reprogramming requirements 315
15.4 Non-volatile server memory programming message flow examples 319

Annex A (normative) Global parameter definitions 325

A.1 Negative response codes 325

Annex B (normative) Diagnostic and communication management functional unit data-parameter definitions 333

B.1 communicationType parameter definition 333
B.2 eventWindowTime parameter definition 334
B.3 linkControlModeIdentifier parameter definition 334
B.4 nodeIdentificationNumber parameter definition 335

Annex C (normative) Data transmission functional unit data-parameter definitions 337

C.1 DID parameter definitions 337
C.2 scalingByte parameter definitions 343
C.3 scalingByteExtension parameter definitions 345
C.4 transmissionMode parameter definitions 351
C.5 Coding of UDS version number 352

Annex D (normative) Stored data transmission functional unit data-parameter definitions 353

D.1 groupOfDTC parameter definition 353
D.2 DTCStatusMask and statusOfDTC bit definitions 353
D.3 DTC severity and class definition 366
D.4 DTCFormatIdentifier definition 369
D.5 FunctionalGroupIdentifier definition 369

D.6 DTCFaultDetectionCounter operation implementation example 371
D.7 DTCAgingCounter example 372

Annex E (normative) Input output control functional unit data-parameter definitions 374

E.1 InputOutputControlParameter definitions 374

Annex F (normative) Routine functional unit data-parameter definitions 375

F.1 RoutineIdentifier (RID) definition 375

Annex G (normative) Upload and download functional unit data-parameter 376

G.1 Definition of modeOfOperation values 376

Annex H (informative) Examples for addressAndLengthFormatIdentifier parameter values 377

H.1 addressAndLengthFormatIdentifier example values 377

Annex I (normative) Security access state chart 379

I.1 General 379
I.2 Disjunctive normal form based state transition definitions 379

Annex J (informative) Recommended implementation for multiple client environments 385

J.1 Introduction 385
J.2 Implementation specific limitations 385
J.3 Use cases relevant for system design 386
J.4 Use Case Evaluation: 388
J.5 Multiple client server level implementation 389

Bibliography 391