

ISO 15638-2:2013-06 (E)

Intelligent transport systems - Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) - Part 2: Common platform parameters using CALM

Contents		Page
Foreword		v
Introduction		vii
1	Scope	1
2	Conformance	1
3	Normative references	1
4	Terms and definitions	3
5	Symbols (and abbreviated terms)	4
6	General overview and framework	8
7.	Requirements	10
7.1	General	10
7.2	ISO 21217 CALM Architecture	10
7.2.1	ISO 21217 General requirement	10
7.2.2	ISO 21217 Specific aspects as they relate to TARV	11
7.2.3	ISO 21217 Communication interface and channel types	11
7.2.4	ISO 21217 Handover	12
7.2.5	ISO 21217 IVS - ITS subsystem	12
7.2.6	ISO 21217 Roadside ITS subsystem	13
7.2.7	ISO 21217 Communication scenarios and classes	14
7.3	ISO 21217 ITS-station reference architecture	17
7.4	ISO 21217 Host, router, and gateway architecture	19
7.5	ISO 21217 Service	19
7.5.1	ISO 21217 ITS service	19
7.5.2	ISO 21217 ITS-station service	19
7.5.3	ISO 21217 Details related to the access layer	19
7.5.4	ISO 21217 Details related to the networking and transport layer	20
7.6	ISO 21217 Details related to ITS-station applications (ISO 21217)	21
7.6.1	ISO 21217 CALM-aware applications	21
7.6.2	ISO 21217 Non-CALM-aware applications	22
7.7	ISO 21217 Management elements	22
7.8	ISO 21210 CALM IPv6 Networking	22
7.8.1	ISO 21210 General requirement	22
7.8.2	ISO 21210 Requirements on all ITS IPv6 LAN nodes	22
7.8.3	ISO 21210 ITS-station IPv6 nodes deployed in the Vehicle ITS sub-system	23
7.8.4	ISO 21210 ITS-station IPv6 nodes deployed in the roadside ITS sub-system	23
7.8.5	ISO 21210 ITS-station IPv6 nodes deployed in the central ITS sub-system	24
7.8.6	ISO 21210 IPv6 functional modules	24
7.8.7	ISO 21210 Module 5: IPv6 security	26
7.8.8	ISO 21210 Modules implemented in ITS-station IPv6 nodes	26
7.8.9	ISO 21210 IPv6 address configuration	27
7.8.10	ISO 21210 Addressing requirement for reachability from the Internet	29
7.8.11	ISO 21210 Optional features and functions	29

7.8.12	ISO 21210 IPv6 priority	29
7.9	ISO 29281 Intelligent transport systems CALM non-IP networking	29
7.9.1	ISO 29281 General requirement	29
7.9.2	ISO 29281-1 Non-IP networking	30
7.9.3	ISO 29281 -2 Fast networking & transport layer protocol (FNETP)	31
7.9.4	ISO 29281 -3 Legacy system support	34
7.9.5	ISO 29281 Communication scenarios	37
7.10	ISO 21218 CALM Lower Layer SAP	37
7.10.1	ISO 21218 overview	37
7.11	ISO 24102 CALM management	38
7.12	CALM Media	39
7.12.1	ISO 21215 CALM M5	39
7.12.2	ISO 21214 CALM Infrared	41
7.12.3	ISO 21216 CALM Millimetre	42
7.12.4	ISO 24103 CALM media adapted interface layer	43
7.12.5	ISO 25111 CALM General requirements for public networks	45
7.12.6	ISO 21212 CALM GSM	49
7.12.7	ISO 21213 CALM UMTS	50
7.12.8	ISO 28282 CALM Satellite	51
7.12.9	ISO 25112 CALM MWB using IEEE 802.16	54
7.12.10	ISO 29283 CALM MWB using IEEE 802.20	55
7.12.11	ISO 25113 CALM MWB using HC-SDMA	56
7.12.12	ISO 13183 CALM Broadcast	56
7.14	Facilities layer for CALM communications	59
7.15	Application management for CALM communications	59
7.15.1	ISO TR 12859 Privacy	59
7.15.2	ISO 26683-2 Freight land conveyance content identification	59
7.16	Support interfaces	59
7.16.1	Driver identification	59
7.16.2	Physical interfaces to ancilliary devices and data	59
8	Quality of service requirements	59
9	Test requirements	59
10	Marking, labelling and packaging	60
11	Declaration of patents and intellectual property	60
Annex A (Normative) Guidance regarding the initiation of an application service communication session		61
A.1	General scenario	61
A.2	Communications scenario	61
A.2.1	PROCESS A: IVS INITIATES	62
A.2.2	PROCESS B: Application service provider (ASP) INITIATES	62
A.2.2.1	PROCESS B1: ASP BROADCAST INITIATES	62
A.2.2.2	Targetted WAKE UP	62
A.2.2.3	PROCESS B2: ASP TARGETS SPECIFIC RECIPIENT VIA UMTS (or similar)	63
A.2.3	PROCESS C: USER TELLS ASP WHEN VEHICLE IS IN OPERATION	63
A.2.4	PROCESS D: SERVICE ANNOUNCEMENT from RSUs INITIATES	63
Bibliography		65