

ISO 15638-3:2013-06 (E)

Intelligent transport systems - Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) - Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services

Contents		Page
Foreword		ix
Introduction		xi
1	Scope	1
2	Conformance	1
3	Normative references	2
4	Terms and definitions	2
5	Symbols (and abbreviated terms)	5
6	General overview and framework	6
7	Requirements	8
8	DEFINITION OF THE ROLES AND RESPONSIBILITIES OF KEY ACTORS	8
8.1	Generic service requirements	8
8.2	User	9
8.2.1	User specification US1: `Prime User'	9
8.2.2	User specification US2: `Secondary User'	9
8.2.3	User specification US3: Mandatory application service enrolment	9
8.2.4	User specification US4: Voluntary application service enrolment	10
8.2.5	User specification US5: Service provider engagement	10
8.3	Service provider	10
8.3.1	Service provider specification SP1 : Service provider definition	10
8.3.2	Service provider specification SP2: Service provider `Approval Authority' requirement	10
8.3.3	Regimes for regulated application service provision	10
8.3.4	Service provider specification SP3: Application service definition	11
8.3.5	Service provider specification SP4: Service provision	11
8.3.6	Service provider specification SP5: Service provider charging	11
8.3.7	Service provider specification SP6: Service provider charging fees on behalf of jurisdiction regulator	11
8.3.8	Service provider specification SP7: Service provider transmission of data to the jurisdiction and/or its agents	11
8.3.9	Service provider specification SP8: Provision of non-regulated commercial services	12
8.4	Wireless communications service provider	12
8.4.1	Service provider specification SP9: Wireless communications service provision	12
8.4.2	Service provider specification SP10: Responsibility for wireless communications service provision	12
8.5	IVS installer	12
8.5.1	Original equipment manufacturer specification OEM1: Responsibility where IVS is installed at time of vehicle manufacture	13
8.5.2	Service provider specification SP11: Responsibility where IVS is installed post manufacture of the vehicle	13
8.6	IVS maintainer	13

8.6.1	User responsibility US6: Responsibility to maintain the IVS	13
8.6.2	Service provider specification SP12: Responsibility of the service provider contracted to maintain an IVS	14
8.7	Jurisdiction	15
8.7.1	Jurisdiction specification JS1: Definition of regulated application services for TARV	15
8.7.2	Jurisdiction specification JS2: Definition of status of regulated application services for TARV	15
8.7.3	Jurisdiction specification JS3: Obtain supporting legislation/regulation for a regulated application service for TARV	15
8.7.4	Jurisdiction specification JS4: Manage and regulate the provision of the regulated application services	15
8.8	'Approval Authority'	15
8.8.1	Jurisdiction specification JS5: create or appoint a 'Approval Authority'	16
8.8.2	'Approval Authority' specification AA1: Consider and appoint candidates to be service providers	16
8.8.3	'Approval Authority' specification AA2: Test and approve service providers	16
8.8.4	'Approval Authority' specification AA3: Audit service providers	16
8.8.5	'Approval Authority' specification AA4: Type approve IVS	17
8.8.6	'Approval Authority' specification AA5: Test IVS functionality	17
8.9	Contract options	17
8.9.1	User requirement US6 : 'Service Provider - User Contract'	17
9	IVS REQUIREMENTS	18
9.1	Physical	18
9.1.1	IVS functional description	18
9.1.2	HMI aspects	18
9.2	Data	18
9.2.1	IVS essential data collection	18
9.2.2	IVS essential data processing	18
9.2.3	IVS identification	19
9.3	IVS specification IVS1: Robustness and suitability	19
9.3.1	Robustness	19
9.3.2	Suitability for use	19
9.4	IVS specification IVS2: Availability	20
9.5	IVS specification IVS3: Environmental	20
9.6	IVS specification IVS4: Secure data storage	20
9.7	IVS specification IVS5: Data storage means	21
9.8	IVS specification IVS6: Data input means	21
9.9	IVS specification IVS7: Central processing unit	21
9.10	IVS specification IVS8: Secure data processing	22
9.11	IVS specification IVS9: Connectivity means to/from auxiliary equipment	22
9.12	IVS specification IVS11: Communications means	22
9.13	IVS Classification	22
9.13.1	IVS specification IVS12: CLASS A - able to communicate with its attached trailers	22
9.13.2	IVS specification IVS13: CLASS B - not able to communicate with its attached trailers	23
9.14	IVS specification IVS14: IVS identification of attached trailers	23
9.15	IVS specification IVS15: Physical trailer marking	23
9.16	IVS specification IVS16: Equipped trailer identification (trailer ID)	23
9.17	IVS specification IVS17: Freight land conveyance content identification and communication	23
9.18	Equipped trailer identification devices	23
9.18.1	IVS specification IVS18: Equipped trailer identification devices	23
9.18.2	IVS specification IVS19: Trailer identification device requirements	24
9.18.3	IVS specification IVS20: Integrity of trailer identification	24
9.19	IVS specification IVS21: Power supply	24
9.20	IVS specification IVS 22: external power supply failure/shut down	25
9.21	IVS specification IVS23: Security seals	25
9.22	IVS specification IVS24: GNSS capability	25
9.23	IVS specification IVS25: Accelerometer capability	25
9.24	IVS specification IVS26: Gyroscope capability	26
9.25	IVS specification IVS27: Still camera data	26
9.26	IVS specification IVS28: Video data	26

9.27	Alarm status data and records	26
9.27.1	IVS specification IVS29: Alarm types and data	26
9.27.2	IVS specification IVS30: Independent movement sensing	27
9.28	IVS specification IVS31: Vehicle location	27
10	PROCEDURES FOLLOWING POWER-UP OF THE VEHICLE	28
10.1	IVS specification IVS32: When vehicle is powered up (ignition status ON)	28
10.2	IVS specification IVS33: Communication set-up	28
10.2.1	Application service provider generates request for `Core Application Data'	29
10.2.2	IVS generates send of `Core Application Data' (CAD)	29
10.2.3	Data compression	29
10.2.4	Data acknowledgement	29
10.2.5	In the event of failure to receive the `DATA-ACK'	29
10.3	IVS specification IVS34: Communication session clear-down	29
10.4	CAD not received correctly	30
11	RECORDS TRANSFER AND BACKUP PROCEDURES	30
11.1	Periodicity determined by the jurisdiction	30
11.2	Frequency of records transfer	30
11.3	Records to be transferred	30
11.4	Procedures for transfer of `stored data'	30
11.4.1	IVS specification IVS35: `stored data' Communication set-up	30
11.4.2	IVS generates send of `stored data'	30
11.4.3	Data compression	31
11.4.4	Stored data acknowledgement	31
11.4.5	In the event of failure to receive the `SD-ACK'	31
11.5	Deletion of data stored in the non-volatile memory of the IVS	31
11.5.1	IVS data records deleted only after fulfilment of conditions	31
11.6	Data testing	31
11.7	Data backup and archiving	32
12	IVS - VEHICLE	32
12.1	`Core Application Data'	32
12.1.1	Jurisdiction specification JS6: `Core Application Data'	33
12.2	`Basic Vehicle Data'	33
12.2.1	Jurisdiction specification JS7: `Basic Vehicle Data'	33
12.3	OEM installed IVS	34
12.3.1	Regulation regime	34
12.3.2	Physical installation aspects	34
12.3.3	Vehicle data bus	34
12.3.4	Initial set-up	34
12.4	Aftermarket installed IVS	35
12.4.1	Regulation regime	35
12.4.2	Physical installation aspects	35
12.4.3	Vehicle data bus	36
12.4.4	Initial set-up	36
12.5	Interoperability certificate	37
12.6	Non-TARV functionality in IVS	37
12.6.1	Complementary access and use	37
12.6.2	Reporting to jurisdiction regulator	37
12.6.3	IVS specification IVS36: Shall not interfere with TARV application service provision	37
12.6.4	IVS specification IVS37: Shall demonstrate complementariness	37
12.7	Post installation events	37
12.7.1	Service provider requirement SP23: Replacement of IVS	37
12.7.2	Service provider requirement SP24: Upgrade of the IVS	38
12.7.3	Service provider requirement SP25: Repair of the IVS	38
12.7.4	Service provider requirement SP26: Service of the IVS	38
12.8	Change of regulated commercial freight vehicle properties	38
12.8.1	User responsibility US7: Change of regulated commercial freight vehicle properties	38
12.8.2	Service provider responsibility SP27: Change of regulated commercial freight vehicle properties	38
12.9	Activation	39

12.9.1	Service provider responsibility SP28: IVS activation	39
12.10	Maintenance and continuity of application service provider systems	39
12.10.1	Update and installation of applications	39
12.10.2	Introduction of new applications	39
12.10.3	Service provider responsibility SP29: System modifications, upgrades and changes	39
12.10.4	Service provider responsibility SP30: Minimisation of on board processing and memory demands	39
12.10.5	Service provider responsibility SP31: Responsibility for design, development, testing ...	40
12.10.6	'Approval Authority' specification AA8: Approve new applications	40
12.11	Deactivation	40
12.12	End of life provisions	40
12.12.1	User responsibility US8: End of life notification	40
12.12.2	Service provider responsibility SP32: End of life notification	40
13	PROVISIONS TO ENABLE MONITORING AND ENFORCEMENT OF REGULATED COMMERCIAL FREIGHT VEHICLES	41
13.1	Jurisdiction specification JS8: Definition of regulated commercial freight vehicle	41
13.2	Jurisdiction specification JS9: Provision of regulations to monitor and enforce	41
14	'Approval Authority' PROCEDURES	41
14.1	General 'Approval Authority' process	41
14.2	Jurisdiction specification JS10: Provision of 'Approval Authority' test regime	42
14.3	Jurisdiction specification JS11: Provision of 'Approval Authority' test suites	42
14.4	IVS 'Approval Authority'	43
14.4.1	IVS specification IVS1: Robustness and suitability	43
14.4.2	IVS specification IVS2: Availability	44
14.4.3	IVS specification IVS3: Environmental	44
14.4.4	IVS specification IVS4: Secure data storage	44
14.4.5	IVS specification IVS6: Data input means	44
14.4.6	IVS specification IVS7: Central processing unit	44
14.4.7	IVS specification IVS8: Secure data processing	45
14.4.8	IVS specification IVS9: Connectivity means to/from auxiliary equipment	45
14.4.9	IVS specification 10: IVS clock	45
14.4.10	IVS specification IVS11: Communications means	45
14.4.11	IVS Classification (IVS12, IVS13, IVS 14)	46
14.4.12	IVS specification IVS21: Power supply	46
14.4.13	IVS specification IVS 22: external power supply failure/shut down	46
14.4.14	IVS specification IVS24: GNSS capability	46
14.4.15	IVS specification IVS25: Accelerometer capability	46
14.4.16	IVS specification IVS26: Gyroscope capability	46
14.4.17	IVS specification IVS27: Still camera data	46
14.4.18	IVS specification IVS28: Video data	46
14.4.19	IVS specification IVS29: Alarm types and data	46
14.4.20	IVS specification IVS30: Independent movement sensing	47
14.4.21	IVS specification IVS31: Vehicle location	47
14.4.22	IVS specification IVS32: When vehicle is powered up (ignition status ON)	47
14.4.23	IVS specification IVS33: Communication set-up (1)	48
14.4.24	IVS specification IVS33: Communication set-up (2) SEND 'Core Application Data'	48
14.4.25	IVS specification IVS34: Communication session clear-down	48
14.4.26	IVS specification IVS35: Communication set-up : transfer of 'stored data'	49
14.4.27	IVS data records deleted only after fulfilment of conditions	49
14.4.28	IVS unique identification	49
14.4.29	Identification code of the registered commercial freight vehicle	49
14.4.30	Non-TARV functionality in IVS: Complementary access and use	49
14.4.31	Change of regulated commercial freight vehicle properties	50
14.5	IVS 'Approval Authority'	50
14.5.1	Unique unambiguous identifier (IVS ID)	50
14.5.2	Affixation	50
14.5.3	Test mechanical capability	50
14.5.4	Test connection to prime mover/rigid truck	50
14.5.5	Test durability	50
14.5.6	Test vibration	51

14.5.7	Test bump/impact/shock	51
14.5.8	Test fall	51
14.5.9	Test humidity	51
14.5.10	Test temperature	51
14.5.11	Test dust and water ingress protection (1)	51
14.5.12	Test dust and water ingress protection (2)	51
14.5.13	Test radio frequency and electrical interference	51
14.5.14	Electromagnetic emissions	51
14.5.15	IVS specification IVS9: Connectivity means to/from auxiliary equipment	51
14.5.16	Equipped trailer identification devices	52
14.5.17	IVS specification IVS23: Security seals	53
14.6	Application service provider `Approval Authority'	53
14.6.1	General requirements	53
14.6.2	In the event of malfunction	54
14.6.3	Service provider specification SP4: Service provision	54
14.6.4	Service provider specification SP5: Service provider charging regime	55
14.6.5	Service provider specification SP6: Service provider charging fees on behalf of jurisdiction regulator	55
14.6.6	Service provider specification SP7: Service provider transmission of data to the jurisdiction and/or its agents	55
14.6.7	Service provider specification SP8: Provision of non-regulated commercial services	55
14.6.8	Service provider specification SP9: Wireless communications service provision	55
14.6.9	Service provider specification SP12/SP18/SP19/SP20/SP23/SP24/SP25/SP26/SP28: Responsibility of the service provider contracted to maintain an IVS	55
14.6.11	Service provider specification SP17/SP22: `Core Application Data'	55
14.6.13	Service provider responsibility SP27: Change of regulated commercial freight vehicle properties	56
14.7	Application service `Approval Authority'	56
14.7.1	General requirements	56
14.7.2	Application service `Approval Authority' tests	56
14.7.2	Service provider specification SP3: Application service definition	57
14.7.3	HMI aspects	57
14.7.4	Documentation	57
14.7.4	Service provider specification SP5: Service provider charging regime	57
14.8	Maintenance and continuity of application service provider systems	57
14.8.1	Service provider responsibility SP30: Minimisation of on-board processing and memory demands	58
14.8.2	Service provider responsibility SP31: Responsibility for design, development, testing (continued monitoring of the IVS performance)	58
15	Auditing	58
16	Privacy	58
16.1	Business privacy	58
16.1.1	General	58
16.1.2	Explicit and legitimate and must be determined at the time of collection of the data	58
16.1.3	Not further processed in a way incompatible with the purposes for which it was originally collected	59
16.1.4	Not be disclosed without the consent of the data subject	59
16.2	Driver privacy	59
17	Interoperability	59
18	Legal, regulatory and enforcement aspects	60
19	Quality of service requirements	60
19.1	General	60
19.2	IVS and TID type approvals and monitoring	60
19.3	Application service provider system specifications	61
20	Marking, labelling and packaging	61

21	Declaration of patents and intellectual property	61
A.1	General	62
A.2	Jurisdiction	62
A.3	'Approval Authority'	62
A.4	Service provider	62
A.5	IVS	63
A.6	User	64
A.7	OEM	64
B.1	General	65
B.2	Countries with existing unambiguous vehicle identification schema	65
B.3	Countries without an existing unambiguous vehicle identification schema	65
	Bibliography	67